

WIRELESS REARVIEW CCTV (WI-FI) Digital Technology



D13806 : Wireless Digital CCTV Wi-Fi



**Quick Mounting
Few Interferences
Connecting up to 5 cameras (4+1 sector)**

7" color screen



- High resolution display
- Fewer interferences than analogic technology
- Digital technology with unique code pairing
- 12 / 24 Volts
- 8 languages available: French, English, Portuguese, Spanish, Russian, Dutch, German, Italian
- Picture image adjustable for horizontal, vertical, mirror, normal viewing
- PAL/NTSC system
- Reverse distance grid
- On-board speaker



CMOS wireless camera

- 12 / 24 Volts
- Waterproof camera (IP69K)
- Micro integrated
- Night vision: approx. 10 m (12 infrared leds)
- Vision angle : 120°
- Use between -20°C and +60°C



Accessories:

- Camera : D14062
- Antenne : D14063



VIGNAL SYSTEMS
12, rue Eugène Hénaff - BP 594
F-69637 Vénissieux Cedex
Tel: +33 (0)4 72 90 29 29
Email: info@vignal-systems.com
Site Web: www.vignal-systems.



ORIGINAL QUALITY PARTS

TOUCH SCREEN CCTV KIT



D13494 : Touch Screen CCTV Kit



Good value for money
Protection IP69K
Connexion up to 3 cameras



5" LCD Colour Monitor

- High quality image
- 12/24 Volts
- On-board speaker
- 8 languages available : French, English, Portuguese, Spanish, Russian, Dutch, German, Italian
- Résolution : 2400 x 480
- Operating temperature: -10°C to +65°C

Monitor : D13497



1/4" colour camera

- System: PAL/NTSC
- CMOS camera
- Current consumption : Max 430mA
- Operating temperature: - 10°C to +65°C
- Waterproof camera (IP69K)
- Lens angle : 120°

Camera : D13617



Cable 10 and 20 m

- Cables : **D13621** (10m), **D13622** (20m)

Option:

- Trailer connection cable : **D13620**



VIGNAL SYSTEMS
12, rue Eugène Hénaff - BP 594
F-69637 Vénissieux Cedex
Tel: +33 (0)4 72 90 29 29
Email: info@vignal-systems.com
Site Web: www.vignal-systems.com



ORIGINAL QUALITY PARTS

REARVIEW CCTV SYSTEM



A10091 : Rear View Complete Kit



Extreme conditions of use
Alu - Stainless Steel Camera
Connection up to 3 cameras



7 inch color screen

Characteristics :

- TFT LCD monitor with digital screen
- Automatic backlighting for buttons
- High resolution display
- 12 / 24 V
- 8 languages available : French, English, Portuguese, Spanish, Russian, Dutch, German, Italian
- Horizontal, vertical, mirror, normal viewing display
- PAL/NTSC system
- Built-in speaker

Monitor : D13887

Cable : 20 m

- Cables : **D13621** (10m), **D13622** (20m)



Alu - Stainless steel camera

Characteristics :

- 12 / 24 V
- Waterproof camera (IP69K)
- Aluminium housing
- Stainless steel mount and sun shield
- Microphone
- High vision (6 infrared leds)
- Vision angle : 120°
- Use between - 40°C and+ 70° C

Camera : D13881

Option:

- Trailer connection cable : **D13620**



VIGNAL SYSTEMS
12, rue Eugène Hénaff - BP 594
F-69637 Vénissieux Cedex
Tel: +33 (0)4 72 90 29 29
Email: info@vignal-systems.com
Site Web: www.vignal-systems.com



ORIGINAL QUALITY PARTS

CCTV KIT

4 Cameras Touch Screen



D13616 : Touch Screen 4 cameras CCTV KIT
1 monitor 7", 4 cameras, 4 cables (5m + 2 x 10m + 20 m)



7" LCD multi display monitor
Optimal safety : vision until 360°



7" LCD colour monitor
Multi display digital touchscreen

- Power supply voltage 10 to 32V
- Current consumption : Max 25W
- Operating temperature : - 10°C to +65°C

Monitor: D13501



Backward Colour Camera with microphone and night vision (8m)

- Lens angle : 100°
- Waterproof camera (IP69K)
- Operating temperatures : -20°C to +70°C

Camera : D13617



Night Vision Front camera (4m)

- Lens angle : 100°
- Waterproof camera (IP69K)
- Operating temperature : -20°C to +50°C

Camera : D13618



Side Colour Cameras with night vision (4m)

- Lens angle : 100°
- Waterproof camera (IP69K)
- Operating temperature : -20°C to +50°C

Camera : D13619



4 Cables in 4 poles

- 1 cable 5m
- 2 cables 10 m, **cable D13621**
- 1 cable 20 m, **cable D13622**

Option:

Connection Kit D13620



- 2 bases in 2 entrances
- 1 cable spiral special for the video
- **Specificity: 1 kit allows to link 2 cameras**



VIGNAL SYSTEMS
 12, rue Eugène Hénaff - BP 594
 F-69637 Vénissieux Cedex
 Tel: +33 (0)4 72 90 29 29
 Email: info@vignal-systems.com
 Site Web: www.vignal-systems.com



ORIGINAL QUALITY PARTS