

ETRECOM

AIR CONDITIONING & REFRIGERATION CHEMICAL SOLUTIONS

Automotive Division

P R I C E L I S T 2 0 1 6





CERTIFICATE • CERTIFICAT • 証明書 • 証明状

CERTIFICATE

Nr 50 100 11017 - Rev. 02

Si attesta che / This is to certify that

LA QUALITÀ GUSTAZIA
THE QUALITY TASTES OF

ERRECOM S.r.l.

SEDE LEGALE E OPERATIVA:
REGISTERED OFFICE AND OPERATIONAL SITE:
VIA INDUSTRIALE 14 I-25035 CORZANO (BS)

SEDE OPERATIVA:
OPERATIONAL SITE:
VIA INDUSTRIALE 7-I-25030 CORZANO (BS)

E' CONFORME A' REQUISITI DELLA NORMA

ANALISI PERMANENTE DEL SISTEMA DI GESTIONE

UNI EN ISO 9001-2008

QUESTO CERTIFICATO E' VALIDO FINCHÉ IL SOGGETTO COMPIA LE APPLICAZIONI
THIS CERTIFICATE IS VALID UP TO THE FOLLOWING SCOPE

Progettazione, sviluppo, produzione e commercializzazione di additivi chimici, attrezzature e componenti per l'installazione e manutenzione di impianti e sistemi di refrigerazione, condizionamento o desalini in settori industriali, mezzi di trasporto e comunità (dal n° 16, 19).

Design, development, production and sale of chemicals, tools and components for the installation and the maintenance of refrigeration and air conditioning systems, or intended for the sectors of industry, transportation and community (n° 16, 19, 20)

Ente Nazionale per la Certificazione
di Qualità
Via dell'Industria 14
I-25035 Corzano (BS)
Tel. +39 030 2300800
Fax +39 030 2300801
www.accredia.it

Poi Firmatario di Conformità
For the Signatory
TUW Italia S.r.l.

Validità Validity
Dal From: **2015-03-19**
Al To: **2015-03-19**

Andrea Costa
Direttore Generale / General Director

Data issuance / Printing Date
2015-03-19

Primo Certificato / First Certification: 2015-03-19

La qualità del PRODOTTO CERTIFICATO è garantita e garantita solo se il Cliente si impegna ad adottare le buone pratiche di gestione della qualità secondo quanto specificato nel presente certificato.

The quality of the CERTIFIED PRODUCT is guaranteed and guaranteed only if the Customer commits to adopting good management practices according to what specified in this certificate.

TUW Italia S.r.l. - Via degli DEI 100 - Via Cavour 125, P.zz. 23 - 20080 Desio (Como) Italy - tel. +39 0362 70001

ERRECOM
AIR CONDITIONING & REFRIGERATION CHEMICAL SOLUTIONS

**We work to save
life on Earth.**



 **Errecom[®]**
for Earth

REFRIGERANT LEAKS?

LEAK STOP



Intertek

LABORATORY TESTED

Extreme Leak Stop for Vehicle A/C Systems with R134a & R1234yf

What is it?

EXTREME is an essential product to solve all problems related to small refrigerant gas leaks occurring in vehicle A/C systems.

How does it work?

EXTREME locates the refrigerant gas leak and permanently seal it, not reacting with humidity and oxygen. EXTREME repairs leaks with a maximum dimension of 0.05 mm.

Benefits

- Permanently seals refrigerant gas leaks in both metal and rubber components of vehicle A/C systems.
- Visible to any UV lamp.
- Significantly reduces compressor noise.
- Polymer-free.
- Ideal for preventative maintenance.
- Does not clog the compressor.
- Does not clog recovery components.
- UNIVERSAL DOSE FOR VEHICLE A/C SYSTEMS = 30 ML (1 FL. OZ.).



Extreme in Cartridge

Art.-Nr.	Description	☐	€/Each
TR1062.C.J7	Cartridge with Adapter R134a - 30 ml (1.0 FL.OZ.)	15 PCS	46,00
TR1062.C.K6	Cartridge with Flex Adapter R134a - 30 ml (1.0 FL.OZ.)	15 PCS	56,00
TR1062.C.M2	Cartridge with 1/4 & 5/16 SAE - R134a Adapters - 30 ml (1.0 FL.OZ.)	15 PCS	47,00
TR1062.C2.J7	Cartridges with Adapters R134a - 2x30 ml (1.0 FL.OZ.)	15 PCS	78,00
TR1062.C2.K6	Cartridges with Flex Adapter R134a - 2x30 ml (1.0 FL.OZ.)	15 PCS	95,00
TR1062.C2.M2	Cartridges with 1/4 & 5/16 SAE - R134a Adapters - 2x30 ml (1.0 FL.OZ.)	15 PCS	79,00

Extreme in Aerosol Can

Art.-Nr.	Description	☐	€/Each
PF1062.C.J7	Can with Adapter R134a	15 PCS	55,00
PF1062.C.K6	Can with Flex Adapter R134a	15 PCS	65,00



NEED MORE COLD?

ADDITIVE



CS Cool-Shot Performance Enhancer for Vehicle A/C systems with R134a & R1234yf

What is it?

COOL-SHOT is a synthetic catalyst that can improve the efficiency of vehicle A/C systems.

How does it work?

COOL-SHOT is composed of two catalysts and a lubricating agent which enable the vehicle A/C system to eliminate the problem of the Oil-Fouling and to bring the performance back at maximum efficiency.

Benefits

- Restores the cooling capacity of vehicle A/C systems back to its original conditions.
- Visible to any UV lamp.
- Delivers colder vent air (approx 2-3 °C) faster.
- Increases of 54% the lubricity of compressor oil.
- Reduces compressor friction, with a consequent decrease of vibration and noise.
- Extends compressor life by 20-50%.
- Reduces carbon monoxide emissions.
- UNIVERSAL DOSE FOR VEHICLE A/C SYSTEMS = 30 ML (1 FL. OZ.).



Cool-Shot in Cartridge


Art.-Nr.	Description	☐	€/Each
TR1122.C.J7	Cartridge with Adapter R134a - 30 ml (1.0 FL.OZ.)	15 PCS	31,00
TR1122.C.K6	Cartridge with Flex Adapter R134a - 30 ml (1.0 FL.OZ.)	15 PCS	41,00
TR1122 .C.M2	Cartridge with 1/4 & 5/16 SAE - R134a Adapters - 30 ml (1.0 FL.OZ.)	15 PCS	32,00
TR1122.C2.J7	Cartridges with Adapters R134a - 2x30 ml (1.0 FL.OZ.)	15 PCS	53,00
TR1122.C2.K6	Cartridges with Flex Adapter R134a - 2x30 ml (1.0 FL.OZ.)	15 PCS	70,00
TR1122.C2.M2	Cartridges with 1/4 & 5/16 SAE - R134a Adapters - 2x30 ml (1.0 FL.OZ.)	15 PCS	54,00

Cool-Shot in Aerosol Can

Art.-Nr.	Description	☐	€/Each
PF1122.C.J7	Can with Adapter R134a	15 PCS	40,00
PF1122.C.K6	Can with Flex Adapter R134a	15 PCS	50,00



ACID IN THE SYSTEM?



NEUTRALIZER



NEW

Intertek

LABORATORY TESTED

No-Acid Acid Neutralizer for vehicle a/c systems with R134a & R1234yf

What is it?

NO-ACID is a neutralizer able to completely eliminate residues of acid present in vehicle A/C systems, to prevent compressor burnout.

How does it work?

The chemical ingredients of NO-ACID bond to the residues of acid present in the system, and eliminate them. These residues might be caused by refrigerant gas or lubricant breakdown, moisture and compressor burnout. Once introduced inside the system NO-ACID prevents the formation of acid.

Benefits

- Completely eliminates acid from a Vehicle A/C system.
- Neutralises possible acid residues caused by compressor burnout.
- Neutralises acids introduced by A/C recovery units.
- Fast and immediate effect, does not clog system components.
- Ideal for preventative maintenance.
- UNIVERSAL DOSE FOR VEHICLE A/C SYSTEMS = 30ML (1 FL. OZ.).



No-Acid in Cartridge


Art.-Nr.	Description	☐	€/Each
TR1124.C.J7	Cartridge with Adapter R134a - 30 ml (1.0 FL.OZ.)	15 PCS	16,00
TR1124.C.K6	Cartridge with Flex Adapter R134a - 30 ml (1.0 FL.OZ.)	15 PCS	26,00
TR1124.C.M2	Cartridge with 1/4 & 5/16 SAE - R134a Adapters - 30 ml (1.0 FL.OZ.)	15 PCS	17,00
TR1124.C2.J7	Cartridges with Adapters R134a - 2x30 ml (1.0 FL.OZ.)	15 PCS	27,50
TR1124.C2.K6	Cartridges with Flex Adapter R134a - 2x30 ml (1.0 FL.OZ.)	15 PCS	44,50
TR1124.C2.M2	Cartridges with 1/4 & 5/16 SAE - R134a Adapters - 2x30 ml (1.0 FL.OZ.)	15 PCS	28,50

No-Acid in Aerosol Can

Art.-Nr.	Description	☐	€/Each
PF1124.C.J7	Can with Adapter R134a	15 PCS	25,00
PF1124.C.K6	Can with Flex Adapter R134a	15 PCS	35,00



MOISTURE IN THE SYSTEM?



ANTI-MOISTURE

SD Super Dry Anti-Moisture for Vehicle A/C Systems with R134a & R1234yf

What is it?

SUPER DRY is a dehydrating additive able to prevent the formation of moisture in vehicle A/C systems.

How does it work?

SUPER DRY contains special chemical components that improve lubricant stability and prevent the creation of moisture in vehicle A/C systems.

Benefits

- Definitively eliminates the moisture present in vehicle A/C systems. • Does not affect the power and the performance of the system. • Helps preventing the formation of acid. • Methanol free.
- Safe for gaskets and the compressor. • Does not clog recovery components.
- UNIVERSAL DOSE FOR VEHICLE A/C SYSTEMS = 30 ML (1 FL. OZ.).

Super Dry in Cartridge

Art.-Nr.	Description	☐	€/Each
TR1132.C.J7	Cartridge with Adapter R134a - 30 ml (1.0 FL.OZ.)	15 PCS	9,60
TR1132.C.K6	Cartridge with Flex Adapter R134a - 30 ml (1.0 FL.OZ.)	15 PCS	19,60
TR1132.C.M2	Cartridge with 1/4 & 5/16 SAE - R134a Adapters - 30 ml (1.0 FL.OZ.)	15 PCS	10,60
TR1132.C2.J7	Cartridges with Adapters R134a - 2x30 ml (1.0 FL.OZ.)	15 PCS	16,50
TR1132.C2.K6	Cartridges with Flex Adapter R134a - 2x30 ml (1.0 FL.OZ.)	15 PCS	33,50
TR1132.C2.M2	Cartridges with 1/4 & 5/16 SAE - R134a Adapters - 2x30 ml (1.0 FL.OZ.)	15 PCS	17,50

Super Dry in Aerosol Can

Art.-Nr.	Description	☐	€/Each
PF1132.C.J7	Can with Adapter R134a	15 PCS	18,60
PF1132.C.K6	Can with Flex Adapter R134a	15 PCS	28,60



B Booster Mechanical Amplifier

What is it?

BOOSTER is a mechanical amplifier which is universal for all Errecom syringes.

How does it work?

With the use of this special adapter it is possible to solve the problem of the introduction of additives into AC/R systems full of refrigerant gas, with pressure above 5.5 bar and below 9 bar. It is also possible to use the adapter with traditional silicone guns that allow to overcome pressures above 25 bar *.

* NOT FOR: USA - CANADA - JAPAN - SPAIN - FRANCE - ITALY - UK - GERMANY - HOLLAND - BELGIUM.



Art.-Nr.	☐	€/Each
IN1028.01	11 PCS	32,00



SEEKING REFRIGERANT LEAKS?

LEAK DETECTORS

NEW



Brilliant

Yellow UV Leak Detector Dye
for Vehicle A/C Systems with R134a & R1234yf

What is it?

BRILLIANT is a fluorescent UV dye for Vehicle A/C systems with R134a and R1234yf. It allows to quickly and accurately locate refrigerant gas leaks.

How does it work?

BRILLIANT has to be introduced in the vehicle A/C system; at the leak point the product will get out and stand out when lit by a UV lamp.

Benefits

- Precisely locates refrigerant gas leaks.
- Solvent-free.
- Conforms to SAE J2297 and SAE J2298.
- Visible to any UV lamp.
- Includes advice stickers.
- Does not clog A/C System or Recovery units.



Self-Measure Bottles

Art.-Nr.	Description	Pack.	□	€/Each
TR1119.F.S3	100 ml (3.4 FL.OZ.) bottle	E	30 PCS	14,00
TR1119.F.P1	100 ml (3.4 FL.OZ.) bottle	D	30 PCS	17,00
TR1003.01.S3	250 ml (8.5 FL. OZ.) bottle	E	17 PCS	36,50
TR1003.01.S1	250 ml (8.5 FL. OZ.) bottle	B	15 PCS	38,00
TR1003.01	250 ml (8.5 FL. OZ.) bottle	A	13 PCS	48,00
TR1103.01.S3	350 ml (11.9 FL. OZ.) bottle	E	12 PCS	49,50
TR1103.01.S1	350 ml (11.9 FL. OZ.) bottle	B	10 PCS	51,00
TR1103.01	350 ml (11.9 FL. OZ.) bottle	A	12 PCS	65,00
TR1A03.01.S3	1 Litre (34 FL. OZ.) bottle	E	06 PCS	133,50
TR1A03.01.S1	1 Litre (34 FL. OZ.) bottle	B	06 PCS	135,00
TR1A03.01	1 Litre (34 FL. OZ.) bottle	A	04 PCS	170,00

7,5 ml (1/4 FL.OZ.) Cartridges

Art.-Nr.	Description	Pack.	□	€/Each
TR1058.A6.J7	Clamshell of 06 Cartridges with Adapter R134a	C	20 PCS	20,00
TR1058.A6.J7.P1	Bag of 06 Cartridges with Adapter R134a	D	25 PCS	13,00
TR1058.A6.K6	Clamshell of 06 Cartridges with Flex Adapter R134a	C	20 PCS	30,00
TR1058.A6.K6.P1	Bag of 06 Cartridges with Flex Adapter R134a	D	25 PCS	23,00
TR1058.J7	Clamshell of 12 Cartridges with Adapter R134a	C	12 PCS	33,00
TR1058.J7.P1	Bag of 12 Cartridges with Adapter R134a	D	25 PCS	26,00
TR1058.K6	Clamshell of 12 Cartridges with Flex Adapter R134a	C	12 PCS	43,00
TR1058.K6.P1	Bag of 12 Cartridges with Flex Adapter R134a	D	25 PCS	36,00





Green Brilliant

Green UV Leak Detector Dye for Vehicle A/C Systems with R134a & R1234yf

What is it?

GREEN BRILLIANT is a fluorescent UV dye for Vehicle A/C systems with R134a and R1234yf. It allows to quickly and accurately locate refrigerant gas leaks.

How does it work?

GREEN BRILLIANT has to be introduced in the vehicle A/C system; at the leak point the product will get out and stand out when lit by a UV lamp.

Benefits: • Precisely locates refrigerant gas leaks. • Solvent-free. • Conforms to SAE J2297 and SAE J2298. • Visible to any UV lamp. • Includes advice stickers. • Does not clog A/C System or Recovery units.

Self-Measure Bottles

Art.-Nr.	Description	Pack.	□	€/Each
TR1120.F.P1	100 ml (3.4 FL.OZ.) bottle	D	30 PCS	20,00
TR1032.01	250 ml (8.5 FL. OZ.) bottle	A	13 PCS	13,00
TR1033.01	350 ml (11.9 FL. OZ.) bottle	A	12 PCS	30,00
TR1034.01	1 Litre (34 FL. OZ.) bottle	A	01 PC	23,00

7,5 ml (1/4 FL.OZ.) Cartridges

Art.-Nr.	Description	Pack.	□	€/Each
TR1059.A6.J7	Clamshell of 06 Cartridges with Adapter R134a	C	20 PCS	20,00
TR1059.A6.K6	Clamshell of 06 Cartridges with Flex Adapter R134a	C	20 PCS	30,00
TR1059.J7	Clamshell of 12 Cartridges with Adapter R134a	C	12 PCS	33,00
TR1059.K6	Clamshell of 12 Cartridges with Flex Adapter R134a	C	12 PCS	43,00



Red Brilliant

UV Leak Detector Dye for A/C Systems in Hybrid & Electric Vehicles with R134a & R1234yf

What is it?

RED BRILLIANT is a fluorescent UV dye for Vehicle A/C systems with R134a and R1234yf with hybrid and electric functioning. It allows to quickly and accurately locate refrigerant gas leaks.

How does it work?

RED BRILLIANT has to be introduced in the vehicle A/C system; at the leak point the product will get out and stand out when lit by a UV lamp.

Benefits: • Precisely locates refrigerant gas leaks. • Solvent-free. • Conforms to SAE J2297 and SAE J2298. • Visible to any UV lamp. • Includes advice stickers. • Does not clog A/C System or Recovery units.

Self-Measure Bottles

Art.-Nr.	Description	Pack.	□	€/Each
TR1098.Q	250 ml (8.5 FL. OZ.) bottle	A	13 PCS	64,80
TR1098.O	350 ml (11.9 FL. OZ.) bottle	A	12 PCS	87,80
TR1098.K	1 Litre (34 FL. OZ.) bottle	A	04 PCS	229,50

7,5 ml (1/4 FL.OZ.) Cartridges

Art.-Nr.	Description	Pack.	□	€/Each
TR1098.A6.J7	Clamshell of 06 Cartridges with Adapter R134a	C	20 PCS	22,20
TR1098.A6.K6	Clamshell of 06 Cartridges with Flex Adapter R134a	C	20 PCS	32,20
TR1098.A12.J7	Clamshell of 12 Cartridges with Adapter R134a	C	12 PCS	44,50
TR1098.A12.K6	Clamshell of 12 Cartridges with Flex Adapter R134a	C	12 PCS	54,50



Blue Brilliant

UV Leak Detector for Vehicle A/C Systems with R1234yf

What is it?

BLUE BRILLIANT is a fluorescent UV dye for Vehicle A/C systems with R1234yf, also compatible for Electric and Hybrid vehicles. Meets SAE J2297 REV. dated 14/01/2013. It allows to quickly and accurately locate refrigerant gas leaks.

How does it work?

BLUE BRILLIANT has to be introduced in the vehicle A/C system; at the leak point the product will get out and stand out when lit by a UV lamp.

Benefits: • Precisely locates refrigerant gas leaks. • Solvent-free. • Conforms to SAE J2297 and SAE J2298. • Visible to any UV lamp. • Includes advice stickers. • Does not clog A/C Systems or Recovery.

Self-Measure Bottles

Art.-Nr.	Description	Pack.	□	€/Each
TR1121.Q	250 ml (8.5 FL. OZ.) bottle	A	13 PCS	72,00
TR1121.O	350 ml (11.9 FL. OZ.) bottle	A	12 PCS	98,00
TR1121.K	1 Litre (34 FL. OZ.) bottle	A	04 PCS	255,00

7,5 ml (1/4 FL.OZ.) Cartridges

Art.-Nr.	Description	Pack.	□	€/Each
TR1121.A6	Clamshell of 06 Cartridges	C	20 PCS	24,90
TR1121.A12	Clamshell of 12 Cartridges	C	12 PCS	49,80



Leak Finder

Universal Refrigerant Leak Detection Kit

What is it?

LEAK FINDER is a universal kit for both Automotive and HVAC&R that contains everything needed to introduce the leak detector dye, locate the leak and clean the contaminated surface.

Kit includes:

- 250 ml (8.5 FL. OZ.) self-measure bottle of Brilliant or Green Brilliant.
- Stickers.
- 100 ml (3.4 FL. OZ.) spray bottle of Brilliant Remover.
- 50 ml refillable syringe injector.
- Low-pressure port adapter for systems with R134a.
- 120 mm 1/4 SAE adapter with one-way Valve.
- 120 mm 5/16 SAE adapter (R410a) with one-way Valve.
- 9 UV LED leak detector lamp.
- Goggles: 100% anti-UV protection.

Art.-Nr.	Description	□	€/Each
RK1312	Brilliant - (Yellow)	01 PC	156,00
RK1307	Green Brilliant - (Green)	01 PC	156,00



Fast Leak Finder

Universal Refrigerant Leak Detection Kit

What is it?

FAST LEAK FINDER is a universal kit for both Automotive and HVAC&R that contains everything needed to introduce the leak detector dye, locate the leak and clean the contaminated surface.

Kit includes:

- 12 doses of 7,5 ml (1/4 FL. OZ.) of Brilliant or Green Brilliant.
- Stickers.
- 400 ml (13.6 FL. OZ.) spray bottle of Brilliant Remover.
- Low-pressure port adapter for systems with R134a.
- 120 mm 1/4 SAE adapter with one-way valve.
- 120 mm 5/16 SAE adapter (R410a) with one-way valve.
- 9 UV LED leak detector lamp.
- Goggles: 100% anti-UV protection.

Art.-Nr.	Description	□	€/Each
RK1241	Brilliant - (Yellow)	01 PC	130,00
RK1273	Green Brilliant - (Green)	01 PC	130,00



Fast Leak Finder Kit 2

Universal Refrigerant Leak Detection Kit

What is it?

FAST LEAK FINDER 2 is a universal kit for Automotive that contains everything needed to introduce the leak detector dye, locate the leak and clean the contaminated surface.

Kit includes:

- 16 doses of 7,5 ml (1/4 FL. OZ.) of Brilliant or Green Brilliant.
- Stickers.
- 400 ml (13.6 FL. OZ.) Aerosol can of Brilliant Remover.
- Low-pressure port adapter for systems with R134a.
- 5 UV LED leak detector lamp.
- Goggles: 100% anti-UV protection.

Art.-Nr.	Description	□	€/Each
RK1238	Brilliant - (Yellow)	01 PC	203,00
RK1298	Green Brilliant - (Green)	01 PC	203,00



Fast Leak Finder Kit 3

Universal Refrigerant Leak Detection Kit

What is it?

FAST LEAK FINDER 3 is a universal kit for both Automotive and HVAC&R that contains everything needed to introduce the leak detector dye, locate the leak and clean the contaminated surface.

Kit includes:

- 250 ml (8.5 FL. OZ.) self-measure bottle of Brilliant or Green Brilliant.
- Stickers.
- 100 ml (3.4 FL. OZ.) spray bottle of Brilliant Remover.
- 50 ml refillable syringe injector.
- Low-pressure port adapter for systems with R134a.
- 120 mm 1/4 SAE adapter with one-way Valve.
- 120 mm 5/16 SAE adapter (R410a) with one-way Valve.
- 1 UV LED - 3W leak detector Lamp.
- Goggles: 100% anti-UV protection.

Art.-Nr.	Description	☐	€/Each
RK1355	Brilliant - (Yellow)	01 PC	190,00
RK1372	Green Brilliant - (Green)	01 PC	190,00



Brilliant Set

Refrigerant Leak Detection Kit

What is it?

BRILLIANT SET is a universal kit for Automotive that contains everything needed to introduce the leak detector dye, locate the leak and clean the contaminated surface.

Clamshell including:

- 250/350 ml self-measure bottle of Brilliant or Green Brilliant.
- Stickers.
- 50 ml refillable syringe injector.
- Low-pressure port adapter for systems with R134a.
- 9 UV LED leak detector lamp.
- Goggles: 100% anti-UV protection.

Art.-Nr.	Description	☐	€/Each
RK1235.01	Brilliant - 250 ml (8.5 FL. OZ.) Yellow	08 PCS	110,30
RK1340.01	Green Brilliant - 250 ml (8.5 FL. OZ.) Green	08 PCS	110,30
RK1237.01	Brilliant - 350 ml (11.9 FL. OZ.) Yellow	08 PCS	120,10
RK1341.01	Green Brilliant - 350 ml (11.9 FL. OZ.) Green	08 PCS	120,10



Brilliant Remover

Fluorescent UV Dyes Remover

What is it?

BRILLIANT REMOVER is a cleaner to remove any trace of leak detector dye.

How does it work?

BRILLIANT REMOVER must be directly sprayed on the residues of leak detector dye; thanks to its special formulation, it removes any trace.

Benefits:

- Avoids any subsequent false localization of leaks.

Art.-Nr.	Description	☐	€/Each
TR1109.01	100 ml (3.4 FL.OZ.) Spray Bottle	32 PCS	4,42
TR1108.K.01	1 Litre (34 FL. OZ.) Spray Bottle	06 PCS	26,60
TR1004.01	Aerosol Can of 400 ml (13.6 FL. OZ.)	12 PCS	14,00



UV LEAK DETECTOR LAMPS

LAMPS

Flexible Bright Torch

What is it?

It is a UV lamp with two heads and flexible probe to locate refrigerant gas leaks even in the most difficult positions to light.

How does it work?

Screw the UV head to the body of the lamp, directly or through the probe; inspect all A/C systems components; in the presence of leak detector dye, this will fluoresce.

Technical Features:

- Power supply: 3 batteries "AA" of 1.5 V.
- Goggles: 100% anti-UV protection.
- LED wavelength: 385-380 nm.
- 5 white led head.
- Aluminium body.
- Clamshell.



5 UV Led Leak Detector Lamp

Art.-Nr.	☐	€/Each
RK1267	05 PCS	74,00

High Bright Torch

What is it?

It is a UV lamp to locate refrigerant gas leaks.

How does it work?

Inspect all A/C systems components; in the presence of leak detector dye, this will fluoresce.

Technical Features:

- Power supply: 3 batteries "C" of 1.5 V.
- Goggles: 100% anti-UV protection.
- LED wavelength: 410-405 nm.
- Aluminium body.
- Clamshell.



1 UV Led - 3W Leak Detector Lamp

Art.-Nr.	☐	€/Each
RK1269	05 PCS	105,00

Adjustable Focus Bright Torch

What is it?

It is a UV lamp to locate refrigerant gas leaks.

How does it work?

Inspect all A/C systems components; in the presence of leak detector dye, this will fluoresce.

Technical Features:

- Power supply: 2 batteries "C" of 1.5 V.
- Goggles: 100% anti-UV protection.
- LED wavelength: 410-405 nm.
- Aluminium body.
- Plastic case.



1 UV Led - 3W Leak Detector Lamp

Art.-Nr.	☐	€/Each
RK1294	01 PC	81,00

Mini Bright Torch

What is it?

It is a UV lamp to locate refrigerant gas leaks.

How does it work?

Inspect all A/C systems components; in the presence of leak detector dye, this will fluoresce.

Technical Features:

- Power supply: 3 battery "AAA" of 1.5 V.
- Goggles: 100% anti-UV protection.
- LED wavelength: 410-405 nm.
- Aluminium body.
- Clamshell.



9 UV Led Leak Detector Lamp

Art.-Nr.	☐	€/Each
RK1230	14 PCS	55,00



Bright Pen

What is it?

It is a UV lamp to locate refrigerant gas leaks.

How does it work?

Inspect all A/C systems components; in the presence of leak detector dye, this will fluoresce.

Technical Features:

- Power supply: 2 batteries "AAA" of 1.5 V.
- Goggles: 100% anti-UV protection.
- LED wavelength: 410-405 nm.
- Aluminium body.
- Clamshell.



UV Leak Detector Lamp

Art.-Nr.	□	€/Each
RK1244	15 PCS	49,45

Wire Bright Torch

What is it?

It is a UV lamp to locate refrigerant gas leaks.

How does it work?

Inspect all A/C systems components; in the presence of leak detector dye, this will fluoresce.

Technical Features:

- Power supply: 12 V.
- Goggles: 100% anti-UV protection.
- UV light frequency: 410 - 405 nm.
- Plastic body.



UV 100W - 12V/Lamp

Art.-Nr.	□	€/Each
RK1231	01 PC	203,46

Bright Magnifier

What is it?

It is a UV lamp to locate refrigerant gas leaks.

How does it work?

Inspect all A/C systems components; in the presence of leak detector dye, this will fluoresce. Thanks to the magnifying lens, it allows to locate even the tiniest leak.

Technical Features:

- Power supply: 2 batteries "AA" of 1.5 V.
- Goggles: 100% anti-UV protection.
- LED wavelength: 385-380 nm.
- Plastic body.
- Plastic case.



6 UV Led Leak Detector Lamp

Art.-Nr.	□	€/Each
RK1291	10 PCS	48,00

Safety Goggles

What is it?

They are goggles to protect the eyes from UV rays.

How does it work?

When using any UV lamp we recommend wearing these goggles to locate leaks: thanks to their yellow color they will make the fluorescence of the leak detector dye more visible.

Technical Features:

- Conform to EN166:2001.
- Conform to EN170:2002.



Art.-Nr.	□	€/Each
UV1002.01	01 PC	24,14

INJECTORS AND ADAPTERS

INJECTORS

Dye and Oil Refillable Syringe Injector


- Refillable.
- 20 & 50 ml injectors.
- 120 mm adapter with R134a low side port quick coupler.
- Burst pressure of the hose: 60 Bar.
- Plastic case.



Art.-Nr.	Description	□	€/Each
IN1021.01	20 ml	01 PC	46,58
IN1022.01	50 ml for R134a	01 PC	50,58
RK1357	50 ml for R1234-yf	01 PC	155,00

Refillable Injector

- Refillable.
- 60 ml volume.
- Ball valve.
- 1/4 SAE Swivel connection.
- 1/4 SAE Male rear connection.
- Plastic case.



Art.-Nr.	□	€/Each
RK1523	01 PC	71,09

Calibrated Screw Injector

- Refillable.
- 60 ml volume.
- 1/4 SAE Swivel connection.
- R134a low pressure port quick coupler.
- Plastic case.



Art.-Nr.	□	€/Each
RK1155	01 PC	160,75

Refillable Special Injector

- Refillable.
- 1/4 SAE connection.
- One-way Valve.
- R134a low pressure port quick coupler.
- Plastic case.




Art.-Nr.	□	€/Each
IN1010.01	01 PC	171,26



Refillable Injector

- Refillable.
- 2 ball valves.
- Rear connection: 1/4 SAE Male.
- Front connection: 3/8 SAE Female.
- 3/8 SAE Male - 1/4 SAE Female adapter.



Art.-Nr.		€/Each
RK1106	01 PC	118,84

Adapter to Refill

- Adapter for refillable cartridges.




Art.-Nr.		€/Each
RV6999.19	01 PC	12,50

Adapters for Systems R134a

- Completely Plastic.
- For Cartridge and Push&Fill Systems.
- One-way valve.
- Burst pressure of the hose: 60 Bar.

Adapter Quick Coupler

Art.-Nr.		€/Each
RA1052.01	01 PC	11,00



Adapter FLEX Quick Coupler


Art.-Nr.		€/Each
TB5041.01	01 PC	11,00



Adapters PROFLEX


- With safety valve in brass.
- For Systems R134a.



Art.-Nr.	Desc.		€/Each
TB5024.01	Black	01 PC	22,00
TB5025.01	Blue	01 PC	22,00
TB5026.01	Green	01 PC	22,00
TB5027.01	Red	01 PC	22,00
TB5028.01	Yellow	01 PC	22,00
TB5078.01	White	01 PC	22,00

Cartridge Adapters for R1234yf Systems


- With safety valve in brass.
- For Cartridge and Push&Fill Systems.
- Burst pressure of the hose: 60 Bar.
- For R-1234yf A/C Systems.
- Low pressure SAE J 639 quick coupler.

Art.-Nr.		€/Each
TB5108.01	01 PC	-



R134a Special Adapter


- For vehicles without low-pressure port.

Art.-Nr.		€/Each
RK1208	01 PC	27,63



By-Pass

- For Cartridge and Push&Fill Systems.
- Length of the hose: 350 mm.
- R134a Low side quick coupler.
- Plastic case.

Art.-Nr.		€/Each
IN1026.01	01 PC	112,48



REFRIGERATION LUBRICANTS

LUBRICANTS

PAG Lubricants PAG Lubricants for Vehicle A/C Systems

Product Name	PAG 46	PAG 100	PAG 125	PAG 150	PAG UNIVERSAL
ISO VG	46	100	125	150	68
Kinematic viscosity @ 40°C (cSt)	46	100	125	150	68
Kinematic viscosity @ 100°C (cSt)	10	17	17	17	13
Total Acid Number (mg KOH/g)	<0,01	<0,01	<0,01	<0,01	<0,01
Pour point (°C)	<-40	<-35	<-35	<-35	<-40
Flash point (°C)	>220	>250	>200	>200	>200
Density @ 15°C (g/cm³)	0,990	0,993	1,023	1,051	0,995

UNIVERSAL PAG Lubricant

Art.-Nr.	Description	☐	€/Each
OL6002.Q.P2	250 ml (8.5 FL. OZ.) Container	24PCS	9,40
OL6002.M.P2	500 ml (17 FL. OZ.) Container	12PCS	17,90
OL6002.K.P2	1 Litre (34 FL. OZ.) Container	12PCS	32,50
OL6002.P.P2	5 Litres (1.32 GAL.) Container	02PCS	153,00
OL6002.T	25 Litres (6.60 GAL.) Container	01PC	725,00
OL6002.B	200 Litres (52.8 GAL.) Container	01PC	4.760,00
OL6002.IBC	1000 Litres (264 GAL.) Container	01PC	19.100,00

PAG 46 Lubricant

Art.-Nr.	Description	☐	€/Each
OL6001.Q.P2	250 ml (8.5 FL. OZ.) Container	24PCS	9,40
OL6001.M.P2	500 ml (17 FL. OZ.) Container	12PCS	17,90
OL6001.K.P2	1 Litre (34 FL. OZ.) Container	12PCS	32,50
OL6001.P.P2	5 Litres (1.32 GAL.) Container	02PCS	153,00
OL6001.T	25 Litres (6.60 GAL.) Container	01PC	725,00
OL6001.B	200 Litres (52.8 GAL.) Container	01PC	4.760,00
OL6001.IBC	1000 Litres (264 GAL.) Container	01PC	19.100,00

PAG 100 Lubricant

Art.-Nr.	Description	☐	€/Each
OL6003.Q.P2	250 ml (8.5 FL. OZ.) Container	24PCS	9,40
OL6003.M.P2	500 ml (17 FL. OZ.) Container	12PCS	17,90
OL6003.K.P2	1 Litre (34 FL. OZ.) Container	12PCS	32,50
OL6003.P.P2	5 Litres (1.32 GAL.) Container	02PCS	153,00
OL6003.T	25 Litres (6.60 GAL.) Container	01PC	725,00
OL6003.B	200 Litres (52.8 GAL.) Container	01PC	4.760,00
OL6003.IBC	1000 Litres (264 GAL.) Container	01PC	19.100,00

PAG 125 Lubricant

Art.-Nr.	Description	☐	€/Each
OL6004.Q.P2	250 ml (8.5 FL. OZ.) Container	24PCS	9,40
OL6004.M.P2	500 ml (17 FL. OZ.) Container	12PCS	17,90
OL6004.K.P2	1 Litre (34 FL. OZ.) Container	12PCS	32,50
OL6004.P.P2	5 Litres (1.32 GAL.) Container	02PCS	153,00
OL6004.T	25 Litres (6.60 GAL.) Container	01PC	725,00
OL6004.B	200 Litres (52.8 GAL.) Container	01PC	4.760,00
OL6004.IBC	1000 Litres (264 GAL.) Container	01PC	19.100,00

PAG 150 Lubricant

Art.-Nr.	Description	☐	€/Each
OL6005.Q.P2	250 ml (8.5 FL. OZ.) Container	24PCS	9,40
OL6005.M.P2	500 ml (17 FL. OZ.) Container	12PCS	17,90
OL6005.K.P2	1 Litre (34 FL. OZ.) Container	12PCS	32,50
OL6005.P.P2	5 Litres (1.32 GAL.) Container	02PCS	153,00
OL6005.T	25 Litres (6.60 GAL.) Container	01PC	725,00
OL6005.B	200 Litres (52.8 GAL.) Container	01PC	4.760,00
OL6005.IBC	1000 Litres (264 GAL.) Container	01PC	19.100,00

UNIVERSAL PAG Lubricant + UV DYE

Art.-Nr.	Description	☐	€/Each
OL6043.Q.P2	250 ml (8.5 FL. OZ.) Container	24PCS	10,90
OL6043.M.P2	500 ml (17 FL. OZ.) Container	12PCS	20,60
OL6043.K.P2	1 Litre (34 FL. OZ.) Container	12PCS	37,40
OL6043.P.P2	5 Litres (1.32 GAL.) Container	02PCS	203,00
OL6043.T	25 Litres (6.60 GAL.) Container	01PC	964,00
OL6043.B	200 Litres (52.8 GAL.) Container	01PC	5.800,00
OL6043.IBC	1000 Litres (264 GAL.) Container	01PC	23.800,00

PAG 46 Lubricant + UV DYE

Art.-Nr.	Description	☐	€/Each
OL6006.Q.P2	250 ml (8.5 FL. OZ.) Container	24PCS	10,90
OL6006.M.P2	500 ml (17 FL. OZ.) Container	12PCS	20,60
OL6006.K.P2	1 Litre (34 FL. OZ.) Container	12PCS	37,40
OL6006.P.P2	5 Litres (1.32 GAL.) Container	02PCS	177,00
OL6006.T	25 Litres (6.60 GAL.) Container	01PC	840,00
OL6006.B	200 Litres (52.8 GAL.) Container	01PC	5.800,00
OL6006.IBC	1000 Litres (264 GAL.) Container	01PC	23.800,00

PAG 100 Lubricant + UV DYE

Art.-Nr.	Description	☐	€/Each
OL6008.Q.P2	250 ml (8.5 FL. OZ.) Container	24PCS	10,90
OL6008.M.P2	500 ml (17 FL. OZ.) Container	12PCS	20,60
OL6008.K.P2	1 Litre (34 FL. OZ.) Container	12PCS	37,40
OL6008.P.P2	5 Litres (1.32 GAL.) Container	02PCS	177,00
OL6008.T	25 Litres (6.60 GAL.) Container	01PC	840,00
OL6008.B	200 Litres (52.8 GAL.) Container	01PC	5.800,00
OL6008.IBC	1000 Litres (264 GAL.) Container	01PC	23.800,00

PAG 125 Lubricant + UV DYE

Art.-Nr.	Description	☐	€/Each
OL6045.Q.P2	250 ml (8.5 FL. OZ.) Container	24PCS	10,90
OL6045.M.P2	500 ml (17 FL. OZ.) Container	12PCS	20,60
OL6045.K.P2	1 Litre (34 FL. OZ.) Container	12PCS	37,40
OL6045.P.P2	5 Litres (1.32 GAL.) Container	02PCS	177,00
OL6045.T	25 Litres (6.60 GAL.) Container	01PC	840,00
OL6045.B	200 Litres (52.8 GAL.) Container	01PC	5.800,00
OL6045.IBC	1000 Litres (264 GAL.) Container	01PC	23.800,00

PAG 150 Lubricant + UV DYE

Art.-Nr.	Description	☐	€/Each
OL6010.Q.P2	250 ml (8.5 FL. OZ.) Container	24PCS	10,90
OL6010.M.P2	500 ml (17 FL. OZ.) Container	12PCS	20,60
OL6010.K.P2	1 Litre (34 FL. OZ.) Container	12PCS	37,40
OL6010.P.P2	5 Litres (1.32 GAL.) Container	02PCS	177,00
OL6010.T	25 Litres (6.60 GAL.) Container	01PC	840,00
OL6010.B	200 Litres (52.8 GAL.) Container	01PC	5.800,00
OL6010.IBC	1000 Litres (264 GAL.) Container	01PC	23.800,00





PAG R1234yf Lubricants

PAG Lubricants for Vehicle A/C Systems with R1234yf

PAG 46 for Lubricant R-1234yf A/C Systems*

Art.-Nr.	Description	☐	€/Each
OL6047.Q.P2	250 ml (8.5 FL. OZ.) Container	24PCS	17,68
OL6047.M.P2	500 ml (17 FL. OZ.) Container	12PCS	27,20
OL6047.K.P2	1 Litre (34 FL. OZ.) Container	12PCS	63,00

* Compatible also with A/C systems in hybrid and electric vehicles.

PAG 100 for Lubricant R-1234yf A/C Systems*

Art.-Nr.	Description	☐	€/Each
OL6048.Q.P2	250 ml (8.5 FL. OZ.) Container	24PCS	20,64
OL6048.M.P2	500 ml (17 FL. OZ.) Container	12PCS	32,60
OL6048.K.P2	1 Litre (34 FL. OZ.) Container	12PCS	72,00



PAO Lubricants

PAO Lubricants

PAO 68 Lubricant

Art.-Nr.	Description	☐	€/Each
OL6035.Q.P2	250 ml (8.5 FL. OZ.) Container	24PCS	17,40
OL6035.M.P2	500 ml (17 FL. OZ.) Container	12PCS	24,70
OL6035.K.P2	1 Litre (34 FL. OZ.) Container	12PCS	45,00
OL6035.P.P2	5 Litres (1.32 GAL.) Container	02PCS	209,00
OL6035.T	25 Litres (6.60 GAL.) Container	01PC	990,00
OL6035.B	200 Litres (52.8 GAL.) Container	01PC	-
OL6035.IBC	1000 Litres (264 GAL.) Container	01PC	-

PAO 68 Lubricant + UV DYE

Art.-Nr.	Description	☐	€/Each
OL6044.Q.P2	250 ml (8.5 FL. OZ.) Container	24PCS	20,00
OL6044.M.P2	500 ml (17 FL. OZ.) Container	12PCS	28,40
OL6044.K.P2	1 Litre (34 FL. OZ.) Container	12PCS	51,70
OL6044.P.P2	5 Litres (1.32 GAL.) Container	02PCS	240,00
OL6044.T	25 Litres (6.60 GAL.) Container	01PC	1138,00
OL6044.B	200 Litres (52.8 GAL.) Container	01PC	-
OL6044.IBC	1000 Litres (264 GAL.) Container	01PC	-



POE Lubricants

POE Lubricants for A/C and Refrigeration Systems

POE 32 Lubricant

Art.-Nr.	Description	☐	€/Each
OL6012.Q.P2	250 ml (8.5 FL. OZ.) Container	24PCS	8,50
OL6012.M.P2	500 ml (17 FL. OZ.) Container	12PCS	14,60
OL6012.K.P2	1 Litre (34 FL. OZ.) Container	12PCS	27,00
OL6012.P.P2	5 Litres (1.32 GAL.) Container	02PCS	127,00

POE 32 Lubricant + UV DYE

Art.-Nr.	Description	☐	€/Each
OL6023.Q.P2	250 ml (8.5 FL. OZ.) Container	24PCS	9,00
OL6023.M.P2	500 ml (17 FL. OZ.) Container	12PCS	16,50
OL6023.K.P2	1 Litre (34 FL. OZ.) Container	12PCS	28,50
OL6023.P.P2	5 Litres (1.32 GAL.) Container	02PCS	134,00

POE 46 Lubricant

Art.-Nr.	Description	☐	€/Each
OL6015.Q.P2	250 ml (8.5 FL. OZ.) Container	24PCS	8,50
OL6015.M.P2	500 ml (17 FL. OZ.) Container	12PCS	14,60
OL6015.K.P2	1 Litre (34 FL. OZ.) Container	12PCS	27,00
OL6015.P.P2	5 Litres (1.32 GAL.) Container	02PCS	127,00

POE 46 Lubricant + UV DYE

Art.-Nr.	Description	☐	€/Each
OL6026.Q.P2	250 ml (8.5 FL. OZ.) Container	24PCS	9,00
OL6026.M.P2	500 ml (17 FL. OZ.) Container	12PCS	16,50
OL6026.K.P2	1 Litre (34 FL. OZ.) Container	12PCS	28,50
OL6026.P.P2	5 Litres (1.32 GAL.) Container	02PCS	134,00

POE 68 Lubricant

Art.-Nr.	Description	☐	€/Each
OL6016.Q.P2	250 ml (8.5 FL. OZ.) Container	24PCS	8,50
OL6016.M.P2	500 ml (17 FL. OZ.) Container	12PCS	14,60
OL6016.K.P2	1 Litre (34 FL. OZ.) Container	12PCS	27,00
OL6016.P.P2	5 Litres (1.32 GAL.) Container	02PCS	127,00

POE 68 Lubricant + UV DYE

Art.-Nr.	Description	☐	€/Each
OL6027.Q.P2	250 ml (8.5 FL. OZ.) Container	24PCS	9,00
OL6027.M.P2	500 ml (17 FL. OZ.) Container	12PCS	16,50
OL6027.K.P2	1 Litre (34 FL. OZ.) Container	12PCS	28,50
OL6027.P.P2	5 Litres (1.32 GAL.) Container	02PCS	134,00

POE 100 Lubricant

Art.-Nr.	Description	☐	€/Each
OL6017.Q.P2	250 ml (8.5 FL. OZ.) Container	24PCS	8,50
OL6017.M.P2	500 ml (17 FL. OZ.) Container	12PCS	14,60
OL6017.K.P2	1 Litre (34 FL. OZ.) Container	12PCS	27,00
OL6017.P.P2	5 Litres (1.32 GAL.) Container	02PCS	127,00

POE 100 Lubricant + UV DYE

Art.-Nr.	Description	☐	€/Each
OL6028.Q.P2	250 ml (8.5 FL. OZ.) Container	24PCS	9,00
OL6028.M.P2	500 ml (17 FL. OZ.) Container	12PCS	16,50
OL6028.K.P2	1 Litre (34 FL. OZ.) Container	12PCS	28,50
OL6028.P.P2	5 Litres (1.32 GAL.) Container	02PCS	134,00



POE Lubricant Hybrid/Electric

POE Lubricant for Hybrid/Electric Vehicles

POE 100 for Hybrid & Electric Vehicle

Art.-Nr.	Description	☐	€/Each
OL6033.Q.P2	250 ml (8.5 FL. OZ.) Container	24PCS	13,00
OL6033.M.P2	500 ml (17 FL. OZ.) Container	12PCS	25,00
OL6033.K.P2	1 Litre (34 FL. OZ.) Container	12PCS	49,00



Vacuum Pump Lubricants

Vacuum Pump Lubricants

ISO 32

Art.-Nr.	Description	☐	€/Each
OL6053.Q.P2	250 ml (8.5 FL. OZ.) Container	24PCS	6,70
OL6053.M.P2	500 ml (17 FL. OZ.) Container	12PCS	12,70
OL6053.K.P2	1 Litre (34 FL. OZ.) Container	12PCS	21,50
OL6053.P.P2	5 Litres (1.32 GAL.) Container	02PCS	101,00

ISO 46

Art.-Nr.	Description	☐	€/Each
OL6054.Q.P2	250 ml (8.5 FL. OZ.) Container	24PCS	6,70
OL6054.M.P2	500 ml (17 FL. OZ.) Container	12PCS	12,70
OL6054.K.P2	1 Litre (34 FL. OZ.) Container	12PCS	21,50
OL6054.P.P2	5 Litres (1.32 GAL.) Container	02PCS	101,00

ISO 68

Art.-Nr.	Description	☐	€/Each
OL1008.Q.P2	250 ml (8.5 FL. OZ.) Container	24PCS	6,70
OL1008.M.P2	500 ml (17 FL. OZ.) Container	12PCS	12,70

Art.-Nr.	Description	☐	€/Each
OL1008.K.P2	1 Litre (34 FL. OZ.) Container	12PCS	21,50
OL1008.P.P2	5 Litres (1.32 GAL.) Container	02PCS	101,00

* Available on request also 5, 25 and 200 liters cans.





Acid-Test

Test to Verify the Presence of Acid into A/C and Refrigeration Systems

What is it?

ACID-TEST is an essential product to locate the presence and the formation of acid inside vehicle A/C systems. The use of ACID TEST is a very important step in a regular preventative maintenance and provides a fast and accurate method to detect the presence of acid into lubricants.

How does it work?

ACID TEST contains chemical ingredients that react when in contact with acidity, changing their color and indicating the nominal pH level of the refrigeration lubricant.

Benefits

- Works with all lubricants (POE - ABZ - PAO - PAG - PVE - Mineral).
- Accurate results in seconds.
- Easy to use.
- Biodegradable.
- Non-flammable.
- Non-toxic.
- Non-hazardous.
- Inexpensive (especially compared to laboratory acid tests).
- The plastic box contains 4 TESTS.

Art.-Nr.	☐	€/Each
RK1349	19 PCS	42,00



Oil Guard

By-Pass for System Diagnosis

What is it?

OIL GUARD is a diagnostic device for verifying the general condition of a vehicle A/C system, simply by connecting to the high and low-pressure ports of the A/C system. Through the Oil Guard glass it is possible to visually inspect the presence of chemical additives such as UV leak detector dye or A/C leak stop, as well as the oil/refrigerant gas miscibility. It is therefore possible to evaluate the quality of the oil, and the possible presence of water or other contaminants.

The kit includes:

- 1 Red refrigerant charging hose.
- 1 Blue refrigerant charging hose.
- 1 Low-pressure port quick coupler.
- 1 High-pressure port quick coupler.

Art.-Nr.	Description	☐	€/Each
RK1268	Oil Guard R134a	01 PC	280,00
RK1025	Oil Guard R1234yf	01 PC	300,00



PURIFYING TREATMENTS WITH ULTRASONIC NEBULIZATION

PURIFYING TREATMENTS



CZ Care Zone

Purifying Treatment for A/C Systems for Ultrasonic Nebulizer

What is it?

CARE ZONE is a purifying liquid to be used with ultrasonic nebulizers.

Benefits

- Restores and refreshes interior air quality.
- Excellent long term effect.



Evaporator



Interiors



Purifier



Perfume

Art.-Nr.	Description	☐	€/Each
AB1051.G.01	120 ml (4.0 FL.OZ.) Bottle	12 PCS	9,50
AB1051.J.01	200 ml (6.8 FL.OZ.) Bottle	10 PCS	15,50
AB1051.P.01	5 Litres (1.32 GAL.) Plastic Tank	02 PCS	280,00
AB1051.D.01	10 Litres (2.64 GAL.) Plastic Tank	01 PC	460,00



KO Killer Odor

Odour Eliminator for Ultrasonic Nebulizer

What is it?

KILLER ODOR is an anti-odor treatment to be used with ultrasonic nebulizers.

Benefits

- Effective against smoke, cigarettes, food and pet odor.
- Purifies interior air.
- Completely eliminates unpleasant smells.
- Eliminates bad smells from interiors and surfaces.
- Refreshes and restores internal air quality.



Evaporator



Interiors



Perfume

Art.-Nr.	Description	☐	€/Each
AB1041.G	120 ml (4.0 FL.OZ.) Bottle	12 PCS	4,90
AB1041.J	200 ml (6.8 FL.OZ.) Bottle	10 PCS	8,10
AB1041.P	5 Litres (1.32 GAL.) Plastic Tank	02 PCS	146,00
AB1041.D	10 Litres (2.64 GAL.) Plastic Tank	01 PC	240,00





Atom Machine

Ultrasonic Nebulizer with 48 Doses of 250 ml (8.5 FL. OZ.)

What is it?

ATOM MACHINE an electronic ultrasonic nebulizer device designed to atomize liquids that are then distributed by the A/C System's Recirculation System for sanitizing and/or removing odours. The Atom system atomizes liquid to create large quantities of fine particles (less than 5 micron's in diameter) at ambient temperatures. Such small particles (<5microns) do not easily condense on the surfaces they encounter, hence, they fully propagate in the A/C system and room/cabin. The Atom Machine is built to the highest specification and powered by the mains to ensure sufficient quantities of particles are generated to effectively eliminate all micro-organisms and odours. Where liquid is vaporized by heating to a high temperature or propelled via traditional aerosol, the active ingredients are not able to provide the deep penetration and coverage required to guarantee 100% effectiveness. The size and the weight of the particles delivered by heat or aerosol cause prompt precipitation and condensation.



Art.-Nr.	Description	□	€/Each
VP1030.01	Ultrasonic Nebulizer+48 Atom Lemon - European plug	01 PC	250,00
VP1030.01.UK	Ultrasonic Nebulizer+48 Atom Lemon - UK plug	01 PC	250,00
VP1030.01.USA	Ultrasonic Nebulizer+48 Atom Lemon - 110 V USA plug	01 PC	250,00
VP1030.01.AUS	Ultrasonic Nebulizer+48 Atom Lemon - Australian Plug	01 PC	250,00
VP1034.01	Ultrasonic Nebulizer+48 Atom Green - European plug	01 PC	250,00
VP1034.01.UK	Ultrasonic Nebulizer+48 Atom Green - UK plug	01 PC	250,00
VP1034.01.USA	Ultrasonic Nebulizer+48 Atom Green - 110 V USA plug	01 PC	250,00
VP1034.01.AUS	Ultrasonic Nebulizer+48 Atom Green - Australian Plug	01 PC	250,00
VP1035.01	Ultrasonic Nebulizer+48 Atom Pure - European plug	01 PC	250,00
VP1035.01.UK	Ultrasonic Nebulizer+48 Atom Pure - UK plug	01 PC	250,00
VP1035.01.USA	Ultrasonic Nebulizer+48 Atom Pure - 110 V USA plug	01 PC	250,00
VP1035.01.AUS	Ultrasonic Nebulizer+48 Atom Pure - Australian Plug	01 PC	250,00
VP1038.01	Ultrasonic Nebulizer+48 Atom Mint - European plug	01 PC	250,00
VP1038.01.UK	Ultrasonic Nebulizer+48 Atom Mint - UK plug	01 PC	250,00
VP1038.01.USA	Ultrasonic Nebulizer+48 Atom Mint - 110 V USA plug	01 PC	250,00
VP1038.01.AUS	Ultrasonic Nebulizer+48 Atom Mint - Australian Plug	01 PC	250,00

Features:

- Power supply: 220V – 50/60 Hz.
- Operating temperature: 0°C ÷ 60°C.
- Nebulization rate: ≈ 390 ml /h.
- Dimensions: L170 x P110 x H170 mm.
- Weight: 0.7 Kg.
- Pallet of 36 PCS.
- Atom machine includes 48 treatments of 250 ml (8.5 FL.OZ.) to sanitise A/C systems, available in three new fragrances: **Atom Pure, Atom Lemon, Atom Green, Atom Mint.**



Atom Liquid

Purifying Treatment for Atom Machine and Ultrasonic Nebulizers 250 ml (8.5 FL.OZ.)

Art.-Nr.	Description	□	€/Each
AB0018.Q.01	Atom Liquid 250 ML (8.5 FL.OZ.) Lemon	24 PCS	6,75
AB0022.Q.01	Atom Liquid 250 ML (8.5 FL.OZ.) Pure	24 PCS	6,75
AB0023.Q.01	Atom Liquid 250 ML (8.5 FL.OZ.) Green	24 PCS	6,75
AB0024.Q.01	Atom Liquid 250 ML (8.5 FL.OZ.) Mint	24 PCS	6,75





PureZone Machine

Ultrasonic Nebulizer

What is it?

PUREZONE MACHINE is an electronic ultrasonic device to instantly atomize a purifying liquid that is aspirated and propagated by the A/C Recirculation system.

A course of purifying treatment with PureZone Machine takes approximately 11'45" at 20 °C and automatically stops once the minimum liquid level is reached. At higher ambient temperatures the treatment will be shorter; at lower ambient temperatures it will last longer.



Art.-Nr.	Description	☐	€/Each
AB1027	PureZone Machine (Ultrasonic Nebulizer)	01 PC	950,00
AB1027.UK	PureZone Machine (Ultrasonic Nebulizer) + UK plug	01 PC	950,00
AB1027.USA	PureZone Machine (Ultrasonic Nebulizer) + 110 USA Plug	01 PC	950,00
AB1027.01	PZM + 24 Pcs of 120 ml (FL.OZ.) PureZone Bottles	01 PC	1.190,00
AB1027.01.UK	PZM + 24 Pcs of 120 ml (FL.OZ.) PureZone Bottles UK plug	01 PC	1.190,00
AB1027.01.USA	PZM + 24 Pcs of 120 ml (FL.OZ.) PureZone Bottles 110 USA plug	01 PC	1.190,00
RK1303	PZM + 10 Litres (2.64 GAL.) PureZone Plastic Tank	01 PC	1.280,00

Specifications:

- Power supply: 220V – 50/60 Hz.
- Power supply plug: Schuco.
- Noise level: ≤ 70 dB.
- Operating temperatures: 0°C to 60°C.
- 3 m cable with plug.
- Nebulization (atomization) rate: ≈ 500 ml/h.
- Dimensions: L285 x P130 x H210 mm.
- Weight: 3.1 Kg.



Pure Ozone Machine

Ozone-Generator

What is it?

PURE OZONE MACHINE is a highly portable but powerful 220V Ozone-generator.

Benefits

- Eliminates bad odours from interior surfaces (Vehicles, Boats, Houses, Refrigerators, etc...).
- Effective against Tobacco smells.
- Effective against Food and Pet smells.
- Quickly kills microorganisms (viruses, bacterium, spores, molds, parasites, protozoa, etc...).
- Maintenance free; self contained no need for manpower, equipment or consumables.
- No harmful substances used and no residual products remain (O₃ decomposes to O₂).

Application

The cleaning up of the interiors must be run in the total absence of people or pets, using a fan to spread.

Time of application:

- 15 min: Compact Vehicles - Sport Car - Station Wagon or Room up to 10 m2 or Pet Kennel.
- 30 min: SUV - Space Wagon - Commercial Vehicle -Minibus - Motor Home or Room up to 20 m2.
- 45 min: Bus or Room up to 30 m2.
- 60 min: Room up to 40 m2.
- 90 min: Room up to 50 m2.



Features:

- Power supply: 100-220V – 50/60 Hz.
- Operating temperature: 0°C ÷ 60°C.
- Ozone production: 800 mg/h.
- Dimensions: L285 X P130 X H210 mm.
- Weight: 2.9 Kg.

Art.-Nr.	☐	€/Each
AB1040.01	01 PC	990,00



Pure Ozone Machine 12

Ozone-Generator

What is it?

It is a 12V Ozone generator.

Benefits

- Eliminates bad odours from interior surfaces (Vehicles, Boats).
- Effective against Tobacco smells.
- Effective against Food and Pet smells.
- Quickly kills microorganisms (viruses, bacterium, spores, molds, parasites, protozoa, etc...).
- Maintenance free; self contained no need for manpower, equipment or consumables.
- No harmful substances used and no residual products remain (O₃ decomposes to O₂).

Application

The cleaning up of the interiors must be run in the total absence of people or pets, using a fan to spread.

Time of application:

- 15 min: Compact Vehicles - Sport Car - Station Wagon or Room up to 10 m2 or Pet Kennel.
- 30 min: SUV - Space Wagon - Commercial Vehicle -Minibus - Motor Home or Room up to 20 m2.
- 45 min: Bus or Room up to 30 m2.
- 60 min: Room up to 40 m2.



Features:

- Power supply: 12V.
- Operating temperature: 0°C ÷ 60°C.
- Ozone production: 800 mg/h.
- Dimensions: L250 X P153 X H80 mm.
- Weight: 1.570 Kg.

Art.-Nr.	☐	€/Each
AB1083.01	01 PC	697,00



PURIFYING TREATMENTS IN AEROSOL CAN - NO BIOCIDES

PURIFYING TREATMENTS IN AEROSOL CAN

NEW



ECF Evaporator Cleaner Foam

Foam Cleaner for A/C Systems - No Biocide

What is it?

EVAPORATOR CLEANER FOAM is a foamy cleaner for evaporators that cleans, refreshes and purifies the A/C system. We recommend the use of this product in combination with INTERIOR PURIFIER - Purifying Treatment for interiors.



Art.-Nr.	Description	☐	€/Each
AB1049.F.01	100 ml (3.4 FL.OZ.) Aerosol Can	30 PCS	8,66
AB1049.J.01	200 ml (6.8 FL.OZ.) Aerosol Can	24 PCS	10,70
AB1049.N.01	400 ml (13.6 FL.OZ.) Aerosol Can	12 PCS	12,31



ECL Evaporator Cleaner Liquid

Non-Foam Cleaner for A/C Systems - No Biocide

What is it?

EVAPORATOR CLEANER LIQUID is a liquid cleaner for evaporators that cleans, refreshes and purifies the A/C system. We recommend the use of this product in combination with INTERIOR PURIFIER - Purifying Treatment for interiors.



Art.-Nr.	Description	☐	€/Each
AB1084.N.01	400 ml (13.6 FL.OZ.) Aerosol Can	12 PCS	12,31



IP Interior Purifier

Purifying Treatment for Interiors - No Biocide

What is it?

INTERIOR PURIFIER is a purifying treatment to clean and refresh the cockpits, leaving a pleasant fragrance of cleanliness. We recommend the use of this product in combination with EVAPORATOR CLEANER FOAM - Foam Cleaner for A/C systems.



Suitable treatment for: 100 ml (3.4 FL.OZ.) COMPACT - BERLINE - STATION WAGONS

Art.-Nr.	Description	Fragrance	☐	€/Each
AB1056.F.01	100 ml (3.4 FL.OZ.) Aerosol Can	Talc	30 PCS	9,92
AB1057.F.01	100 ml (3.4 FL.OZ.) Aerosol Can	Strawberry	30 PCS	9,92
AB1058.F.01	100 ml (3.4 FL.OZ.) Aerosol Can	Peach	30 PCS	9,92
AB1050.F.01	100 ml (3.4 FL.OZ.) Aerosol Can	Mint	30 PCS	9,92
AB1059.F.01	100 ml (3.4 FL.OZ.) Aerosol Can	Lemon	30 PCS	9,92
AB1060.F.01	100 ml (3.4 FL.OZ.) Aerosol Can	Vanilla	30 PCS	9,92
AB1061.F.01	100 ml (3.4 FL.OZ.) Aerosol Can	Green Apple	30 PCS	9,92

Suitable treatment for: 200 ml (6.8 FL.OZ.) SUV - SPACE WAGON - COMMERCIAL VEHICLE MINIBUS - MOTOR HOME

Art.-Nr.	Description	Fragrance	☐	€/Each
AB1056.J.01	200 ml (6.8 FL.OZ.) Aerosol Can	Talc	24 PCS	11,00
AB1057.J.01	200 ml (6.8 FL.OZ.) Aerosol Can	Strawberry	24 PCS	11,00
AB1058.J.01	200 ml (6.8 FL.OZ.) Aerosol Can	Peach	24 PCS	11,00
AB1050.J.01	200 ml (6.8 FL.OZ.) Aerosol Can	Mint	24 PCS	11,00
AB1059.J.01	200 ml (6.8 FL.OZ.) Aerosol Can	Lemon	24 PCS	11,00
AB1060.J.01	200 ml (6.8 FL.OZ.) Aerosol Can	Vanilla	24 PCS	11,00
AB1061.J.01	200 ml (6.8 FL.OZ.) Aerosol Can	Green Apple	24 PCS	11,00

Art.-Nr.	Description	Fragrance	☐	€/Each
AB1056.N.01	400 ml (13.6 FL.OZ.) Aerosol Can	Talc	12 PCS	11,25
AB1057.N.01	400 ml (13.6 FL.OZ.) Aerosol Can	Strawberry	12 PCS	11,25
AB1058.N.01	400 ml (13.6 FL.OZ.) Aerosol Can	Peach	12 PCS	11,25
AB1050.N.01	400 ml (13.6 FL.OZ.) Aerosol Can	Mint	12 PCS	11,25
AB1059.N.01	400 ml (13.6 FL.OZ.) Aerosol Can	Lemon	12 PCS	11,25
AB1060.N.01	400 ml (13.6 FL.OZ.) Aerosol Can	Vanilla	12 PCS	11,25
AB1061.N.01	400 ml (13.6 FL.OZ.) Aerosol Can	Green Apple	12 PCS	11,25



TC Total Care

Complete Purifying Treatment for A/C Systems - No Biocide

What is it?

TOTAL CARE is a complete purifying treatment to clean and refresh the evaporator and the cockpits, leaving a pleasant fragrance of cleanliness.

Suitable treatment for: 100 ml (3.4 FL.OZ.)
COMPACT - BERLINE - STATION WAGONS.

Suitable treatment for: 200 ml (6.8 FL.OZ.)
SUV - SPACE WAGON - COMMERCIAL VEHICLE MINIBUS - MOTOR HOME.

Clamshell including: • Can of Evaporator Cleaner Foam - Foam Cleaner.
• Can of Interior Purifier - Purifying Treatment for Interiors. • With 60 cm canula.



100 ml (3.4 FL.OZ.) Clamshell

Art.-Nr.	Fragrance	☐	€/Each
RKAB43	Talc	12 PCS	16,66
RKAB44	Strawberry	12 PCS	16,66
RKAB45	Peach	12 PCS	16,66
RKAB46	Mint	12 PCS	16,66
RKAB47	Lemon	12 PCS	16,66
RKAB48	Vanilla	12 PCS	16,66
RKAB49	Green Apple	12 PCS	16,66

200 ml (6.8 FL.OZ.) Clamshell

Art.-Nr.	Fragrance	☐	€/Each
RKAB37	Talc	10 PCS	20,30
RKAB38	Strawberry	10 PCS	20,30
RKAB39	Peach	10 PCS	20,30
RKAB36	Mint	10 PCS	20,30
RKAB40	Lemon	10 PCS	20,30
RKAB41	Vanilla	10 PCS	20,30
RKAB42	Green Apple	10 PCS	20,30




Power Clean In High Pressure Cleaner for Evaporators

What is it?

POWER CLEAN IN is a special Aerosol Can that has been designed to achieve a high and constant supply pressure that allows you to easily remove extreme dirt that accumulates between the fins of the evaporators.

Benefits

- Particularly suitable for the evaporators that are difficult to reach.
- No need to rinse.



Art.-Nr.	Description		€/Each
AB1063.U.01	600 ML (20 FL. OZ.) Aerosol Can	12 PCS	13,80




Smoki Cigarette Smoke Odor Remover Spray for Interiors

What is it?

SMOKI is a special nanotechnology chemical product formulated to eliminate the smell of cigarette and tobacco from cockpits.

How does it work?

Total release spray can to be placed at the center of the contaminated cockpit; before performing the treatment, close doors and windows and leave the vehicle. Ventilate the space thoroughly before reentering.



Art.-Nr.	Description		€/Cad.
AB1087.J.01	200 ML (6.8 FL. OZ.) Aerosol Can	24 PCS	12,00



Woofi Pet Odor Remover Spray for Interiors

What is it?

WOOFI is a special nanotechnology chemical product formulated to eliminate the smell of pets from cockpits.

How does it work?

Total release spray can to be placed at the center of the contaminated cockpit; before performing the treatment, close doors and windows and leave the vehicle. Ventilate the space thoroughly before reentering.



Art.-Nr.	Description		€/Each
AB1088.J.01	200 ML (6.8 FL. OZ.) Aerosol Can	24 PCS	12,10



EVAPORATOR CLEANING AND PURIFICATION

EVAPORATOR CLEANING AND PURIFICATION



Luxedo

Scented Revitalizing Treatment for Evaporators - Ready to Use

PH
7.2 → 14
Alkaline

What is it?

LUXEDO is a specific scented chemical product, fast-acting and effective, formulated to clean evaporators. It removes organic residues and dirt accumulated over time, slowing down its reappearance.



Liquid Product Ready to Use

Art.-Nr.	Description	☐	€/Each
AB1073.P.01	5 Litres Tank (1.32 GAL)	02 PCS	43,00
AB1073.D.01	10 Litres Tank (2.64 GAL)	01 PC	71,00
AB1073.K.01	1 Litre Spray Bottle (34 FL. OZ.)	06 PCS	15,00



Sword

Scented Revitalizing Treatment for Evaporators with Anticorrosion Power - Dilution 1:3

PH
7.2 → 14
Alkaline

What is it?

SWORD is a specific scented chemical product, fast-acting and effective, formulated to clean evaporators. It removes organic residues and dirt accumulated over time, slowing down its reappearance.



Liquid Product Concentrated to Dilute 1:3

Art.-Nr.	Description	☐	€/Each
AB1074.P.01	5 Litres Tank (1.32 GAL)	02 PCS	120,00
AB1074.D.01	10 Litres Tank (2.64 GAL)	01 PC	213,00

Liquid Product Ready to Use

Art.-Nr.	Description	☐	€/Each
AB1074.K.01	1 Litre Spray Bottle (34 FL. OZ.)	06 PCS	25,00





Clench

Evaporator Cleaner with Anticorrosion Power - Dilution 1:5

PH
7.2 ↔ 14
Alkaline

What is it?

CLENCH is a specific scented chemical product, fast-acting and effective, formulated to clean evaporators. Due to its cleaning power it eliminates possible corrosions and prevents their reformation. Suitable for environments such as kitchens or food production.



Evaporator



Frequent Use



Rinsing



Extreme Dirt



Anticorrosive



Dilution

Liquid Product Concentrated to Dilute 1:5

Art.-Nr.	Description	☐	€/Each
AB1069.P.01	5 Litres Tank (1.32 GAL)	02 PCS	35,00
AB1069.D.01	10 Litres Tank (2.64 GAL)	01 PC	66,50

Liquid Product Ready to Use

Art.-Nr.	Description	☐	€/Each
AB1069.K.01	1 Litre Spray Bottle (34 FL. OZ.)	06 PCS	17,50



EcoJab

Biodegradable Evaporator Cleaner - Dilution 1:6

PH
7.2 ↔ 14
Alkaline

What is it?

ECOJAB is a specific fast-acting and effective chemical product, with a high biodegradability factor, formulated to clean evaporators.



Evaporator



Frequent Use



Rinsing



Severe Dirt



Biodegradable



Dilution

Liquid Product Concentrated to Dilute 1:6

Art.-Nr.	Description	☐	€/Each
AB1071.P.01	5 Litres Tank (1.32 GAL)	02 PCS	39,00
AB1071.D.01	10 Litres Tank (2.64 GAL)	01 PC	74,00

Liquid Product Ready to Use

Art.-Nr.	Description	☐	€/Each
AB1071.K.01	1 Litre Spray Bottle (34 FL. OZ.)	06 PCS	19,00



Evo Tabs

Purifying Cleaner for Evaporators in Tablet

PH
7.2 ↔ 14
Alkaline

What is it?

It is an effervescent tablet that diluted in 5 liters of water produces an evaporator cleaner able to have a good purifying action, remove intense dirt and leave a strong smell of cleanliness.



Evaporator



Purifier



Perfume



Severe Dirt

Art.-Nr.	Description	☐	€/Each
AB1089.01	18 Tabs	15 PCS	80,00



Disinfectant Presidio Medico Chirurgico

**FOR USE ON EVAPORATORS
AND ON ALL SURFACES**



EFFECTIVE AGAINST FLU, HEPATITIS B / C, HIV,
ROTA VIRUS NORO VIRUS AND EBOLA VIRUSES.

AGAINST THE BACTERIA COMPLIES WITH THE FOLLOWING

TESTS: EN1276 - EN13697

AGAINST THE MOULDS COMPLIES THE TEST: EN13697

FIELDS OF APPLICATION

Hospitals, Nursing Homes, Physicians Studies, Clinics, Schools, Sport Centers, Wellness Centers, Meat Shops, Confectionery Industry, Bakeries, Bars and Restaurants, Ice-cream Shops, Hotels, Industries for Meat Fish and Vegetables Processing.



HACCP PRODUCT

Number of Ministerial Registration 20145

Dilution 1:25

Art.-Nr.	Description	☐	€/Each
AB1085.Q.01	250 ml (8.5 FL. OZ.) Container	24 PCS	12,00
AB1085.M.01	500 ml (17 FL. OZ.) Container	12 PCS	22,50
AB1085.K.01	1 Litre Bottle (34 FL. OZ.)	06 PCS	42,50
AB1085.P.01	5 Litres Tank (1.32 GAL)	02 PCS	191,00
AB1085.D.01	10 Litres Tank (2.64 GAL)	01 PC	363,00

CONDENSER CLEANING

CLEANERS

NEW



Good Cond Cleaner

1:2 Concentrate - A/C and Refrigeration Condenser Alkaline Cleaner

PH
7.2 → 14
Alkaline

What is it?

GOOD COND CLEANER is a specific alkaline-based liquid treatment that cleans and deeply degrades the dirt that sets within the finned coils of condensers placed on vehicles and outside buildings.



Condenser



Frequent Use



Rinsing



Standard Dirt



Dilution

Liquid Product Concentrated to Dilute 1:2

Art.-Nr.	Description	☐	€/Each
AB1208.P.01	5 Litres Tank (1.32 GAL)	02 PCS	30,90
AB1208.D.01	10 Litres Tank (2.64 GAL)	01 PC	59,00

Liquid product ready to use

Art.-Nr.	Description	☐	€/Each
AB1045.K.01	1 Litre Spray Bottle (34 FL. OZ.)	06 PCS	15,39



Cond Cleaner

1:4 Concentrate - A/C and Refrigeration Condenser Alkaline Cleaner

PH
7.2 → 14
Alkaline

What is it?

COND CLEANER is a specific alkaline-based liquid treatment that cleans and deeply degrades the dirt that sets within the finned coils of condensers placed on vehicles and outside buildings.



Condenser



Rinsing



Severe Dirt



Dilution

Liquid Product Concentrated to Dilute 1:4

Art.-Nr.	Description	☐	€/Each
AB1207.P.01	5 Litres Tank (1.32 GAL)	02 PCS	34,00
AB1207.D.01	10 Litres Tank (2.64 GAL)	01 PC	65,00

Liquid product ready to use

Art.-Nr.	Description	☐	€/Each
AB1207.K.01	1 Litre Spray Bottle (34 FL. OZ.)	06 PCS	17,10





Best Cond Cleaner

1:6 Concentrate - A/C and Refrigeration Condenser Alkaline Cleaner

PH
7.2 → 14
Alkaline

What is it?

BEST COND CLEANER is a specific alkaline-based liquid treatment that cleans and deeply degreases the dirt that sets within the finned coils of condensers placed on vehicles and outside buildings.



Condenser



Rinsing



Extreme Dirt



Dilution

Liquid Product Concentrated to Dilute 1:6

Art.-Nr.	Description	☐	€/Each
AB1209.P.01	5 Litres Tank (1.32 GAL)	02 PCS	42,50
AB1209.D.01	10 Litres Tank (2.64 GAL)	01 PC	76,00

Liquid product ready to use

Art.-Nr.	Description	☐	€/Each
AB1046.K.01	1 Litre Spray Bottle (34 FL. OZ.)	06 PCS	19,76



Good Acid CC

1:2 Concentrate - A/C and Refrigeration Condenser Deoxidizer

PH
0 → 6.9
Acid

What is it?

GOOD ACID CC is a specific acid-based liquid treatment that deeply removes incrustations from the finned coils of condensers placed on vehicles and outside buildings.



Condenser



Frequent Use



Rinsing



Standard Incrustations



Dilution

Liquid Product Concentrated to Dilute 1:2

Art.-Nr.	Description	☐	€/Each
AB1210.P.01	5 Litres Tank (1.32 GAL)	02 PCS	29,50
AB1210.D.01	10 Litres Tank (2.64 GAL)	01 PC	56,10

Liquid product ready to use

Art.-Nr.	Description	☐	€/Each
AB1042.K.01	1 Litre Spray Bottle (34 FL. OZ.)	06 PCS	14,63



Better Acid CC

1:4 Concentrate - A/C and Refrigeration Condenser Deoxidizer

PH
0 → 6.9
Acid

What is it?

BETTER ACID CC is a specific acid-based liquid treatment that deeply removes incrustations from the finned coils of condensers placed on vehicles and outside buildings.



Condenser



Rinsing



Severe Incrustations



Dilution

Liquid Product Concentrated to Dilute 1:4

Art.-Nr.	Description	☐	€/Each
AB1211.P.01	5 Litres Tank (1.32 GAL)	02 PCS	32,30
AB1211.D.01	10 Litres Tank (2.64 GAL)	01 PC	61,80

Liquid product ready to use

Art.-Nr.	Description	☐	€/Each
AB1043.K.01	1 Litre Spray Bottle (34 FL. OZ.)	06 PCS	16,34





Best Acid CC

1:6 Concentrate - A/C and Refrigeration Condenser Deoxidize

PH
0 → 6.9
Acid

What is it?

BEST ACID CC is a specific acid-based liquid treatment that deeply removes incrustations from the finned coils of condensers placed on vehicles and outside buildings.



Liquid Product Concentrated to Dilute 1:6

Art.-Nr.	Description	□	€/Each
AB1212.P.01	5 Litres Tank (1.32 GAL)	02 PCS	40,40
AB1212.D.01	10 Litres Tank (2.64 GAL)	01 PC	72,20

Liquid product ready to use

Art.-Nr.	Description	□	€/Each
AB1044.K.01	1 Litre Spray Bottle (34 FL. OZ.)	06 PCS	18,81



Chisel

Condenser Cleaner with Anticorrosion Power - Dilution 1:3

PH
7.2 → 14
Alkaline

What is it?

CHISEL is a specific fast-acting and effective chemical product formulated to clean condensers, remove rust residues and prevent its reformation.



Liquid Product Concentrated to Dilute 1:3

Art.-Nr.	Description	□	€/Each
AB1070.P.01	5 Litres (1.32 GAL) Tank	02 PCS	32,00
AB1070.D.01	10 Litres (2.64 GAL) Tank	01 PC	61,00

Liquid Product Ready to Use

Art.-Nr.	Description	□	€/Each
AB1070.K.01	1 Litre (34 FL. OZ.) Spray Bottle	06 PCS	16,00



EcoRestore

Biodegradable Condenser Cleaner - Dilution 1:4

PH
7.2 → 14
Alkaline

What is it?

ECORESTORE is a specific fast-acting and effective chemical product, with high biodegradability, formulated to clean the condenser.



Liquid Product Concentrated to Dilute 1:4

Art.-Nr.	Description	□	€/Each
AB1072.P.01	5 Litres (1.32 GAL) Tank	02 PCS	35,00
AB1072.D.01	10 Litres (2.64 GAL) Tank	01 PC	66,50

Liquid Product Ready to Use

Art.-Nr.	Description	□	€/Each
AB1072.K.01	1 Litre (34 FL. OZ.) Spray Bottle	06 PCS	17,50



What is it?

KINO TABS is an effervescent tablet that diluted in 5 litres of water generates an alkaline cleaner for condensers, able to remove severe dirt.



Art.-Nr.	Description	☐	€/Each
AB1090.01	18 Tabs	15 PCS	75,00





Power Clean Out

High Pressure Cleaner for Condensers

What is it?

POWER CLEAN OUT is a special Aerosol Can that has been designed to achieve a high and constant supply pressure that allows you to easily remove extreme dirt that accumulates between the fins of the condensers.

Benefits

- Particularly suitable for the condensers that are difficult to reach.
- No need to rinse.



Art.-Nr.	Description	☐	€/Each
AB1063.YW.01	750 ml (25 FL. OZ.) Aerosol Can	12 PCS	16,00



Spray Pumps

What is it?

It is a tank that can be manually pressurisable, resistant even to acid products, with adjustable nozzle to dispense any kind of Cleaner directly on evaporators and condensers.



Art.-Nr.	Description	☐	€/Each
PM1001.01	2 Litre (68.0 FL.OZ.) Spray Pump	01 PC	34,58
PM1003.01	10 Litre (2.64 GAL.) Spray Pump	01 PC	124,73



FLUSHING REFRIGERATION LINES

FLUSHING CHEMICALS



NEW

Belnet Aerosol A/C System Flushing Fluid

What is it?

BELNET AEROSOL is the most direct, safe and simple solution to flush small Refrigeration Lines and Air Conditioning and Refrigeration System Components.

How does it work?

The Aerosol can is highly pressurised with CO₂ to powerfully propel the Belnet flushing fluid at speed. Application is with either the special Flushing Gun/Hose or directly with the special Rubber Cone.

Benefits

- Ready to use.
- High flushing pressure 8-9 bar (116-130 psi).
- High pressure until empty - 3 bar (43.5 psi) at the last drop!
- No need for additional equipment.
- Treatment to be followed with Nitrogen gas flush.

Belnet Aerosol 600 ML

Art.-Nr.	Description	□	€/Each
TR1009.U.M0	with Rubber Cone	12 PCS	14,20
TR1009.U.M1	with Thread	12 PCS	13,00

Belnet Aerosol 750 ML

Art.-Nr.	Description	□	€/Each
TR1009.YW.M0	with Rubber Cone	12 PCS	18,00
TR1009.YW.M1	with Thread	12 PCS	17,20

Art.-Nr.	Description	□	€/Each
RP1042.01	Adapter 1/4 SAE	01 PC	27,00

Art.-Nr.	Description	□	€/Each
RP1046.01	Flush Gun	01 PC	48,00

Art.-Nr.	Description	□	€/Each
RP1048.01	Gun with hose and ball valve	01 PC	69,00



Alpha Flush

Fluid for A/C Flushing Units

What is it?

ALPHA FLUSH is a flushing liquid specifically developed to be used with all Automatic Flushing Units.

How does it work?

It has to be introduced inside the tanks of flushing units; once inserted into the A/C system it removes metal residues and exhausted oil.

Benefits

- Flushing fluid specifically designed to be used with all automatic flushing units.
- Safe for components of flushing units.
- **Non flammable.**
- No Adr.

Art.-Nr.	Description	☐	€/Each
TR1142.K.01	1 litre (34 FL.OZ.) Metal Container	12 PCS	16,50
TR1142.P.01	5 litre (1.32 GAL.) Metal Tank	02 PCS	69,00



Belnet

A/C System Flushing Fluid

What is it?

BELNET is a flushing liquid with high evaporation specifically developed to be used in all A/C systems.

How does it work?

It has to be introduced inside the A/C systems through manual or pneumatic devices; once inserted into the A/C system it removes metal residues and exhausted oil.

Benefits

- Any residual.
- Product fast and complete evaporation.
- **Flammable.**

1 Litre (34 FL. OZ.) Tank (equal to 0.8 Kg or 1.76 lbs).

5 Litre (1.32 GAL.) metal tank (equal to 4 Kg or 8.8 lbs).

Art.-Nr.	Description	☐	€/Each
TR1009.01	1 litre (34 FL.OZ.) Metal Container	12 PCS	13,73
TR1055.01	5 litre (1.32 GAL.) Metal Tank	02 PCS	56,76



Super Belnet

A/C System Flushing Fluid

What is it?

SUPER BELNET is a flushing liquid with high evaporation specifically developed to be used in all A/C systems.

How does it work?

It has to be introduced inside the A/C systems through manual, pneumatic or electric devices; once inserted into the A/C system it removes metal residues and exhausted oil.

Benefits

- Any residual.
- Product fast and complete evaporation.
- **Non flammable.**

1 Litre (34 FL. OZ.) Tank (equal to 1.6 Kg or 3.5 lbs).

5 Litre (1.32 GAL.) metal tank (equal to 8.0 Kg or 17.6 lbs).

Art.-Nr.	Description	☐	€/Each
TR1029.01	1 litre (34 FL.OZ.) Metal Container	12 PCS	25,00
TR1030.01	5 litre (1.32 GAL.) Metal Tank	02 PCS	110,00



FLUSHING EQUIPMENTS FOR REFRIGERATION LINES

FLUSHING EQUIPMENTS

NEW



Easy Flush

Flushing Units for A/C Systems with Electric Pump

What is it?

It is the most simple and fast solution to wash and flush refrigeration and air conditioning systems of big dimensions.

Technical Features:

- Alimentazione: 230/240 V - 50/60 Hz. • Tanica interna da 20 Litri.
- Portata Pompa: 14 l/min. • Potenza Motore Pompa: 0,75 Kw.
- Pressione Max Pompa: 0,45 MPa.
- Pompa a Tenuta Meccanica con guarnizioni in EPDM.
- Filtro Meccanico in Aspirazione. • Attacco per Bombola Azoto Esterna.
- Rubinetti Esterni per invertire il ciclo di lavaggio senza il distacco dei tubi.
- Tubi Flessibili da 3 m con Rubinetti a Sfera 1/4 SAE.
- Kit adattatori per la connessione agli impianti A/C.
- Peso: 20 Kg. • Carrello Incorporato.

Warning! Use this flushing unit only with flushing fluid Alpha Flush.



Art.-Nr.	Description	□	€/Each
VP1027.01	Flushing Units	01 PC	2.000,00

Flush Pump

Electric Pump to Flush AC/R Systems

What is it?

FLUSH PUMP is a cost effective flushing system for large Air-Conditioning and Refrigeration Systems.

Technical Features:

- Power Supply: 230/240 V – 50/60 Hz.
- Pump capacity: 14 l/min.
- Maximum pump power: 0.75 Kw.
- Maximum pump pressure: 0.45 MPa.
- EPDM mechanical pump gaskets.
- 2.5m Flexible hoses with female 1/4 SAE connections.
- Interchangeable connections: 1/4 SAE - 3/8 SAE - 1/2 SAE (2 of each type).
- Storage and travel case.

Art.-Nr.	Description	□	€/Each
VP1028.01	Electric Pump to Flush A/C Systems	01 PC	985,00




Flushing Kit with Nitrogen

Kit includes:

- Quick coupler for low pressure port.
- 1/4 SAE x 5/16 SAE 90° adapter (for R410a).
- Adapter for "One-Shot" nitrogen cartridge.
- A/C connection - Adapter Kit.
- Nitrogen regulator 200 bar in - 0/48 bar out.
- Reusable aluminium nitrogen cartridge 2 lt. - 200 Bar.
- Aluminium tank with gun for A/C system flushing.
- 5 litres tank for the recovery of contaminated fluid.
- Rugged plastic storage and handling box.

Art.-Nr.	Description	□	€/Each
RK1217.01	Flushing Kit with Nitrogen	01 PC	1.296,00



Flushing Kit with Nitrogen

Kit includes:

- Gun.
- Plastic nitrogen cartridge (0/10 bar).
- Mini regulator for plastic cartridge.
- A/C connection - Adapter Kit.
- 5 litres tank for the recovery of contaminated liquid.
- Rugged plastic storage and handling.

Art.-Nr.	Description	□	€/Each
RK1216.01	Flushing Kit with Nitrogen	01 PC	469,76



Universal Flushing Kit

Kit Includes:

- Aluminium tank with gun for A/C systems flushing.
- Adapters kit for connecting to A/C systems.
- 10 litre tank for the recovery of contaminated liquid.
- Plastic container for storage and handling.

Art.-Nr.	Description	□	€/Each
RK1088.01	Universal Flushing Kit	01 PC	330,00



Fast Flush Kit

The kit includes:

- Belnet Aerosol can with thread.
- Flush Gun with hose and ball valve.
- Mini 0-10 Bar pressure regulator.
- 1/4 SAE swivel hose adapter.
- LP R134a quick coupler.
- 1/4 SAE M x 5/16 SAE F 90° adapter.
- Plastic case for transport.

Art.-Nr.	Description	□	€/Each
RK1078	Universal kit for washing and flushing	01 PC	325,00



A/C Flushing Gun

What is it?

Economical A/C flushing equipment.

- Ball valve.
- 1/4" Female connection.
- Volume: 1 litre.
- Length of hose: 60 cm.

Art.-Nr.	Description	□	€/Each
RP1027.01	A/C Flushing Gun	01 PC	145,00



Flushing Adapter Kit

What is it?

They are universal adapters with 1/4 SAE male fitting that allow to connect to any A/C system component, to run internal flushing operations in complete safety.

Art.-Nr.	Description	□	€/Each
RK1332	Adapter Kit	01 PC	143,00

Art.-Nr.	Description	□	€/Each
RP1051.01	Special Cone Adapter	01 PC	12,30



N2/H2 Cartridge

What is it?

It is a one-shot cartridge of 950cc, charged at 110 Bar pressure. It contains 5% hydrogen and 95% nitrogen, it is used to check A/C system leaks under pressure.

Art.-Nr.	Description	□	€/Each
BG1062.01	"One-Shot" Nitrogen Cartridge	06 PC	51,80



N2 Cartridge

What is it?

It is a one-shot cartridge of 950cc, charged at 110 Bar pressure. It is used to check A/C system leaks under pressure.

Art.-Nr.	Description	□	€/Each
BG1005.01	"One-Shot" Nitrogen Cartridge	01 PC	52,66



Mini Pressure Regulator

What is it?

It is a mini pressure regulator for one-shot cartridges of nitrogen and hydrogenated nitrogen. It resists to a maximum inlet pressure of 150 Bar and has a maximum output pressure of 10 Bar. The inlet and output pressure can be verified thanks to two manometers of Ø 40 mm. It includes a 200cm hose with ball valve at one end and 1/4 SAE swivel connections.

Art.-Nr.	Description	□	€/Each
MN1020.01	Mini Pressure regulator	01 PC	150,00



Pressure Regulator

- 200 Bar (in) / 0÷50 bar (out).
- Ø 40 mm high and low pressure manifold gauges.
- 1/4 SAE Male connection.
- Case for storage and handling.

Art.-Nr.	Description	□	€/Each
RK1325	w21,7 x 1"¼ - UNI4409 (Italy) connection	01 PC	330,00
RK1280	w24,32 x 1"¼ - DIN477 nr. 10 (Germany) connection	01 PC	330,00
RK1281	G 5/8" - BS 341 nr. 3 (UK) connection	01 PC	330,00
RK1282	Ø 21,7 x 1,814 - NFE 29-650/C (France) connection	01 PC	330,00



Pressure Regulator and Tester

- 200 Bar (in) / 0÷50 bar (out).
- Ø 80 mm gauge, class 1.0 with defined sector, positioning indicator and calibration screw.
- Ø 40 mm high and low pressure manifold gauges.
- 200 cm hose with ball valve with 1/4 SAE connection.
- Case for storage and handling.

Art.-Nr.	Description	□	€/Each
RK1326	w21,7 x 1"¼ - UNI4409 (Italy) connection	01 PC	438,00
RK1283	w24,32 x 1"¼ - DIN477 nr. 10 (Germany) connection	01 PC	438,00
RK1284	G 5/8" - BS 341 nr. 3 (UK) connection	01 PC	438,00
RK1285	Ø 21,7 x 1,814 - NFE 29-650/C (France) connection	01 PC	438,00



Pressure Regulator and Tester

Kit including:

- 950 Cc "One-Shot" Nitrogen and Hydrogen Cartridge.
- 200 Bar (in) / 0÷50 bar (out) Nitrogen regulator.
- Manifold gauge to run leak testing with 1/4 SAE connection.
- Manifold gauge to run leak testing with 5/16 SAE connection.
- Low pressure quick coupler for r134a (automotive).
- Case for storage and handling.
- High pressure quick coupler for R-1234yf (automotive).

Art.-Nr.	Description	□	€/Each
RK1370	Hydrogenated Nitrogen Kit to test leaks	01 PC	645,00
RK1026	Nitrogen Kit to test leaks	01 PC	645,00



Manifolds to Check Air-Tight

- Ball valve.
- 0.80 mm gauge, class 1.0, defined sectors, position indicator and calibration screw.
- Green or black protective rubber gauge.

Art.-Nr.	Description	□	€/Each
MN1062.01	1/4 SAE Connection	01 PC	78,20
MN1063.01	5/16 SAE Connection (R410a System)	01 PC	78,20



MANIFOLDS FOR REFRIGERANT GASES

MANIFOLDS

1-Way Manifold

Art.-Nr.	Description	Fitting	Refrigerant Scale	Class	€/Each
MN1028.01	with Ø 68 mm gauge	1/4 SAE	R22 - R407c - R410a	1.0	94,50
MN1029.01	with Ø 68 mm gauge	5/16 SAE	R22 - R407c - R410a	1.0	94,50
MN1030.01	with Ø 68 mm gauge	1/4 SAE	R12 - R134a	1.6	81,30
MN1101.01	with Ø 80 mm gauge	1/4 SAE	R22 - R407c - R410a	1.6	87,90
MN1103.01	with Ø 80 mm gauge	5/16 SAE	R22 - R407c - R410a	1.6	88,80
MN1100.01	with Ø 80 mm gauge	1/4 SAE	R1234yf	1.6	88,80



Manifold Kit

Art.-Nr.	Description	Fitting	Refrigerant Scale	Class	€/Each
MNK024	with Ø 68 mm gauge	1/4 SAE	R22 - R407c - R410a	1.0	194,15
MNK025	with Ø 68 mm gauge	5/16 SAE	R22 - R407c - R410a	1.0	195,40
MNK026	with Ø 68 mm gauge	1/4 SAE	R12 - R134a	1.6	181,30
MNK027	with Ø 80 mm gauge	1/4 SAE	R22 - R407c - R410a	1.6	187,90
MNK028	with Ø 80 mm gauge	5/16 SAE	R22 - R407c - R410a	1.6	188,80
MNK486	with Ø 80 mm gauge	1/4 SAE	R1234yf	1.6	188,80



2-Ways Manifold

Art.-Nr.	Description	Fitting	Refrigerant Scale	Class	€/Each
MN1031.01	with Ø 68 mm gauge	1/4 SAE	R22 - R407c - R410a	1.0	140,10
MN1032.01	with Ø 68 mm gauge	5/16 SAE	R22 - R407c - R410a	1.0	141,10
MN1014.01	with Ø 68 mm gauge	1/4 SAE	R12 - R134a	1.6	90,56
MN1001.01	with Ø 80 mm gauge	1/4 SAE	R22 - R407c - R410a	1.6	115,30
MN1003.01	with Ø 80 mm gauge	5/16 SAE	R22 - R407c - R410a	1.6	116,20
MN1098.01	with Ø 80 mm gauge	1/4 SAE	R1234yf	1.6	116,20



Manifold Kit

Art.-Nr.	Description	Fitting	Refrigerant Scale	Class	€/Each
MNK032	with Ø 68 mm gauge	1/4 SAE	R22 - R407c - R410a	1.0	194,15
MNK033	with Ø 68 mm gauge	5/16 SAE	R22 - R407c - R410a	1.0	195,40
MNK031	with Ø 68 mm gauge	1/4 SAE	R12 - R134a	1.6	181,30
MNK034	with Ø 80 mm gauge	1/4 SAE	R22 - R407c - R410a	1.6	187,90
MNK035	with Ø 80 mm gauge	5/16 SAE	R22 - R407c - R410a	1.6	188,80
MNK487	with Ø 80 mm gauge	1/4 SAE	R1234yf	1.6	188,80



4-Ways Manifold

Art.-Nr.	Description	Fitting	Refrigerant Scale	Class	€/Each
MN1018.01	with Ø 68 mm gauge	1/4 SAE	R22 - R407c - R410a	1.0	180,75
MN1056.01	with Ø 68 mm gauge	5/16 SAE	R22 - R407c - R410a	1.0	181,80
MN1017.01	with Ø 68 mm gauge	1/4 SAE	R12 - R134a	1.6	155,67
MN1004.01	with Ø 80 mm gauge	1/4 SAE	R22 - R407c - R410a	1.6	168,21
MN1006.01	with Ø 80 mm gauge	5/16 SAE	R22 - R407c - R410a	1.6	169,20
MN1099.01	with Ø 80 mm gauge	1/4 SAE	R1234yf	1.6	169,20




Manifold Kit

Art.-Nr.	Description	Fitting	Refrigerant Scale	Class	€/Each
MNK045	with Ø 68 mm gauge	1/4 SAE	R22 - R407c - R410a	1.0	280,75
MNK046	with Ø 68 mm gauge	5/16 SAE	R22 - R407c - R410a	1.0	280,75
MNK047	with Ø 68 mm gauge	1/4 SAE	R12 - R134a	1.6	255,67
MNK048	with Ø 80 mm gauge	1/4 SAE	R22 - R407c - R410a	1.6	278,21
MNK049	with Ø 80 mm gauge	5/16 SAE	R22 - R407c - R410a	1.6	279,20
MNK488	with Ø 80 mm gauge	1/4 SAE	R1234yf	1.6	279,20



4-Ways Manifold

Art.-Nr.	Description	Fitting	Refrigerant Scale	Class	€/Each
MN1075.01	with Ø 68 mm gauge	1/4 SAE	R22 - R407c - R410a	1.0	263,00
MN1076.01	with Ø 68 mm gauge	5/16 SAE	R22 - R407c - R410a	1.0	263,00
MN1077.01	with Ø 68 mm gauge	1/4 SAE	R12 - R134a	1.6	179,00
MN1078.01	with Ø 80 mm gauge	1/4 SAE	R22 - R407c - R410a	1.6	202,00
MN1079.01	with Ø 80 mm gauge	5/16 SAE	R22 - R407c - R410a	1.6	202,00
MN1106.01	with Ø 80 mm gauge	1/4 SAE	R1234yf	1.6	202,00



Manifold Kit

Art.-Nr.	Description	Fitting	Refrigerant Scale	Class	€/Each
MNK070	with Ø 68 mm gauge	1/4 SAE	R22 - R407c - R410a	1.0	370,00
MNK071	with Ø 68 mm gauge	5/16 SAE	R22 - R407c - R410a	1.0	370,00
MNK072	with Ø 68 mm gauge	1/4 SAE	R12 - R134a	1.6	370,00
MNK073	with Ø 80 mm gauge	1/4 SAE	R22 - R407c - R410a	1.6	320,00
MNK074	with Ø 80 mm gauge	5/16 SAE	R22 - R407c - R410a	1.6	320,00
MNK489	with Ø 80 mm gauge	1/4 SAE	R1234yf	1.6	320,00



ERRECOM CHARGING HOSES

SAE J2196 SAE J2888

ERRECOM CHARGING HOSES

On-Line Swivel Connections

1/4 SAE connections

Cm	Blue	Red	Yellow	€/Each
100	TB7451B	TB7451R	TB7451Y	25,40
200	TB7551B	TB7551R	TB7551Y	37,50
300	TB7651B	TB7651R	TB7651Y	48,60
350	TB7751B	TB7751R	TB7751Y	54,20

Set 3 PCS	€/Each
TBK287	71,00
TBK288	99,90
TBK289	130,40
TBK290	145,80

5/16 SAE connections

Cm	Blue	Red	Yellow	€/Each
100	TB7452B	TB7452R	TB7452Y	25,40
200	TB7552B	TB7552R	TB7552Y	99,90
300	TB7652B	TB7652R	TB7652Y	48,60
350	TB7752B	TB7752R	TB7752Y	54,20

Set 3 PCS	€/Each
TBK291	71,00
TBK292	99,90
TBK293	130,40
TBK294	145,80



3/8 SAE connections

Cm	Blue	Red	Yellow	€/Each
100	TB7453B	TB7453R	TB7453Y	25,40
200	TB7553B	TB7553R	TB7553Y	37,50
300	TB7653B	TB7653R	TB7653Y	48,60
350	TB7753B	TB7753R	TB7753Y	54,20

Set 3 PCS	€/Each
TBK295	71,00
TBK304	99,90
TBK305	130,40
TBK306	145,80

1/2 ACME connections

Cm	Blue	Red	Yellow	€/Each
100	TB7454B	TB7454R	TB7454Y	25,40
200	TB7554B	TB7554R	TB7554Y	37,50
300	TB7654B	TB7654R	TB7654Y	48,60
350	TB7754B	TB7754R	TB7754Y	54,20

Set 3 PCS	€/Each
TBK307	71,00
TBK308	99,90
TBK309	130,40
TBK310	145,80

45° Connections

1/4 SAE connections


Cm	Blue	Red	Yellow	€/Each
100	TB7459B	TB7459R	TB7459Y	25,40
200	TB7559B	TB7559R	TB7559Y	37,50
300	TB7659B	TB7659R	TB7659Y	48,60
350	TB7759B	TB7759R	TB7759Y	54,20

Set 3 PCS	€/Each
TBK327	71,00
TBK328	99,90
TBK329	130,40
TBK330	145,80

5/16 SAE connections

Cm	Blue	Red	Yellow	€/Each
100	TB7460B	TB7460R	TB7460Y	25,40
200	TB7560B	TB7560R	TB7560Y	37,50
300	TB7660B	TB7660R	TB7660Y	48,60
350	TB7760B	TB7760R	TB7760Y	54,20

Set 3 PCS	€/Each
TBK331	71,00
TBK332	99,90
TBK333	130,40
TBK334	145,80



3/8 SAE connections

Cm	Blue	Red	Yellow	€/Each
100	TB7461B	TB7461R	TB7461Y	25,40
200	TB7561B	TB7561R	TB7561Y	37,50
300	TB7661B	TB7661R	TB7661Y	48,60
350	TB7761B	TB7761R	TB7761Y	54,20

Set 3 PCS	€/Each
TBK335	71,00
TBK336	99,90
TBK337	130,40
TBK338	145,80

1/2 ACME connections

Cm	Blue	Red	Yellow	€/Each
100	TB7462B	TB7462R	TB7462Y	25,40
200	TB7562B	TB7562R	TB7562Y	37,50
300	TB7662B	TB7662R	TB7662Y	48,60
350	TB7762B	TB7762R	TB7762Y	54,20

Set 3 PCS	€/Each
TBK339	71,00
TBK340	99,90
TBK341	130,40
TBK342	145,80

M14x1,5 Connections

1/4 SAE connections


Cm	Blue	Red	Yellow	€/Each
100	TB7455B	TB7455R	TB7455Y	25,40
200	TB7555B	TB7555R	TB7555Y	37,50
300	TB7655B	TB7655R	TB7655Y	48,60
350	TB7755B	TB7755R	TB7755Y	54,20

Set 3 PCS	€/Each
TBK311	71,00
TBK312	99,90
TBK313	130,40
TBK314	145,80

5/16 SAE connections

Cm	Blue	Red	Yellow	€/Each
100	TB7456B	TB7456R	TB7456Y	25,40
200	TB7556B	TB7556R	TB7556Y	37,50
300	TB7656B	TB7656R	TB7656Y	48,60
350	TB7756B	TB7756R	TB7756Y	54,20

Set 3 PCS	€/Each
TBK315	71,00
TBK316	99,90
TBK317	130,40
TBK318	145,80



3/8 SAE connections

Cm	Blue	Red	Yellow	€/Each
100	TB7457B	TB7457R	TB7457Y	25,40
200	TB7557B	TB7557R	TB7557Y	37,50
300	TB7657B	TB7657R	TB7657Y	48,60
350	TB7757B	TB7757R	TB7757Y	54,20

Set 3 PCS	€/Each
TBK319	71,00
TBK320	99,90
TBK321	130,40
TBK322	145,80

1/2 ACME connections

Cm	Blue	Red	Yellow	€/Each
100	TB7458B	TB7458R	TB7458Y	25,40
200	TB7558B	TB7558R	TB7558Y	37,50
300	TB7658B	TB7658R	TB7658Y	48,60
350	TB7758B	TB7758R	TB7758Y	54,20

Set 3 PCS	€/Each
TBK323	71,00
TBK324	99,90
TBK325	130,40
TBK326	145,80



Ball Valves

1/4 SAE connections


Cm	Blue	Red	Yellow	€/Each
100	TB7463B	TB7463R	TB7463Y	38,00
200	TB7563B	TB7563R	TB7563Y	49,00
300	TB7663B	TB7663R	TB7663Y	60,00
350	TB7763B	TB7763R	TB7763Y	65,80

Set 3 PCS	€/Each
TBK343	102,17
TBK344	132,00
TBK345	162,00
TBK346	177,00

5/16 SAE connections

Cm	Blue	Red	Yellow	€/Each
100	TB7464B	TB7464R	TB7464Y	38,00
200	TB7564B	TB7564R	TB7564Y	49,00
300	TB7664B	TB7664R	TB7664Y	60,00
350	TB7764B	TB7764R	TB7764Y	65,80

Set 3 PCS	€/Each
TBK347	102,17
TBK348	132,00
TBK349	162,00
TBK350	177,00



3/8 SAE connections

Cm	Blue	Red	Yellow	€/Each
100	TB7465B	TB7465R	TB7465Y	38,00
200	TB7565B	TB7565R	TB7565Y	49,00
300	TB7665B	TB7665R	TB7665Y	60,00
350	TB7765B	TB7765R	TB7765Y	65,80

Set 3 PCS	€/Each
TBK351	102,17
TBK352	132,00
TBK353	162,00
TBK354	177,00

1/2 ACME connections

Cm	Blue	Red	Yellow	€/Each
100	TB7466B	TB7466R	TB7466Y	25,40
200	TB7566B	TB7566R	TB7566Y	49,00
300	TB7666B	TB7666R	TB7666Y	60,00
350	TB7766B	TB7766R	TB7766Y	65,80

Set 3 PCS	€/Each
TBK355	102,17
TBK356	132,00
TBK357	162,00
TBK358	177,00

Intermediate Ball Valves

1/4 SAE connections

Cm	Blue	Red	Yellow	€/Each
100	TB7467B	TB7467R	TB7467Y	44,00
200	TB7567B	TB7567R	TB7567Y	55,00
300	TB7667B	TB7667R	TB7667Y	66,20
350	TB7767B	TB7767R	TB7767Y	71,80

Set 3 PCS	€/Each
TBK359	118,32
TBK360	148,20
TBK361	178,10
TBK362	193,00

5/16 SAE connections

Cm	Blue	Red	Yellow	€/Each
100	TB7468B	TB7468R	TB7468Y	44,00
200	TB7568B	TB7568R	TB7568Y	55,00
300	TB7668B	TB7668R	TB7668Y	66,20
350	TB7768B	TB7768R	TB7768Y	71,80

Set 3 PCS	€/Each
TBK363	118,32
TBK364	148,20
TBK365	178,10
TBK366	193,00



3/8 SAE connections

Cm	Blue	Red	Yellow	€/Each
100	TB7469B	TB7469R	TB7469Y	44,00
200	TB7569B	TB7569R	TB7569Y	55,00
300	TB7669B	TB7669R	TB7669Y	66,20
350	TB7769B	TB7769R	TB7769Y	71,80

Set 3 PCS	€/Each
TBK367	118,32
TBK368	148,20
TBK369	178,10
TBK370	193,00

1/2 ACME connections

Cm	Blue	Red	Yellow	€/Each
100	TB7470B	TB7470R	TB7470Y	44,00
200	TB7570B	TB7570R	TB7570Y	55,00
300	TB7670B	TB7670R	TB7670Y	66,20
350	TB7770B	TB7770R	TB7770Y	71,80

Set 3 PCS	€/Each
TBK371	118,32
TBK372	148,20
TBK373	178,10
TBK374	193,00

M12x1,5 Connections

1/4 SAE connections


Cm	Blue	Red	Yellow	€/Each
100	TB7471B	TB7471R	TB7471Y	25,40
200	TB7571B	TB7571R	TB7571Y	37,50
300	TB7671B	TB7671R	TB7671Y	48,60
350	TB7771B	TB7771R	TB7771Y	54,20

Set 3 PCS	€/Each
TBK375	71,00
TBK376	99,90
TBK377	130,40
TBK378	145,80

5/16 SAE connections

Cm	Blue	Red	Yellow	€/Each
100	TB7472B	TB7472R	TB7472Y	25,40
200	TB7572B	TB7572R	TB7572Y	37,50
300	TB7672B	TB7672R	TB7672Y	48,60
350	TB7772B	TB7772R	TB7772Y	54,20

Set 3 PCS	€/Each
TBK379	71,00
TBK380	99,90
TBK381	130,40
TBK382	145,80



3/8 SAE connections

Cm	Blue	Red	Yellow	€/Each
100	TB7473B	TB7473R	TB7473Y	25,40
200	TB7573B	TB7573R	TB7573Y	37,50
300	TB7673B	TB7673R	TB7673Y	48,60
350	TB7773B	TB7773R	TB7773Y	54,20

Set 3 PCS	€/Each
TBK383	71,00
TBK384	99,90
TBK385	130,40
TBK386	145,80

1/2 ACME connections

Cm	Blue	Red	Yellow	€/Each
100	TB7474B	TB7474R	TB7474Y	25,40
200	TB7574B	TB7574R	TB7574Y	37,50
300	TB7674B	TB7674R	TB7674Y	48,60
350	TB7774B	TB7774R	TB7774Y	54,20

Set 3 PCS	€/Each
TBK387	71,00
TBK388	99,90
TBK389	130,40
TBK390	145,80

CONTINENTAL CHARGING HOSES

SAE J2196 SAE J2888

CONTINENTAL CHARGING HOSES

On-Line Swivel Connections

1/4 SAE connections

Cm	Blue	Red	Yellow	€/Each
100	TB7401B	TB7401R	TB7401Y	30,11
200	TB7501B	TB7501R	TB7501Y	43,85
300	TB7601B	TB7601R	TB7601Y	57,58
350	TB7701B	TB7701R	TB7701Y	64,45

Set 3 PCS	€/Each
TBK096	80,28
TBK097	116,64
TBK098	153,00
TBK099	171,18

5/16 SAE connections

Cm	Blue	Red	Yellow	€/Each
100	TB7402B	TB7402R	TB7402Y	31,11
200	TB7502B	TB7502R	TB7502Y	44,84
300	TB7602B	TB7602R	TB7602Y	58,57
350	TB7702B	TB7702R	TB7702Y	65,44

Set 3 PCS	€/Each
TBK100	83,18
TBK101	119,54
TBK102	155,89
TBK103	174,07



3/8 SAE connections

Cm	Blue	Red	Yellow	€/Each
100	TB7403B	TB7403R	TB7403Y	32,18
200	TB7503B	TB7503R	TB7503Y	45,92
300	TB7603B	TB7603R	TB7603Y	59,65
350	TB7703B	TB7703R	TB7703Y	66,52

Set 3 PCS	€/Each
TBK104	85,92
TBK105	122,28
TBK106	158,64
TBK107	176,82

1/2 ACME connections

Cm	Blue	Red	Yellow	€/Each
100	TB7404B	TB7404R	TB7404Y	33,01
200	TB7504B	TB7504R	TB7504Y	46,74
300	TB7604B	TB7604R	TB7604Y	58,00
350	TB7704B	TB7704R	TB7704Y	67,34

Set 3 PCS	€/Each
TBK108	88,15
TBK109	124,51
TBK110	160,87
TBK111	179,04

45° Connections

1/4 SAE connections


Cm	Blue	Red	Yellow	€/Each
100	TB7409B	TB7409R	TB7409Y	29,12
200	TB7509B	TB7509R	TB7509Y	42,86
300	TB7609B	TB7609R	TB7609Y	56,59
350	TB7709B	TB7709R	TB7709Y	63,46

Set 3 PCS	€/Each
TBK128	77,61
TBK129	113,97
TBK130	150,33
TBK131	168,51

5/16 SAE connections

Cm	Blue	Red	Yellow	€/Each
100	TB7410B	TB7410R	TB7410Y	30,28
200	TB7510B	TB7510R	TB7510Y	44,01
300	TB7610B	TB7610R	TB7610Y	57,75
350	TB7710B	TB7710R	TB7710Y	64,61

Set 3 PCS	€/Each
TBK132	80,88
TBK133	117,24
TBK134	153,59
TBK135	171,77



3/8 SAE connections

Cm	Blue	Red	Yellow	€/Each
100	TB7411B	TB7411R	TB7411Y	30,03
200	TB7511B	TB7511R	TB7511Y	43,77
300	TB7611B	TB7611R	TB7611Y	57,50
350	TB7711B	TB7711R	TB7711Y	64,37

Set 3 PCS	€/Each
TBK136	80,21
TBK137	116,57
TBK138	152,93
TBK139	171,11

1/2 ACME connections

Cm	Blue	Red	Yellow	€/Each
100	TB7412B	TB7412R	TB7412Y	30,36
200	TB7512B	TB7512R	TB7512Y	44,10
300	TB7612B	TB7612R	TB7612Y	57,83
350	TB7712B	TB7712R	TB7712Y	66,85

Set 3 PCS	€/Each
TBK140	81,10
TBK141	117,46
TBK142	153,82
TBK143	117,98

M14x1,5 Connections

1/4 SAE connections


Cm	Blue	Red	Yellow	€/Each
100	TB7405B	TB7405R	TB7405Y	28,79
200	TB7505B	TB7505R	TB7505Y	42,52
300	TB7605B	TB7605R	TB7605Y	56,26
350	TB7705B	TB7705R	TB7705Y	63,13

Set 3 PCS	€/Each
TBK112	76,95
TBK113	113,30
TBK114	100,91
TBK115	167,77

5/16 SAE connections

Cm	Blue	Red	Yellow	€/Each
100	TB7406B	TB7406R	TB7406Y	29,37
200	TB7506B	TB7506R	TB7506Y	43,10
300	TB7606B	TB7606R	TB7606Y	56,84
350	TB7706B	TB7706R	TB7706Y	63,70

Set 3 PCS	€/Each
TBK116	78,36
TBK117	114,71
TBK118	151,07
TBK119	169,25



3/8 SAE connections

Cm	Blue	Red	Yellow	€/Each
100	TB7407B	TB7407R	TB7407Y	30,03
200	TB7507B	TB7507R	TB7507Y	43,77
300	TB7607B	TB7607R	TB7607Y	57,50
350	TB7707B	TB7707R	TB7707Y	64,37

Set 3 PCS	€/Each
TBK120	80,14
TBK121	116,49
TBK122	152,85
TBK123	171,03

1/2 ACME connections

Cm	Blue	Red	Yellow	€/Each
100	TB7408B	TB7408R	TB7408Y	30,28
200	TB7508B	TB7508R	TB7508Y	44,01
300	TB7608B	TB7608R	TB7608Y	57,75
350	TB7708B	TB7708R	TB7708Y	64,61

Set 3 PCS	€/Each
TBK124	80,80
TBK125	117,16
TBK126	153,52
TBK127	171,70



Ball Valves

1/4 SAE connections


Cm	Blue	Red	Yellow	€/Each
100	TB7413B	TB7413R	TB7413Y	43,68
200	TB7513B	TB7513R	TB7513Y	57,42
300	TB7613B	TB7613R	TB7613Y	71,15
350	TB7713B	TB7713R	TB7713Y	78,02

Set 3 PCS	€/Each
TBK144	116,87
TBK145	153,22
TBK146	189,58
TBK147	207,76

5/16 SAE connections

Cm	Blue	Red	Yellow	€/Each
100	TB7414B	TB7414R	TB7414Y	44,18
200	TB7514B	TB7514R	TB7514Y	57,91
300	TB7614B	TB7614R	TB7614Y	71,65
350	TB7714B	TB7714R	TB7714Y	78,51

Set 3 PCS	€/Each
TBK148	118,20
TBKA49	154,56
TBK149	190,92
TBK150	209,10



3/8 SAE connections

Cm	Blue	Red	Yellow	€/Each
100	TB7415B	TB7415R	TB7415Y	44,01
200	TB7515B	TB7515R	TB7515Y	57,75
300	TB7615B	TB7615R	TB7615Y	71,48
350	TB7715B	TB7715R	TB7715Y	78,35

Set 3 PCS	€/Each
TBK151	117,83
TBK152	154,19
TBK153	190,55
TBK154	208,72

1/2 ACME connections

Cm	Blue	Red	Yellow	€/Each
100	TB7416B	TB7416R	TB7416Y	46,00
200	TB7516B	TB7516R	TB7516Y	59,73
300	TB7616B	TB7616R	TB7616Y	73,47
350	TB7716B	TB7716R	TB7716Y	80,33

Set 3 PCS	€/Each
TBK155	122,36
TBK156	159,53
TBK157	195,89
TBK158	214,07

Intermediate Ball Valves

1/4 SAE connections

Cm	Blue	Red	Yellow	€/Each
100	TB7417B	TB7417R	TB7417Y	49,06
200	TB7517B	TB7517R	TB7517Y	62,79
300	TB7617B	TB7617R	TB7617Y	76,53
350	TB7717B	TB7717R	TB7717Y	83,39

Set 3 PCS	€/Each
TBK159	131,41
TBK160	167,77
TBK161	204,12
TBK162	222,30

5/16 SAE connections

Cm	Blue	Red	Yellow	€/Each
100	TB7418B	TB7418R	TB7418Y	50,30
200	TB7518B	TB7518R	TB7518Y	64,04
300	TB7618B	TB7618R	TB7618Y	77,77
350	TB7718B	TB7718R	TB7718Y	84,64

Set 3 PCS	€/Each
TBK163	134,67
TBK164	171,03
TBK165	207,39
TBK166	213,55

3/8 SAE connections

Cm	Blue	Red	Yellow	€/Each
100	TB7419B	TB7419R	TB7419Y	50,05
200	TB7519B	TB7519R	TB7519Y	63,79
300	TB7619B	TB7619R	TB7619Y	77,52
350	TB7719B	TB7719R	TB7719Y	84,39

Set 3 PCS	€/Each
TBK167	134,01
TBK168	170,36
TBK169	206,72
TBK170	224,90

1/2 ACME connections

Cm	Blue	Red	Yellow	€/Each
100	TB7420B	TB7420R	TB7420Y	50,38
200	TB7520B	TB7520R	TB7520Y	64,12
300	TB7620B	TB7620R	TB7620Y	77,85
350	TB7720B	TB7720R	TB7720Y	84,72

Set 3 PCS	€/Each
TBK171	134,90
TBK172	171,25
TBK173	207,61
TBK174	225,79



M12x1,5 Connections

1/4 SAE connections

Cm	Blue	Red	Yellow	€/Each
100	TB7079B	TB7079R	TB7079Y	28,79
200	TB7179B	TB7179R	TB7179Y	42,52
300	TB7279B	TB7279R	TB7279Y	56,26
350	TB7379B	TB7379R	TB7379Y	63,13

Set 3 PCS	€/Each
TBK407	76,95
TBK408	113,30
TBK409	100,91
TBK410	167,77

5/16 SAE connections

Cm	Blue	Red	Yellow	€/Each
100	TB7080B	TB7080R	TB7080Y	29,37
200	TB7180B	TB7180R	TB7180Y	43,10
300	TB7280B	TB7280R	TB7280Y	56,84
350	TB7380B	TB7380R	TB7380Y	63,70

Set 3 PCS	€/Each
TBK411	78,36
TBK412	114,71
TBK413	151,07
TBK414	169,25

3/8 SAE connections


Cm	Blue	Red	Yellow	€/Each
100	TB7081B	TB7081R	TB7081Y	30,03
200	TB7181B	TB7181R	TB7181Y	43,77
300	TB7281B	TB7281R	TB7281Y	57,50
350	TB7381B	TB7381R	TB7381Y	64,37

Set 3 PCS	€/Each
TBK415	80,14
TBK416	116,49
TBK417	152,85
TBK418	171,03

1/2 ACME connections

Cm	Blue	Red	Yellow	€/Each
100	TB7082B	TB7082R	TB7082Y	30,28
200	TB7182B	TB7182R	TB7182Y	44,01
300	TB7282B	TB7282R	TB7282Y	57,75
350	TB7382B	TB7382R	TB7382Y	64,61

Set 3 PCS	€/Each
TBK419	80,80
TBK420	117,16
TBK421	153,52
TBK422	171,70



SPARE GAUGES FOR MANIFOLDS

GAUGES

Pressure Gauges

Spare Gauges for Manifolds

Art.-Nr.	Fitting	Diameter	Pressure	Class	Refrigerant	□	€/Each
MN3999.04	1/8 NPT	Ø 68 mm	High Pressure	1.6	R12/R134a - °C/BAR/PSI	01 PC	15,12
MN3999.05	1/8 NPT	Ø 68 mm	Low Pressure	1.6	R12/R134a - °C/BAR/PSI	01 PC	15,12
MN3999.01	1/8 NPT	Ø 68 mm	High Pressure	1.0	R22 - R407c - R410a - °C/BAR	01 PC	59,83
MN3999.02	1/8 NPT	Ø 68 mm	Low Pressure	1.0	R22 - R407c - R410a - °C/BAR	01 PC	59,83
MN3001.01	1/8 NPT	Ø 80 mm	High Pressure	1.6	R22 - R407c - R410a - °C/BAR	01 PC	31,75
MN3002.01	1/8 NPT	Ø 80 mm	Low Pressure	1.6	R22 - R407c - R410a - °C/BAR	01 PC	31,75
MN4000.01	1/8 NPT	Ø 80 mm	High Pressure	1.6	R1234yf	01 PC	-
MN4001.01	1/8 NPT	Ø 80 mm	Low Pressure	1.6	R1234yf	01 PC	-



Vacuum Gauges

Vacuum Gauges with Radial Connections

Art.-Nr.	Fitting	Diameter	Class	Scale	□	€/Each
MN3999.03	1/8 NPT	Ø 68 mm	1.6	BAR	01 PC	48,62
MN3005.01	1/8 NPT	Ø 80 mm	1.6	BAR	01 PC	28,92



Vacuum Gauges

Vacuum Gauges with Rear Connections

Art.-Nr.	Fitting	Class	Scale	□	€/Each
MN3999.06	1/8 NPT	1.6	BAR	01 PC	48,62



EQUIPMENTS AND SPARES

EQUIPMENTS AND SPARES

Automatic Recovery & Charging Unit

Automatic Recovery & Charging Unit

Features:

- LCD Alphanumeric display 20X4 with 17 languages.
- Software with sliding messages and alarms.
- Updatable data base (by USB Port) of more than 900 cars and trucks.
- Data base on customer's choice (30 Positions).
- 3 possibility of use: Manual/Half-Automatic/Automatic Cycles.
- Supplementary condenser. • Vacuum test with beeper.
- Min. & max. weight alarms. • Manual fresh oil injection.
- High and low pressure gauges with "Ok-Not Ok" scales.
- 300 cm. 1/4 SAE charging hoses. • Power supply: 220 V/50Hz.
- Power supply Plug: Schuco. • 1/3 Cv ermetic compressor.
- Single stage vacuum pump 70 Lt./min. - 0,05 Mbar.
- Internal storage tank of 12,5 Kg. with heater.
- Dimensions: 550 X 450 X H 990 mm. • Weight: 65 Kg.
- Available model for refrigerant gas R134a (Art. Nr. VP1026.01) and model for refrigerant gas R-1234yf (Art. Nr. VP1033.01)



Art.-Nr.	Description	☐	€/Each
VP1026.01	Automatic Recovery & Charging Unit for R134a	01 PC	5.500,00

Art.-Nr.	Description	☐	€/Each
VP1033.01	Automatic Recovery & Charging Unit for R-1234yf	01 PC	5.500,00

Vacuum Pumps

2 Stages Vacuum Pumps with Solenoid Valve and Vacuum Gauge

- Power supply: 220 v/50 hz.
- Vacuum gauge: ø 80 mm.
- Class 1.6.
- Fittings: 1/4 SAE.

Art.-Nr.	Capacity (l/min)	Ultimate Vacuum (mbar)	Oil (ml)	Dimension (mm)	Weight (Kg)	€/Each
VP1016.01	42	0,003	200	308x124x230	7,5	425,00
VP1017.01	70	0,003	250	315x124x240	8,6	520,00
VP1018.01	128	0,003	330	335x138x250	11,4	665,00
VP1021.01	283	0,003	590	400x145x270	16,7	720,00



Spare Parts

Spare Parts For Hoses & Ball Valves

Art.-Nr.	Description	□	€/Each
RG9010.01	1/4 - 5/16 SAE HNBR - 1/2 ACME Gasket	01 PC	0,50
RG9012.01	1/4 - 5/16 SAE NEOPRENE - 1/2 ACME Gasket	01 PC	0,50
RG9002.01	3/8 SAE HNBR gasket	01 PC	1,17
TBR901.01	Depressor	01 PC	0,88



Adapters

Swivel Adapters


Art.-Nr.	Type	Male	Female	□	€/Each
AN1020.01	Straight	1/4 SAE	1/4 SAE	10 PCS	3,16
AN1021.01	Straight	1/4 SAE	5/16 SAE	10 PCS	3,49
AN1022.01	Straight	5/16 SAE	1/4 SAE	10 PCS	5,24
AN1023.01	90°	1/4 SAE	1/4 SAE	10 PCS	2,17
AN1024.01	90°	1/4 SAE	5/16 SAE	10 PCS	3,49



Adapters

Adapters for Refrigerant Gas Cylinders

Art.-Nr.	Description	□	€/Each
RP1019.01	3/4 NPS x 1/4 SAE R134a Reducer	01 PC	8,46
RP1101.01	R1234yf Cylinder HP Reducer	01 PC	-



Ball Valve

Ball Valve with Swivel Connection

Art.-Nr.	Male	Female	□	€/Each
RP1119.R1.*	1/4 SAE	1/4 SAE	01 PC	18,53
RP1219.R1.*	3/8 SAE	1/4 SAE	01 PC	17,53
RP1035.R1.*	1/2 ACME	1/4 SAE	01 PC	19,78
RP1319.R1.*	5/16 SAE	1/4 SAE	01 PC	17,70
RP1619.R1.*	5/16 SAE	5/16 SAE	01 PC	17,62

* ADD TO THE CODE: Y = YELLOW Valve - B = BLUE Valve - R = RED Valve - G = GREEN Valve - W = WHITE Valve



Ball Valve

Ball Valve with Male Connections

Art.-Nr.	Description	□	€/Each
RP1631.01.*	1/4 SAE	01 PC	18,37
RP1037.01.*	3/8 SAE	01 PC	15,79
RP1040.01.*	1/2 ACME	01 PC	16,62
RP1636.01.*	5/16 SAE	01 PC	15,96

* ADD TO THE CODE: Y = YELLOW Valve - B = BLUE Valve - R = RED Valve - G = GREEN Valve - W = WHITE Valve



QUICK COUPLERS

QUICK COUPLERS

R134a Errecom Quick Couplers meet SAE J639

Art.-Nr.	Description	□	€/Each
RA1053.01	1/4 SAE - High Side Port	01 PC	61,70
RA1054.01	1/4 SAE - Low Side Port	01 PC	61,70
RA1055.01	M14X1,5 - High Side Port	01 PC	61,70
RA1056.01	M14X1,5 - Low Side Port	01 PC	61,70



R-1234yf Errecom Quick Couplers meet SAE J2888

Art.-Nr.	Description	□	€/Each
RA1050.01	M12x1,5 - High side port	01 PC	62,00
RA1051.01	M12x1,5 - Low side port	01 PC	62,00




R134a Quick Couplers - Made in China

Art.-Nr.	Description	□	€/Each
RA1000.01	1/4 SAE - High Side Port	01 PC	37,50
RA1001.01	1/4 SAE - Low Side Port	01 PC	37,50
RA1002.01	M14X1,5 - High Side Port	01 PC	37,50
RA1003.01	M14X1,5 - Low Side Port	01 PC	37,50



R-1234yf Quick Couplers - Made in China

Art.-Nr.	Description	□	€/Each
RA1048.01	M12x1,5 - High side port	01 PC	52,00
RA1049.01	M12x1,5 - Low side port	01 PC	52,00



R134a Quick Couplers without Tap - Made in China

Art.-Nr.	Description	□	€/Each
RA1008.01	1/4 SAE - High Side Port (Straight)	01 PC	20,60
RA1009.01	1/4 SAE - Low Side Port (Straight)	01 PC	20,60
RA1004.01	1/4 SAE - High Side Port	01 PC	20,60
RA1005.01	1/4 SAE - Low Side Port	01 PC	20,60
RA1006.02	3/8 SAE - High Side Port	01 PC	20,60
RA1007.02	3/8 SAE - Low Side Port	01 PC	20,60
RA1006.01	M14X1,5 - High Side Port	01 PC	20,60
RA1007.01	M14X1,5 - Low Side Port	01 PC	20,60



Special High Pressure Quick Coupler for Vehicle A/C Systems with R134a

For: Bmw - Ford - Mercedes - Volvo

Art.-Nr.	Description	□	€/Each
RA1018.01	High side port	01 PC	122,50



Special High Pressure Quick Coupler for Vehicle A/C Systems with R134a

For: Bmw - Ford - Mercedes - Volvo

Art.-Nr.	Description	□	€/Each
RA1032.01	High side port	01 PC	20,00



Special Low Pressure Quick Coupler for Vehicle A/C Systems with R134a

For: Ford Jaguar

Art.-Nr.	Description	□	€/Each
RA1060.01	Low Side Port	01 PC	20,00



Quick Coupler Reducer

Art.-Nr.	Description	□	€/Each
RP1008.01	3/8 SAE Male x 1/4 SAE Female	01 PC	4,78
RP1009.01	1/4 SAE Male x 1/2 ACME Female with Gasket	01 PC	6,11
RP1017.01	1/2 ACME Male x 1/4 SAE Female with Gasket	01 PC	4,25
RP1016.01	M14x1,5 Male Gasket x 1/4 SAE Male	01 PC	3,72
RP1057.01	M12x1,5 Male X 1/4 SAE Male	01 PC	3,72



SealUp A/C Joint Sealant - Warranty Seal

WHAT IS IT?

SEALUP is a joint sealant for A/C systems that forms a chemically resistant film over the threads. It remains flexible, adheres to internal surfaces filling all micro voids. Ideal on plastic and metal materials subject to extreme vibrations. It works from a temperature of -90° to +200°. Resistant both in vacuum and with pressures up to 500 bar / 7250 Psi.

HOW DOES IT WORK?

Applied to threaded and flanged joints and gaskets SEALUP adheres to surfaces and forms a tight seal, flexible but long-lasting. It prevents leaks from the pipe joints, fittings and bolts. It resists in contact to multiple chemicals including refrigerant gases, fuel gasses, lubricants, fuels, solvents and industrial gases.

BENEFITS

- Prevents leaks.
- Allows the reopening of the joints.
- Easily removable.



Art.-Nr.	Description		€/Each.
TR1157.Y.01	50 ml tube	30 PC	9,50

Thor Sealant Remover Spray


WHAT IS IT?

THOR is a special fast-acting and effective chemical product, formulated to remove the residues of sealants from surfaces.

HOW DOES IT WORK?

Directly spray THOR on the surface contaminated by the sealant, wait two minutes and clean with a cloth.




Art.-Nr.	Description		€/Each.
TR1013.J.01	200 ml (6.8 FL. OZ.) Aerosol Can	24 PCS	11,20

O-RINGS HNBR R134a - R1234yf

O-RINGS HNBR


Fast-Moving Green HNBR O-Rings Kit

Art.-Nr.	Description	□	€/Each
RK1048	05 O-Rings per code (120 Total O-Rings)	01 PC	58,57
RK1166	10 O-Rings per code (240 Total O-Rings)	01 PC	85,10
RK1001	15 O-Rings per code (360 Total O-Rings)	01 PC	110,35



Special Gaskets Kit

Art.-Nr.	Description	□	€/Each
RK1140	Special Gaskets Kit	01 PC	105,36



Complete Green HNBR O-Rings Kit - 1.057 Pcs

Coloured tower including 4 boxes:

- 79 codes of O -Rings.
- 1.057 total O-Rings.

Art.-Nr.	Description	□	€/Each
RK1141.GL	Yellow Tower	01 PC	527,13
RK1141.RS	Red Tower	01 PC	527,13
RK1141.AR	Orange Tower	01 PC	527,13
RK1141.VD	Green Tower	01 PC	527,13
RK1141.BL	Blue Tower	01 PC	527,13



Green HNBR O-Rings - 25 Pieces

<p>Art.-Nr. RG1022.25</p> <p>€/Each 6,08</p>  <p>FORD - LEXUS - RENAULT SAAB - SUBARU - TOYOTA - VOLVO</p>	<p>Art.-Nr. RG1001.25</p> <p>€/Each 7,09</p>  <p>RENAULT - ROVER</p>	<p>Art.-Nr. RG1023.25</p> <p>€/Each 4,39</p>  <p>FORD - PORSCHE RENAULT - ROVER - SUBARU</p>	<p>Art.-Nr. RG1010.25</p> <p>€/Each 8,78</p>  <p>JAGUAR - RENAULT - SUBARU</p>
<p>Art.-Nr. RG1024.25</p> <p>€/Each 8,44</p>  <p>ALFA ROMEO - FIAT - LANCIA</p>	<p>Art.-Nr. RG1004.25</p> <p>€/Each 7,60</p>  <p>ALFA ROMEO - FIAT - LANCIA FORD LEXUS - RENAULT SAAB - SUBARU - TOYOTA VOLVO</p>	<p>Art.-Nr. RG1040.25</p> <p>€/Each 9,62</p>  <p>ALFA ROMEO - BMW - LEXUS OPEL - TOYOTA</p>	<p>Art.-Nr. RG1020.25</p> <p>€/Each 8,61</p>  <p>ALFA ROMEO - FIAT - LANCIA FORD - ROVER</p>
<p>Art.-Nr. RG1065.25</p> <p>€/Each 12,83</p>  <p>OPEL</p>	<p>Art.-Nr. RG1014.25</p> <p>€/Each 8,61</p>  <p>ALFA ROMEO - HONDA - JAGUAR ROVER - TOYOTA</p>	<p>Art.-Nr. RG1041.25</p> <p>€/Each 12,15</p>  <p>FORD - ROVER</p>	<p>Art.-Nr. RG1042.25</p> <p>€/Each 9,45</p>  <p>ROVER</p>
<p>Art.-Nr. RG1009.25</p> <p>€/Each 7,77</p>  <p>FORD</p>	<p>Art.-Nr. RG1025.25</p> <p>€/Each 6,58</p>  <p>ALFA ROMEO - AUDI - BMW - CITROEN FIAT - FORD - JAGUAR - LEXUS MERCEDES - OPEL - PEUGEOT - PORSCHE RENAULT - ROVER - SAAB - SUBARU TOYOTA - VOLVO - VOLKSWAGEN</p>	<p>Art.-Nr. RG1007.25</p> <p>€/Each 10,30</p>  <p>JAGUAR</p>	<p>Art.-Nr. RG1026.25</p> <p>€/Each 9,12</p>  <p>AUDI - FORD - VOLKSWAGEN</p>
<p>Art.-Nr. RG1038.25</p> <p>€/Each 9,28</p>  <p>FIAT - FORD</p>	<p>Art.-Nr. RG1011.25</p> <p>€/Each 8,95</p>  <p>BMW</p>	<p>Art.-Nr. RG1002.25</p> <p>€/Each 10,30</p>  <p>JAGUAR - SAAB - VOLVO</p>	<p>Art.-Nr. RG1005.25</p> <p>€/Each 9,12</p>  <p>JAGUAR</p>
<p>Art.-Nr. RG1021.25</p> <p>€/Each 5,19</p>  <p>AUDI - MERCEDES - OPEL - PORSCHE SAAB - SUBARU - VOLVO - VOLKSWAGEN</p>	<p>Art.-Nr. RG1027.25</p> <p>€/Each 7,09</p>  <p>ALFA ROMEO - BMW - FIAT FORD MERCEDES - OPEL RENAULT</p>	<p>Art.-Nr. RG1047.25</p> <p>€/Each 10,13</p>  <p>OPEL - ROVER</p>	<p>Art.-Nr. RG1060.25</p> <p>€/Each 10,30</p>  <p>BMW - FORD - OPEL SAAB - VOLVO</p>
<p>Art.-Nr. RG1067.25</p> <p>€/Each 13,84</p>  <p>OPEL</p>	<p>Art.-Nr. RG1048.25</p> <p>€/Each 11,14</p>  <p>OPEL</p>	<p>Art.-Nr. RG1028.25</p> <p>€/Each 9,45</p>  <p>FORD</p>	<p>Art.-Nr. RG1013.25</p> <p>€/Each 8,27</p>  <p>ALFA ROMEO - AUDI - BMW - CITROEN FIAT - FORD - JAGUAR - LEXUS MERCEDES - OPEL - PEUGEOT - PORSCHE RENAULT - ROVER - SAAB - SUBARU TOYOTA - VOLVO - VOLKSWAGEN</p>

Green HNBR O-Rings - 25 Pieces

<p>Art.-Nr. RG1049.25</p> <p>€/Each 10,30</p>  <p>ALFA ROMEO - FIAT - FORD HONDA - JAGUAR - LEXUS ROVER - TOYOTA</p>	<p>Art.-Nr. RG1070.25</p> <p>€/Each 14,69</p>  <p>OPEL</p>	<p>Art.-Nr. RG1062.25</p> <p>€/Each 18,40</p>  <p>BMW - LEXUS - OPEL - TOYOTA</p>	<p>Art.-Nr. RG1006.25</p> <p>€/Each 10,80</p>  <p>JAGUAR</p>
<p>Art.-Nr. RG1043.25</p> <p>€/Each 11,14</p>  <p>FORD - ROVER</p>	<p>Art.-Nr. RG1056.25</p> <p>€/Each 14,35</p>  <p>JAGUAR</p>	<p>Art.-Nr. RG1003.25</p> <p>€/Each 10,80</p>  <p>FORD</p>	<p>Art.-Nr. RG1015.25</p> <p>€/Each 8,27</p>  <p>SAAB - VOLVO</p>
<p>Art.-Nr. RG1030.25</p> <p>€/Each 11,65</p>  <p>FIAT - FORD</p>	<p>Art.-Nr. RG1008.25</p> <p>€/Each 10,13</p>  <p>JAGUAR</p>	<p>Art.-Nr. RG1050.25</p> <p>€/Each 11,31</p>  <p>ALFA ROMEO - FIAT LANCIA - SUBARU</p>	<p>Art.-Nr. RG1035.25</p> <p>€/Each 10,47</p>  <p>CITROEN - LEXUS PEUGEOT - TOYOTA</p>
<p>Art.-Nr. RG1045.25</p> <p>€/Each 16,54</p>  <p>LEXUS - HONDA - ROVER - TOYOTA</p>	<p>Art.-Nr. RG1031.25</p> <p>€/Each 9,28</p>  <p>ALFA ROMEO - AUDI - BMW CITROEN - FIAT - FORD - JAGUAR LEXUS MERCEDES - OPEL - PEUGEOT - PORSCHE RENAULT ROVER - SAAB - SUBARU TOYOTA - VOLVO - VOLKSWAGEN</p>	<p>Art.-Nr. RG1029.25</p> <p>€/Each 9,62</p>  <p>MERCEDES - PORSCHE</p>	<p>Art.-Nr. RG1057.25</p> <p>€/Each 11,82</p>  <p>ALFA ROMEO - BMW OPEL - ROVER</p>
<p>Art.-Nr. RG1069.25</p> <p>€/Each 16,21</p>  <p>OPEL - SAAB - VOLVO</p>	<p>Art.-Nr. RG1051.25</p> <p>€/Each 11,99</p>  <p>BMW - FORD - OPEL - SAAB - VOLVO</p>	<p>Art.-Nr. RG1058.25</p> <p>€/Each 12,32</p>  <p>OPEL</p>	<p>Art.-Nr. RG1072.25</p> <p>€/Each 25,49</p>  <p>OPEL</p>
<p>Art.-Nr. RG1017.25</p> <p>€/Each 9,62</p>  <p>FORD</p>	<p>Art.-Nr. RG1036.25</p> <p>€/Each 16,88</p>  <p>ALFA ROMEO - AUDI - BMW CITROEN - FIAT - FORD - JAGUAR LEXUS MERCEDES - OPEL - PEUGEOT - PORSCHE RENAULT ROVER - SAAB - SUBARU TOYOTA - VOLVO - VOLKSWAGEN</p>	<p>Art.-Nr. RG1032.25</p> <p>€/Each 10,47</p>  <p>ALFA ROMEO - FIAT - FORD HONDA - JAGUAR - LEXUS ROVER - TOYOTA</p>	<p>Art.-Nr. RG1044.25</p> <p>€/Each 11,99</p>  <p>AUDI - RENAULT - VOLKSWAGEN</p>



Green HNBR O-Rings - 25 Pieces

<p>Art.-Nr. RG1063.25</p> <p>€/Each 13,34</p>  <p>FIAT - OPEL</p>	<p>Art.-Nr. RG1033.25</p> <p>€/Each 9,28</p>  <p>ALFA ROMEO - AUDI - BMW - FIAT LEXUS - MERCEDES - OPEL - PEUGEOT PORSCHE - RENAULT - ROVER SAAB SUBARU - TOYOTA - VOLVO VOLKSWAGEN</p>	<p>Art.-Nr. RG1039.25</p> <p>€/Each 11,31</p>  <p>AUDI - HONDA - MERCEDES - PORSCHE - VOLKSWAGEN</p>	<p>Art.-Nr. RG1046.25</p> <p>€/Each 19,75</p>  <p>SAAB - VOLVO</p>
<p>Art.-Nr. RG1066.25</p> <p>€/Each 13,67</p>  <p>ALFA ROMEO - MERCEDES</p>	<p>Art.-Nr. RG1052.25</p> <p>€/Each 14,18</p>  <p>FIAT - FORD - LEXUS MERCEDES - OPEL - RENAULT TOYOTA</p>	<p>Art.-Nr. RG1053.25</p> <p>€/Each 16,04</p>  <p>FIAT - FORD - HONDA - LEXUS MERCEDES OPEL - PORSCHE TOYOTA</p>	<p>Art.-Nr. RG1037.25</p> <p>€/Each 11,99</p>  <p>OPEL</p>
<p>Art.-Nr. RG1034.25</p> <p>€/Each 10,30</p>  <p>AUDI - VOLKSWAGEN</p>	<p>Art.-Nr. RG1071.25</p> <p>€/Each 13,91</p>  <p>ALFA ROMEO - AUDI - CITROEN FORD - JAGUAR - LEXUS - MERCEDES OPEL - PEUGEOT - ROVER - TOYOTA</p>	<p>Art.-Nr. RG1059.25</p> <p>€/Each 15,93</p>  <p>OPEL - SAAB - VOLVO</p>	<p>Art.-Nr. RG1054.25</p> <p>€/Each 15,53</p>  <p>SAAB - VOLVO</p>
<p>Art.-Nr. RG1064.25</p> <p>€/Each 17,72</p>  <p>BMW</p>	<p>Art.-Nr. RG1068.25</p> <p>€/Each 37,64</p>  <p>MERCEDES</p>	<p>Art.-Nr. RG1055.25</p> <p>€/Each 24,48</p>  <p>AUDI - OPEL - VOLKSWAGEN</p>	

Special Gaskets - 25 Pieces

<p>Art.-Nr. RG1073.25</p> <p>€/Each 24,40</p>  <p>OEM FIAT 0010551983</p>	<p>Art.-Nr. RG1074.25</p> <p>€/Each 35,01</p>  <p>OEM FIAT 0010552083</p>	<p>Art.-Nr. RG1075.25</p> <p>€/Each 38,73</p>  <p>OEM FIAT 0010552183</p>	<p>Art.-Nr. RG1076.25</p> <p>€/Each 35,55</p>  <p>OEM PSA 6460P0</p>
<p>Art.-Nr. RG1077.25</p> <p>€/Each 38,99</p>  <p>OEM PSA 6460P1</p>	<p>Art.-Nr. RG1078.25</p> <p>€/Each 42,97</p>  <p>OEM RENAULT #1 - 7701207274 (KIT)</p>	<p>Art.-Nr. RG1079.25</p> <p>€/Each 46,69</p>  <p>OEM FIAT 0010551983</p>	<p>Art.-Nr. RG1080.25</p> <p>€/Each 38,99</p>  <p>OEM FIAT 0010551983</p>
<p>Art.-Nr. RG1081.05</p> <p>€/Each 46,59</p> <p>(05 PCS Pack)</p>  <p>DAF - FIAT PSA RENAULT VOLVO Ø 7,50 x H 8,80</p>	<p>Art.-Nr. RG1082.05</p> <p>€/Each 48,28</p> <p>(05 PCS Pack)</p>  <p>DAF - FIAT PSA RENAULT VOLVO Ø 11 x H 8,80</p>	<p>Art.-Nr. RG1083.05</p> <p>€/Each 52,26</p> <p>(05 PCS Pack)</p>  <p>DAF - FIAT PSA RENAULT VOLVO Ø 14 x H 8,80</p>	<p>Art.-Nr. RG1084.05</p> <p>€/Each 56,24</p> <p>(05 PCS Pack)</p>  <p>DAF - FIAT PSA RENAULT VOLVO Ø 17,30 x H 8,80</p>

Top Kit for A/C System Maintenance

What is it?

Complete, compact and useful kit designed for easier vehicle A/C system maintenance. The organiser is very easy to handle, carry and store. Top Kit is available in the following colours: yellow, orange, red, green and blue.

Top Kit consists of 4 different boxes:

- Box 1: Fast Moving Green Hnbr O-Rings Kit - 120/240/360 Pcs.
- Box 2: Special Gaskets Kit.
- Box 3: R134a Replacement Service Ports, Valve Cores And Caps Kit.
- Box 4: Maintenance Springlock Connections Kit.



Art.-Nr.	Description	☐	€/Each
RK1363.*	Box 1 - O-Rings di 120 PCS	01 PC	421,00
RK1362.*	Box 1 - O-Rings di 240 PCS	01 PC	447,00
RK1161.*	Box 1 - O-Rings di 360 PCS	01 PC	473,00

* ADD TO THE CODE: GL=YELLOW - BL=BLUE - RS=RED - VD=GREEN - AR=ORANGE

O-Rings Removal Tool

Art.-Nr.	☐	€/Each
RL1032.01	01 PC	3,90



SPARE PARTS A/C SYSTEMS

SPARE PARTS A/C SYSTEMS

R134a Replacement Service Ports

Art.-Nr. RV2010.05  HIGH SIDE PORT WITH STANDARD VALVE CORE (BMW - MERCEDES - MINI - ROVER)	€/Each 51,57	Art.-Nr. RV2011.05  HIGH SIDE PORT WITH LARGE VALVE CORE (BMW - MERCEDES - MINI - ROVER)	€/Each 46,00	Art.-Nr. RV2012.05  LOW SIDE PORT WITH STANDARD VALVE CORE (BMW - MERCEDES - MINI - ROVER)	€/Each 46,00	Art.-Nr. RV2013.05  LOW SIDE PORT WITH LARGE VALVE CORE (BMW - MERCEDES - MINI - ROVER)	€/Each 46,00
Art.-Nr. RV2014.05  HIGH SIDE PORT WITH STANDARD VALVE CORE (AUDI - FORD - OPEL - SEAT - SKODA - VW)	€/Each 44,52	Art.-Nr. RV2015.05  LOW SIDE PORT WITH STANDARD VALVE CORE (AUDI - FORD - OPEL - SEAT - SKODA - VW)	€/Each 54,17	Art.-Nr. RV2016.05  HIGH SIDE PORT TO SOLDER (STANDARD VALVE CORE)	€/Each 52,31	Art.-Nr. RV2017.05  LOW SIDE PORT TO SOLDER (STANDARD VALVE CORE)	€/Each 53,24
Art.-Nr. RV2029.05  HIGH PRESSURE R1234yf REPLACEMENT SERVICE PORT	€/Each 97,00	Art.-Nr. RV2030.05  LOW PRESSURE R1234yf REPLACEMENT SERVICE PORT	€/Each 97,00				

A/C Service Port Caps

Art.-Nr. RT1000.05  M9 X 1 - LOW SIDE R134a SERVICE PORT CAP	€/Each 12,24	Art.-Nr. RT1004.05  M10 x 1,25 HIGH SIDE R134a SERVICE PORT CAP	€/Each 12,24	Art.-Nr. RT1003.05  M8 x 1 LOW SIDE R134a SERVICE PORT CAP	€/Each 12,24	Art.-Nr. RT1001.05  M8 x 1 HIGH SIDE R134a SERVICE PORT CAP	€/Each 6,31
Art.-Nr. RT1008.05  M9 x 1 LOW SIDE R134a SERVICE PORT CAP	€/Each 7,79	Art.-Nr. RT1007.05  M10 x 1 HIGH SIDE R134a SERVICE PORT CAP	€/Each 11,13	Art.-Nr. RT1010.05  M8 x 1 LOW SIDE R134a SERVICE PORT CAP	€/Each 9,65	Art.-Nr. RT1009.05  M10 x 1 HIGH SIDE R134a SERVICE PORT CAP	€/Each 8,90
Art.-Nr. RT1017.05  JAPANESE CARS LOW SIDE R134a SERVICE PORT CAP	€/Each 6,49	Art.-Nr. RT1018.05  JAPANESE CARS HIGH SIDE R134a SERVICE PORT CAP	€/Each 6,49	Art.-Nr. RT1002.05  1/4 SAE SERVICE PORT PLASTIC CAP	€/Each 6,49	Art.-Nr. RT1005.05  3/16 SAE SERVICE PORT PLASTIC CAP	€/Each 8,53
Art.-Nr. RT1202.05  5/16 SAE SERVICE PORT BRASS CAP	€/Each 6,70	Art.-Nr. RT1302.05  1/4 SAE SERVICE PORT BRASS CAP WITH TOOL	€/Each 17,25	Art.-Nr. RT1402.05  5/16 SAE SERVICE PORT BRASS CAP WITH TOOL	€/Each 22,30	Art.-Nr. RT1044.05  HIGH/LOW PRESSURE R1234yf PORT CAP	€/Each 9,00

Vacuum/Charge Recover Core Tool

What is it?

Core removal for vacuum and charges lets you evacuate and charge through an unrestricted line for increased speed and higher vacuum. Recovery valve with core removal allows recovery unit to work at maximum efficiency, speeding the recovery process.

Top Kit consists of 4 different boxes:

- For 1/4 SAE service ports
- For 5/16 SAE service ports
- For vehicle low-pressure service ports
- For vehicle high-pressure service ports




Art.-Nr.		€/Each
RK1117	01 PC	215,71

Complete A/C Service Port Caps Kit

Art.-Nr.		€/Each
RK1052	01 PC	80,53

RT1000.01 05 PCS	RT1001.01 05 PCS	RT1002.01 05 PCS
RT1003.01 05 PCS	RT1004.01 05 PCS	RT1005.01 05 PCS
RT1007.01 05 PCS	RT1008.01 05 PCS	RT1009.01 05 PCS
RT1010.01 05 PCS	RT1017.01 05 PCS	RT1018.01 05 PCS




R134a Replacement Service Ports - Valve Cores - Caps Kit

Art.-Nr.		€/Each
RK1080	01 PC	216,77

RV1001.01 05 PCS	RV1002.01 05 PCS	RV1003.01 05 PCS	RV1004.01 05 PCS	RV1005.01 05 PCS	RV1006.01 05 PCS
RV2010.01 02 PCS	RV2012.01 02 PCS	RV2014.01 02 PCS	RV2015.01 02 PCS		
RT1000.01 05 PCS	RT1001.01 05 PCS	RT1003.01 05 PCS	RT1004.01 05 PCS	RT1017.01 05 PCS	RT1018.01 05 PCS
RT1007.01 05 PCS	RT1008.01 05 PCS	RT1010.01 05 PCS	RT1002.01 05 PCS	RT1009.01 05 PCS	












R134a Replacement Service Ports - Valve Cores - Caps Kit

Art.-Nr.		€/Each
RK1060	01 PC	160,11

RV1001.01 10 PCS	RV1003.01 05 PCS	RV1004.01 05 PCS	RV1001.01 01 PC	
RV2010.01 02 PCS	RV2012.01 02 PCS	RV2014.01 02 PCS	RV2015.01 02 PCS	
RT1000.01 05 PCS	RT1001.01 05 PCS	RT1003.01 05 PCS	RT1004.01 05 PCS	RT1017.01 05 PCS
RT1007.01 05 PCS	RT1008.01 05 PCS	RT1010.01 05 PCS	RT1002.01 05 PCS	RT1009.01 05 PCS













A/C Service Port Valves - 05 pcs. bag

Art.-Nr. RV1001.05  STANDARD VALVE CORE	€/Each 17,25	Art.-Nr. RV1002.05  VALVE CORE M6 X 1 GM - PORCHE A/C SYSTEMS	€/Each 27,94	Art.-Nr. RV1003.05  VALVE CORE M8 X 1 PUEGEOT - RENAULT - CITROEN - VOLVO	€/Each 17,48	Art.-Nr. RV1004.05  VALVE CORE M6 x 0,75 DENSO A/C SYSTEM	€/Each 25,33	Art.-Nr. RV1005.05  VALVE CORE M10 x 0,75 BUICK A/C SYSTEM	€/Each 29,73
Art.-Nr. RV1006.05  VALVE CORE M8 x 1 BUICK A/C SYSTEM	€/Each 25,46	Art.-Nr. RV1010.05  VALVE CORE M6 x 0,75 DENSO A/C SYSTEM 2011	€/Each 26,10	Art.-Nr. RV1011.05  VALVE CORE M8 x 1 BMW - MINI - ROVER - MERCEDES 2011	€/Each 14,20	Art.-Nr. RV1012.05  VALVE CORE M8 x 1 AUDI - FORD - OPEL - SKODA - VW 2011	€/Each 14,10		

Valves Core Kit

Art.-Nr.	□	€/Each
RK1331	01 PC	108,00

RV1001.01  (10 PCS)	RV1002.01  (05 PCS)	RV1003.01  (05 PCS)
RV1004.01  (05 PCS)	RV1005.01  (05 PCS)	RV1006.01  (05 PCS)
RV1010.01  (05 PCS)	RV1011.01  (05 PCS)	RV1012.01  (05 PCS)
RL1001.01 		



Universal Valve Core Removal Tool

Art.-Nr.	□	€/Each
RL1001.01	01 PC	3,71












Retrofit Adapters - 05 PCS. Bag

Art.-Nr. RF1000.05  1/4 SAE BRASS HIGH SIDE PORT	€/Each 31,27	Art.-Nr. RF1001.05  1/4 SAE BRASS LOW SIDE PORT	€/Each 26,13	Art.-Nr. RF1019.05  3/16 SAE ALUMINIUM HIGH SIDE PORT	€/Each 55,97	Art.-Nr. RF1015.05  90° 1/4 SAE BRASS HIGH SIDE PORT	€/Each 24,50
Art.-Nr. RF1016.05  90° 1/4 SAE BRASS LOW SIDE PORT	€/Each 29,27	Art.-Nr. RF1017.05  90° 3/16 SAE BRASS HIGH SIDE PORT	€/Each 70,46	Art.-Nr. RF1012.05  1/4 SAE ALUMINIUM HIGH SIDE PORT WITHOUT VALVE CORE	€/Each 12,59	Art.-Nr. RF1014.05  3/16 SAE ALUMINIUM HIGH SIDE PORT WITHOUT VALVE CORE	€/Each 12,59

Complete Retrofit Adapters Kit

Art.-Nr.	□	€/Each
RK1054	01 PC	186,75


RF1000.01  03 PCS	RF1001.01  03 PCS
RF1015.01  03 PCS	RF1016.01  03 PCS
RF1017.01  03 PCS	RF1019.01  03 PCS
RF1012.01  03 PCS	RF1014.01  03 PCS















A/C Compressor Gaskets - 05 PCS. Bag

<div>Art.-Nr. RG2005.05</div> <div>€/Each 12,14</div> <div></div> <div>FOR GM COMPRESSOR Ø8 mm (IN) x Ø16,30 Mm (OUT)</div>	<div>Art.-Nr. RG2006.05</div> <div>€/Each 12,14</div> <div></div> <div>FOR GM COMPRESSOR Ø11 mm (IN) x Ø19,50 mm (OUT)</div>	<div>Art.-Nr. RG2007.05</div> <div>€/Each 14,50</div> <div></div> <div>FOR GM COMPRESSOR Ø15 mm (IN) x Ø23,60 mm (OUT)</div>	<div>Art.-Nr. RG2008.05</div> <div>€/Each 14,50</div> <div></div> <div>FOR GM COMPRESSOR Ø17 mm (IN) x Ø25,50 mm (OUT)</div>
<div>Art.-Nr. RG2009.05</div> <div>€/Each 9,91</div> <div></div> <div>FOR 5/8 GM COMPRESSOR Ø15,00 mm (IN) x Ø28,00 mm (OUT)</div>	<div>Art.-Nr. RG2010.05</div> <div>€/Each 20,69</div> <div></div> <div>FOR 3/4 GM COMPRESSOR Ø17,70 mm (IN) x Ø31,60 mm (OUT)</div>	<div>Art.-Nr. RG2011.05</div> <div>€/Each 8,30</div> <div></div> <div>FOR HARRISON COMPRESSOR YELLOW Ø15,70 mm (IN) X Ø33,55 mm (OUT)</div>	<div>Art.-Nr. RG2012.05</div> <div>€/Each 26,27</div> <div></div> <div>FOR HARRISON & GM COMPRESSOR BLACK Ø15,20 mm (IN) X Ø29,60 mm (OUT)</div>
<div>Art.-Nr. RG2013.05</div> <div>€/Each 19,45</div> <div></div> <div>FOR HARRISON & GM COMPRESSOR Green Ø16,60 mm (IN) X Ø30,00 mm (OUT)</div>	<div>Art.-Nr. RG2014.05</div> <div>€/Each 31,85</div> <div></div> <div>FOR HARRISON & GM COMPRESSOR RED Ø15,70 mm (IN) X Ø30,00 mm (OUT)</div>	<div>Art.-Nr. RG2015.05</div> <div>€/Each 14,99</div> <div></div> <div>FOR HARRISON COMPRESSOR SHORT ALUMINIUM PILOT</div>	<div>Art.-Nr. RG2016.05</div> <div>€/Each 9,91</div> <div></div> <div>FOR HARRISON COMPRESSOR LONG ALUMINIUM PILOT</div>










Complete A/C Compressor Gaskets Kit

Art.-Nr.		€/Each
RK1053	01 PC	130,30



<div>RG2005.01</div> <div></div> <div>03 PCS</div>	<div>RG2006.01</div> <div></div> <div>03 PCS</div>	<div>RG2007.01</div> <div></div> <div>03 PCS</div>
<div>RG2008.01</div> <div></div> <div>03 PCS</div>	<div>RG2009.01</div> <div></div> <div>03 PCS</div>	<div>RG2010.01</div> <div></div> <div>03 PCS</div>
<div>RG2011.01</div> <div></div> <div>03 PCS</div>	<div>RG2012.01</div> <div></div> <div>03 PCS</div>	<div>RG2013.01</div> <div></div> <div>03 PCS</div>
<div>RG2014.01</div> <div></div> <div>03 PCS</div>	<div>RG2015.01</div> <div></div> <div>03 PCS</div>	<div>RG2016.01</div> <div></div> <div>03 PCS</div>



Springlock

<div>Art.-Nr. RG2001.10</div> <div>€/Each 13,79</div> <div>(10 PCS Bag)</div> <div></div> <div>G6 SPRINGLOCK</div>	<div>Art.-Nr. RG2002.10</div> <div>€/Each 13,79</div> <div>(10 PCS Bag)</div> <div></div> <div>G8 SPRINGLOCK</div>	<div>Art.-Nr. RG2003.10</div> <div>€/Each 13,79</div> <div>(10 PCS Bag)</div> <div></div> <div>G10 SPRINGLOCK</div>	<div>Art.-Nr. RG2004.10</div> <div>€/Each 13,79</div> <div>(10 PCS Bag)</div> <div></div> <div>G12 SPRINGLOCK</div>
<div>Art.-Nr. RL1002.01</div> <div>€/Each 10,09</div> <div></div> <div>G6 RED SPRINGLOCK TOOL</div>	<div>Art.-Nr. RL1003.01</div> <div>€/Each 10,09</div> <div></div> <div>G8 BLUE SPRINGLOCK TOOL</div>	<div>Art.-Nr. RL1004.01</div> <div>€/Each 10,09</div> <div></div> <div>G10 BLACK SPRINGLOCK TOOL</div>	<div>Art.-Nr. RL1005.01</div> <div>€/Each 10,09</div> <div></div> <div>G12 WHITE SPRINGLOCK TOOL</div>
<div>Art.-Nr. RL1006.01</div> <div>€/Each 18,81</div> <div></div> <div>LOW-PRESSURE GREY SPRINGLOCK TOOL (OPEL - GENERAL MOTORS)</div>	<div>Art.-Nr. RL1007.01</div> <div>€/Each 18,81</div> <div></div> <div>HIGH-PRESSURE RED SPRINGLOCK TOOL (OPEL - GENERAL MOTORS)</div>	<div>Art.-Nr. RL1008.01</div> <div>€/Each 18,81</div> <div></div> <div>LOW-PRESSURE BLACK SPRINGLOCK TOOL (AUDI - VW - SKODA)</div>	<div>Art.-Nr. RL1009.01</div> <div>€/Each 18,81</div> <div></div> <div>HIGH-PRESSURE GREEN SPRINGLOCK TOOL (AUDI - VW - SKODA)</div>
<div>Art.-Nr. RK1122</div> <div>€/Each 35,76</div> <div></div> <div>PACK OF 4 SPRINGLOCK TOOLS</div>	<div>Art.-Nr. RK1125</div> <div>€/Each 58,13</div> <div></div> <div>PACK OF 4 SPRINGLOCK TOOLS</div>	<div>Art.-Nr. RK1146</div> <div>€/Each 30,37</div> <div></div> <div>OPEL - GENERAL MOTORS SPRINGLOCK TOOLS KIT</div>	<div>Art.-Nr. RK1147</div> <div>€/Each 30,37</div> <div></div> <div>AUDI - VW - SKODA SPRINGLOCK TOOLS KIT</div>
<div>Art.-Nr. RL1018.01</div> <div>€/Each 125,93</div> <div></div> <div>LOW-PRESSURE SPECIAL SPRINGLOCK TOOL (SMART)</div>	<div>Art.-Nr. RL1019.01</div> <div>€/Each 125,93</div> <div></div> <div>LOW-PRESSURE SPECIAL SPRINGLOCK TOOL (SMART)</div>	<div>Art.-Nr. RL1017.01</div> <div>€/Each 125,93</div> <div></div> <div>SPECIAL SPRINGLOCK TOOL (MERCEDES W211)</div>	<div>Art.-Nr. RK1205</div> <div>€/Each 242,49</div> <div></div> <div>SMART SPRINGLOCK TOOLS KIT</div>
<div>Art.-Nr. RL1020.01</div> <div>€/Each 48,17</div> <div></div> <div>SPECIAL SPRINGLOCK TOOL (TOYOTA)</div>	<div>Art.-Nr. RL1021.01</div> <div>€/Each 40,25</div> <div></div> <div>A/C SPECIAL CLAMPS (TOYOTA)</div>		

Maintenance Springlock Connections Kit


<div>Art.-Nr. RK1150</div> <div>01 PC</div> <div>€/Each 97,19</div>	<div></div>	<div></div>
---	---	--













Orifice Tubes - 03 PCS. Bag

<div>Art-Nr. RV3001.03</div> <div>€/Each 8,16</div> <div></div> <div>BLUE ORIFICE TUBE (FORD)</div>	<div>Art-Nr. RV3002.03</div> <div>€/Each 8,16</div> <div></div> <div>GREY ORIFICE TUBE (AUDI - VW)</div>	<div>Art-Nr. RV3003.03</div> <div>€/Each 8,16</div> <div></div> <div>YELLOW ORIFICE TUBE (VOLVO)</div>	<div>Art-Nr. RV3004.03</div> <div>€/Each 7,72</div> <div></div> <div>WHITE ORIFICE TUBE (AUDI - FIAT - OPEL - VOLVO)</div>
<div>Art-Nr. RV3005.03</div> <div>€/Each 14,69</div> <div></div> <div>BROWN ORIFICE TUBE (FORD)</div>	<div>Art-Nr. RV3006.03</div> <div>€/Each 12,47</div> <div></div> <div>BLACK ORIFICE TUBE (OPEL)</div>	<div>Art-Nr. RV3007.03</div> <div>€/Each 13,36</div> <div></div> <div>PURPLE ORIFICE TUBE (CHRYSLER)</div>	<div>Art-Nr. RV3008.03</div> <div>€/Each 12,47</div> <div></div> <div>ORANGE ORIFICE TUBE (FORD)</div>
<div>Art-Nr. RV3009.03</div> <div>€/Each 12,91</div> <div></div> <div>RED ORIFICE TUBE (FORD)</div>	<div>Art-Nr. RV3010.03</div> <div>€/Each 14,69</div> <div></div> <div>Green ORIFICE TUBE (FORD)</div>		


Complete Orifice Tubes Kit

Art-Nr.		€/Each
RK1051	01 PC	106,11

 RV3001.01 03 PCS	 RV3002.01 03 PCS	 RV3003.01 03 PCS
 RV3004.01 03 PCS	 RV3005.01 03 PCS	 RV3006.01 03 PCS
 RV3007.01 03 PCS	 RV3008.01 03 PCS	 RV3009.01 03 PCS
 RV3010.01 03 PCS		







Orifice Tubes Tools

Art-Nr.		€/Each
RK1116	01 PC	31,79



A/C Compressor Caps - 05 PCS. Bag

<div>Art-Nr. RT1021.05</div> <div>€/Each 7,98</div> <div></div> <div>FOR GM COMPRESSOR 3/4" - 16 UNF PLASTIC CAP</div>	<div>Art-Nr. RT1022.05</div> <div>€/Each 10,57</div> <div></div> <div>FOR GM COMPRESSOR 7/8" - 14 UNF PLASTIC CAP</div>	<div>Art-Nr. RT1025.05</div> <div>€/Each 21,52</div> <div></div> <div>FOR GM COMPRESSOR 11/16" - 14 UNF PLASTIC CAP</div>	<div>Art-Nr. RT1024.05</div> <div>€/Each 21,52</div> <div></div> <div>FOR GM COMPRESSOR 1" - 14 UNF PLASTIC CAP</div>
---	--	---	--




Compressor Guard - 05 PCS. Bag





Art.-Nr. RG2029.05  Ø 10,03 mm	€/Each 30,45	Art.-Nr. RG2030.05  Ø 10,26 mm	€/Each 30,45	Art.-Nr. RG2031.05  Ø 11,07 mm	€/Each 30,45	Art.-Nr. RG2032.05  Ø 11,76 mm	€/Each 30,45
Art.-Nr. RG2017.05  Ø 11,96 mm	€/Each 30,20	Art.-Nr. RG2041.05  Ø 12,00 mm	€/Each -	Art.-Nr. RG2033.05  Ø 12,50 mm	€/Each 30,20	Art.-Nr. RG2034.05  Ø 12,70 mm	€/Each 30,45
Art.-Nr. RG2018.05  Ø 12,95 mm	€/Each 30,20	Art.-Nr. RG2019.05  Ø 13,23 mm	€/Each 30,20	Art.-Nr. RG2020.05  Ø 13,49 mm	€/Each 30,20	Art.-Nr. RG2021.05  Ø 13,67 mm	€/Each 30,20
Art.-Nr. RG2022.05  Ø 14,02 mm	€/Each 30,20	Art.-Nr. RG2035.05  Ø 14,25 mm	€/Each 30,45	Art.-Nr. RG2036.05  Ø 14,70 mm	€/Each 30,45	Art.-Nr. RG2037.05  Ø 14,93 mm	€/Each 30,45
Art.-Nr. RG2023.05  Ø 15,11 mm	€/Each 30,20	Art.-Nr. RG2038.05  Ø 15,24 mm	€/Each 30,45	Art.-Nr. RG2024.05  Ø 15,70 mm	€/Each 30,20	Art.-Nr. RG2039.05  Ø 16,48 mm	€/Each 30,45
Art.-Nr. RG2040.05  Ø 20,85 mm	€/Each 30,45	Art.-Nr. RG2043.05  Ø 22,00 mm	€/Each -	Art.-Nr. RG2042.05  Ø 22,15 mm	€/Each -	Art.-Nr. RG2044.05  Ø 22,30 mm	€/Each -
Art.-Nr. RL1014.01 	€/Each -	Art.-Nr. RL1033.01 	€/Each -	Art.-Nr. RL1016.01 	€/Each -		

Compressor Guard Kit 3

Art.-Nr.		€/Each
RK1033	01 PC	525,00



Taper reducer - 05 PCS. Bag


Art.-Nr. RG2025.05  3/8" O-RING ÷ FLARE	€/Each 5,38	Art.-Nr. RG2026.05  1/2" O-RING ÷ FLARE	€/Each 6,51	Art.-Nr. RG2027.05  5/8" O-RING ÷ FLARE	€/Each 7,64	Art.-Nr. RG2028.05  3/4" O-RING ÷ FLARE	€/Each 18,41
---	-----------------------	---	-----------------------	--	-----------------------	---	------------------------

Condenser Fin Comb and Straightener

What is it?

It is a circular tool to 6 segments that allows to straighten the aluminum fin combs of evaporators and condensers without damaging them. It can be used with fin combs of the following dimensions: 6/8/10/12/14/15.

Art.-Nr.		€/Each
RL1010.01	01 PC	13,05




Cork Insulation Tape

What is it?

Suitable for insulating complex components against condensation (service ports on external units, refrigeration pipes, fittings and connections). Adheres to all metals, for use on cold or hot pipes. Suitable also for protecting pipes from vibration and noise. The special protective film guarantees a clean application. Ensure pipes and fittings are clean and dry prior to application.

- Length: 7,50 mt
- Elongation: 100%
- Working temperature: -20°C / +90°C
- Transparent film for a clean application

Art.-Nr.		€/Each
TR1015.01	10 PCS	12,75



A/C Compressor Clutch Hub Repair Kit

For compressors:

- HARRISON: A6, R4, DA6 HR6, V5
- FORD: FS6
- CHRYSLER: C171

Art.-Nr.		€/Each
RK1114	01 PC	146,62



Hydraulic Crimper - 7 Inserts

- 7 Interchangeable inserts:**
- Art.-Nr. RL1026.01: for standard hose g6 (5/16"), for reduced hose g8 (13/32")
 - Art.-Nr. RL1031.01: for standard hose g8 (13/32")
 - Art.-Nr. RL1030.01: for standard hose g10 (1/2")
 - Art.-Nr. RL1029.01: for standard hose g12 (5/8")
 - Art.-Nr. RL1025.01: for reduced hose g6 (5/16")
 - Art.-Nr. RL1027.01: for reduced hose g10 (1/2")
 - Art.-Nr. RL1028.01: for reduced hose g12 (5/8")

Art.-Nr.		€/Each
RK1194	01 PC	916,09



Manual Crimper - 7 Inserts


- 7 Interchangeable inserts:**
- Art.-Nr. RL1026.01: for standard hose g6 (5/16"), for reduced hose g8 (13/32")
 - Art.-Nr. RL1031.01: for standard hose g8 (13/32")
 - Art.-Nr. RL1030.01: for standard hose G10 (1/2")
 - Art.-Nr. RL1029.01: for standard hose G12 (5/8")
 - Art.-Nr. RL1025.01: for reduced hose G6 (5/16")
 - Art.-Nr. RL1027.01: for reduced hose G10 (1/2")
 - Art.-Nr. RL1028.01: for reduced hose G12 (5/8")

Art.-Nr.		€/Each
RK1196	01 PC	763,76





Manual Crimper - 4 Inserts

- 4 Interchangeable inserts:**
- Art.-Nr. RL1026.01: for standard hose G6 (5/16"), for reduced hose G8 (13/32")
 - Art.-Nr. RL1031.01: for standard hose G8 (13/32")
 - Art.-Nr. RL1030.01: for standard hose G10 (1/2")
 - Art.-Nr. RL1029.01: for standard hose G12 (5/8")

Art.-Nr.		€/Each
RK1195	01 PC	608,54



Spare Parts

<p>Art.-Nr. RL1026.01</p> <p>€/Each 65,60</p>  <p>FOR STANDARD HOSE G6 (5/16"), FOR REDUCED HOSE G8 (13/32")</p>	<p>Art.-Nr. RL1031.01</p> <p>€/Each 65,60</p>  <p>FOR STANDARD HOSE G8 (13/32")</p>	<p>Art.-Nr. RL1030.01</p> <p>€/Each 65,60</p>  <p>FOR STANDARD HOSE G10 (1/2")</p>	<p>Art.-Nr. RL1029.01</p> <p>€/Each 65,60</p>  <p>FOR STANDARD HOSE G12 (5/8")</p>
<p>Art.-Nr. RL1025.01</p> <p>€/Each 65,60</p> 	<p>Art.-Nr. RL1027.01</p> <p>€/Each 65,60</p> 	<p>Art.-Nr. RL1028.01</p> <p>€/Each 65,60</p> 	



TANK CONCEPT

TANK CONCEPT

Cylindrical Tank with Plastic Plug

Art.-Nr.	Description	€/Each
FLK001	250 ml (8.5 FL. OZ.) - Black	-
FLK004	250 ml (8.5 FL. OZ.) - Yellow	-
FLK013	500 ml (17 FL. OZ.) - Black	-
FLK016	500 ml (17 FL. OZ.) - Yellow	-



Rectangular Tank with Plastic Plug

Art.-Nr.	Description	€/Each
FLK041	250 ml (8.5 FL. OZ.) - Black	-
FLK042	250 ml (8.5 FL. OZ.) - Yellow	-



Cylindrical Tank with 1/8" Thread

Art.-Nr.	Description	€/Each
FLK077	250 ml (8.5 FL. OZ.) - Black	-
FLK072	250 ml (8.5 FL. OZ.) - Yellow	-
FLK073	500 ml (17 FL. OZ.) - Black	-
FLK074	500 ml (17 FL. OZ.) - Yellow	-



Rectangular Tank with 1/8" Thread

Art.-Nr.	Description	€/Each
FLK075	250 ml (8.5 FL. OZ.) - Black	-
FLK076	250 ml (8.5 FL. OZ.) - Yellow	-



Cylindrical Tank with Plastic Quick Coupler

Art.-Nr.	Description	€/Each
FLK007	250 ml (8.5 FL. OZ.) - Black	-
FLK010	250 ml (8.5 FL. OZ.) - Yellow	-
FLK019	500 ml (17 FL. OZ.) - Black	-
FLK022	500 ml (17 FL. OZ.) - Yellow	-



Rectangular Tank with Plastic Quick Coupler

Art.-Nr.	Description	€/Each
FLK043	250 ml (8.5 FL. OZ.) - Black	-
FLK044	250 ml (8.5 FL. OZ.) - Yellow	-



Cylindrical Tank with Metal Plug

Art.-Nr.	Description	€/Each
FLK025	250 ml (8.5 FL. OZ.) - Black	-
FLK026	250 ml (8.5 FL. OZ.) - Yellow	-
FLK029	500 ml (17 FL. OZ.) - Black	-
FLK030	500 ml (17 FL. OZ.) - Yellow	-



Rectangular Tank with Metal Plug

Art.-Nr.	Description	€/Each
FLK048	250 ml (8.5 FL. OZ.) - Black	-
FLK049	250 ml (8.5 FL. OZ.) - Yellow	-



Cylindrical Tank with Metal Quick Coupler

Art.-Nr.	Description	€/Each
FLK027	250 ml (8.5 FL. OZ.) - Black	-
FLK028	250 ml (8.5 FL. OZ.) - Yellow	-
FLK031	500 ml (17 FL. OZ.) - Black	-
FLK032	500 ml (17 FL. OZ.) - Yellow	-



Rectangular Tank with Metal Quick Coupler

Art.-Nr.	Description	€/Each
FLK069	250 ml (8.5 FL. OZ.) - Black	-
FLK070	250 ml (8.5 FL. OZ.) - Yellow	-



Cap with Plastic Plug and Canula

Art.-Nr.	Description	€/Each
FLK050	Black Cap for 250 ml (8.5 FL. OZ.) Tank	-
FLK051	Yellow Cap for 250 ml (8.5 FL. OZ.) Tank	-
FLK052	Black Cap for 500 ml (17 FL. OZ.) Tank	-
FLK053	Yellow Cap for 500 ml (17 FL. OZ.) Tank	-



Cap with 1/8" Thread and Canula

Art.-Nr.	Description	€/Each
FLK065	Black Cap for 250 ml (8.5 FL. OZ.) Tank	-
FLK066	Yellow Cap for 250 ml (8.5 FL. OZ.) Tank	-
FLK067	Black Cap for 500 ml (17 FL. OZ.) Tank	-
FLK068	Yellow Cap for 500 ml (17 FL. OZ.) Tank	-



Cap with Plastic Quick Coupler and Canula

Art.-Nr.	Description	€/Each
FLK054	Black Cap for 250 ml (8.5 FL. OZ.) Tank	-
FLK055	Yellow Cap for 250 ml (8.5 FL. OZ.) Tank	-
FLK056	Black Cap for 500 ml (17 FL. OZ.) Tank	-
FLK057	Yellow Cap for 500 ml (17 FL. OZ.) Tank	-



Cap with Metal Plug and Canula

Art.-Nr.	Description	€/Each
FLK071	Black Cap for 250 ml (8.5 FL. OZ.) Tank	-
FLK058	Yellow Cap for 250 ml (8.5 FL. OZ.) Tank	-
FLK059	Black Cap for 500 ml (17 FL. OZ.) Tank	-
FLK060	Yellow Cap for 500 ml (17 FL. OZ.) Tank	-



Cap With Metal Quick Coupler And Canula

Art.-Nr.	Description	€/Each
FLK061	Black Cap for 250 ml (8.5 FL. OZ.) Tank	-
FLK062	Yellow Cap for 250 ml (8.5 FL. OZ.) Tank	-
FLK063	Black Cap for 500 ml (17 FL. OZ.) Tank	-
FLK064	Yellow Cap for 500 ml (17 FL. OZ.) Tank	-



Cap with Plastic Plug

Art.-Nr.	Description	€/Each
RT1033.B	Black Cap	-
RT1033.Y	Yellow Cap	-



Cap with 1/8" Thread

Art.-Nr.	Description	€/Each
RT1035.B	Black Cap	-
RT1035.Y	Yellow Cap	-



Plastic Plug

Art.-Nr.	Description	€/Each
RV5999.94	1/4" Male Plug	-
RV5999.95	1/4" Female Plug	-




Metal Quick Coupler

Art.-Nr.	Description	€/Each
RV6033	1/8" Male Plug	-
RV6034	1/8" Female Plug	-



Metal Plug

Art.-Nr.	Description	€/Each
RV6035	1/8" Male Plug	-
RV6036	1/8" Female Plug	-



Special Bag System

What is it?

Errecom's SPECIAL BAG SYSTEM has been specifically designed to avoid moisture and particle contamination of lubricants and dyes used in a/c systems. errecom's high quality fluorescent uv leak detector dyes and double endcap lubricants are packed in moisture-free laminated bags, with fast clip connectors, for use with automatic recovery machines.

How does it work?

Simply attach Errecom's special connectors to any A/C Recovery Unit clip the bags on their associated connectors and proceed with service as normal.

Benefits

- No contamination with moisture.
- No Contamination with foreign particles.
- No messy, and time consuming filling of tanks.
- No extra costs - the same cost of standard packaging.
- Easy to use.
- It is possible to install on virtually any A/C Recovery Unit.
- Allows for fast, easy and clean servicing.
- Prevents and avoids moisture and other contaminants from entering A/C Recovery Unit.
- Safe and moisture-free storage.



Fluorescent UV Detector Dye for Vehicle A/C Systems

500ml (17 FL.OZ.) Special Bag

Art.-Nr.	Description	□	€/Each
TR1083.S	Yellow UV Leak Detector Dye	10 PCS	90,00
TR1021.S	Green UV Leak Detector Dye	10 PCS	90,00
TR1098.S	UV Dye for Hybrid & Electric Vehicles	10 PCS	121,50



ERRECOM Lubricants for Vehicle A/C Systems

500ml (17 FL.OZ.) Special Bag

Art.-Nr.	Description	□	€/Each
OL6002.S	PAG UNIVERSAL	10 PCS	22,60
OL6043.S	PAG UNIVERSAL with UV Dye	10 PCS	26,00
OL6001.S	PAG 46	10 PCS	19,60
OL6006.S	PAG 46 with UV Dye	10 PCS	22,60
OL6003.S	PAG 100	10 PCS	19,60
OL6008.S	PAG 100 with UV Dye	10 PCS	22,60
OL6004.S	PAG 125	10 PCS	19,60
OL6045.S	PAG 125 with UV Dye	10 PCS	22,60
OL6005.S	PAG 150	10 PCS	19,60
OL6010.S	PAG 150 with UV Dye	10 PCS	22,60
OL6035.S	PAO 68	10 PCS	26,70
OL6044.S	PAO 68 with UV Dye	10 PCS	30,70
OL6033.S	POE 100 for Hybrid & Electric Vehicles	10 PCS	29,80
OL6034.S	POE 100 for Hybrid & Electric Vehicles with UV Dye	10 PCS	31,30



Special Plastic Adapter for Special Bag System

Art.-Nr.	Description	□	€/Each
RV5999.88	Yellow Special Connection 1/8" Female	01 PC	4,50
RV5999.93	White Special Connection 1/8" Female	01 PC	4,50
RV5999.84	Yellow Special Connection 1/8" Male	01 PC	4,50
RV5999.69	White Special Connection 1/8" Male	01 PC	4,50




Special Plastic Adapter with Quick Coupler for Special Bag System


Art.-Nr.	Description	□	€/Each
RP1038.01.W	White Straight Connection	01 PC	16,00
RP1039.01.W	90° White Connection	01 PC	19,80
RP1038.01.Y	Yellow Straight Connection	01 PC	16,00
RP1039.01.Y	90° Yellow Connection	01 PC	19,80




CAP WITH PLUG




CAP WITH 1/8" GAS THREAD




250 ML CYLINDRICAL TANK




250 ML CYLINDRICAL TANK




500 ML CYLINDRICAL TANK




500 ML CYLINDRICAL TANK



250 ML RECTANGULAR TANK



250 ML RECTANGULAR TANK



AUTOMOTIVE CHEMICAL SOLUTION





CLOGGED DPF?

CLEANING

DPF Flush DPF Cleaning Liquid

What is it?

DPF FLUSH is a non-flammable liquid, free of suspended metals, specific for the cleaning of diesel particulate filters. Thanks to its peculiar chemical formulation, this product can deeply act in the honeycomb inside the particulate filter, easily removing carbon and soot residues that obstruct the normal flow of the exhaust fumes of the engine, to restore the functions of the entire exhaust system.

Suitable to clean the catalyst.

Art.-Nr.	Description	☐	€/Each
TR1136.P.01	5 Litres (1.32 GAL.) Tank	02 PCS	62,00
TR1136.K.01	1 Litre (34 FL.OZ.) Tank	06 PCS	16,80



DPF Rinse DPF Rinsing Liquid

What is it?

DPF RINSE is a non-flammable specific rinsing liquid to be used after the cleaning of diesel particulate filters. Thanks to its peculiar chemical formulation, this product can deeply act in the honeycomb inside the particulate filter, keeping it clean from carbon and soot residues and facilitating the filter regeneration. This liquid restores DPF original conditions.

Suitable to clean the catalyst.

Art.-Nr.	Description	☐	€/Each
TR1137.P.01	5 Litres (1.32 GAL.) Tank	02 PCS	61,00
TR1137.K.01	1 Litre (34 FL.OZ.) Tank	06 PCS	15,80





DPF Flush Gun

Specific Equipment for DPF Flushing

What is it?

DPF FLUSH GUN is a specific equipment working with compressed air designed to clean the diesel particulate filters. Equipped with easily interchangeable probes that can be used with all models of particulate filters.

Technical Features:

- Gun with rubber grip.
- Interchangeable rigid probe.
- Interchangeable flexible Probe.
- Connection for compressed air with 1/4" ball valve.
- FKM gaskets resistant also to the most aggressive liquids.
- Rilsan PA11 hose resistant also to the most aggressive liquids.

Art.-Nr.	Description	□	€/Each
RP1052.01	DPF FLUSH GUN	01 PC	189,00
RK1359	Tank with Suction Tube and Hose	01 PC	110,00
RK1360	Gun with Hose and Probes (flexible and rigid)	01 PC	86,00



DPF Flush Kit

DPF Range Complete Kit

What is it?

DPF FLUSH KIT is a complete kit for the cleaning of diesel particulate filters and catalysts.

Art.-Nr.	Description	□	€/Each
RK1350	Kit of Three Products	01 PC	310,00



EGR Valve Cleaner

Cleaning Treatment for EGR Valves

What is it?

EGR VALVE CLEANER is a treatment suitable for all diesel engines with any power system. Thanks to its chemical formulation containing nanotechnologies, it cleans and unblocks EGR valves clogged by combustion residues of exhaust gas, tar, carbon deposits, gums and varnishes.

This treatment is suitable for the cleaning of ducts and Turbo intake valves.

Art.-Nr.	Description	□	€/Each
TR1149.N.01	400ml (13.6 FL. OZ.) Aerosol Can	12 PCS	7,20



OIL LEAKS?

LEAK STOPS AND DETECTORS STOPS

Stop Up Engine Universal Leak Stop for Engine Oil


What is it?

STOP UP ENGINE is a leak stop specifically formulated to stop any leak from petrol and diesel engines. It revitalizes hard, shrunken and leaking seals to their original condition. STOP UP ENGINE permanently seals lubricant leaks of all kinds of engine (petrol and diesel vehicles, motor vehicles and marine). Harmless to all metals and painted surfaces.

Add 60 ml (2.0 FL. OZ.) of STOP UP ENGINE per 1 Litre (34 FL. OZ.) of engine lubricant.

The repair will become effective with normal use of the vehicle, within maximum 2 days.

Do not use STOP UP ENGINE in brake systems.

Art.-Nr.	Description		€/Each
TR1061.E	60 ml (2.0 FL. OZ.) Cartridge	15 PCS	8,50
TR1061.E4	4 x 60ml (2.0 FL. OZ.) Cartridges	06 PCS	27,00
TR1061.Q.P2	250 ml (8.5 FL. OZ.) Bottle	24 PCS	14,00
TR1061.M.P2	500 ml (17 FL. OZ.) Bottle	12 PCS	26,50
TR1061.K.P2	1 Litre (34 FL. OZ.) Bottle	12 PCS	50,50



Stop Up Power Steering Universal Leak Stop for Power Steering


What is it?

STOP UP POWER STEERING is a leak stop specifically formulated to stop any leak from vehicle power steering systems. It revitalizes hard, shrunken and leaking seals to their original condition.

Add 60 ml (2.0 FL. OZ.) of STOP UP POWER STEERING per 1 Litre (34 FL. OZ.) of power steering lubricant.

The repair will become effective with normal use of the vehicle, within maximum 2 days.

Do not use STOP UP POWER STEERING in brake systems.

Art.-Nr.	Description		€/Each
TR1144.Q.P2	250 ml (8.5 FL. OZ.) Bottle	24 PCS	12,00





Stop Up Transmission

Universal Leak Stop for Transmissions

What is it?

STOP UP TRANSMISSION is a leak stop specifically formulated to stop any leak from vehicle transmissions. It revitalizes hard, shrunken and leaking seals to their original condition.

Add 60 ml (2.0 FL. OZ.) of Stop Up Transmission per 1 Litre (34 FL. OZ.) of transmission lubricant.

The repair will become effective with normal use of the vehicle, within maximum 2 days.

Do not use STOP UP TRANSMISSION in brake systems.

Art.-Nr.	Description	☐	€/Each
TR1145.M.P2	500 ml (17 FL. OZ.) Bottle	12 PCS	23,00



Stop Up Hydraulic

Universal Leak Stop for Hydraulic Systems

What is it?

STOP UP HYDRAULIC is a leak stop specifically formulated to stop any leak from hydraulic systems of special vehicles such as earthmoving, agricultural machineries and hydraulic pumps. It revitalizes hard, shrunken and leaking seals to their original condition.

Add 60 ml (2.0 FL. OZ.) of Stop Up Hydraulic per 1 Litre (34 FL. OZ.) of hydraulic oil.

The repair will become effective with normal use of the vehicle, within maximum 2 days.

Do not use STOP UP HYDRAULIC in brake systems.

Art.-Nr.	Description	☐	€/Each
TR1146.K.P2	1 Litre (34 FL. OZ.) Bottle	12 PCS	46,00



Brilliant Engine

Multi-purpose UV Dye for Engine Parts

What is it?

BRILLIANT ENGINE is a fluorescent UV dye designed to detect even the smallest leak in many parts and components of the Vehicle engines. Brilliant Engine can be introduced in: engine lubricants, hydraulic oil, power steering oil, transmission oil and diesel or petrol fuels.

Benefits

- Most effective in engine lubricant and fuels.
- Visible to any UV lamp.
- Add 7,5 ml (1/4 FL. OZ.) per 1 Litre (34 FL. OZ.) of oil.

Self-Measure Bottles

Art.-Nr.	Description	☐	€/Each
TR1203.F.P1	100 ml (3.4 FL. OZ.) Bottle	30 PCS	9,00
TR1203.Q	250 ml (8.5 FL. OZ.) Bottle	13 PCS	24,00
TR1203.01	350 ml (11.9 FL. OZ.) Bottle	12 PCS	32,50
TR1203.K	1 Litre (34 FL. OZ.) Bottle	04 PCS	85,00



LEAKING COOLING SYSTEMS?

TREATMENTS



Brilliant Coolant

UV Dye for Vehicle Engine Coolant

What is it?

BRILLIANT COOLANT is a fluorescent UV dye designed to detect even the smallest leak in the components of the Vehicle cooling system.

Benefits

- Visible to any UV lamp.
- Add 30 ml (1 FL. OZ.) per vehicle.

Self-Measure Bottles

Art.-Nr.	Description	☐	€/Each
TR1201.F.P1	100 ml (3.4 FL. OZ.) Bottle	30 PCS	15,30
TR1201.Q	250 ml (8.5 FL. OZ.) Bottle	13 PCS	43,20
TR1201.O	350 ml (11.9 FL. OZ.) Bottle	12 PCS	58,50
TR1201.K	1 Litre (34 FL. OZ.) Bottle	04 PCS	153,00



Bluet

Leak Stop for Vehicle Cooling Systems

What is it?

BLUET is a leak stop specifically formulated to stop any leak from vehicle cooling systems. Most effective with leaks in blown head gaskets, racked heads, warped heads, cracked blocks, leaking heater cores and freeze plugs.

Benefits

- It does not contain any filings or pellets that can damage parts of the cooling system.
- It is formulated to work with either a 50/50 water/antifreeze mix or all water.
- Easy to use because it stays in the system.
- Add 250 ml (8.5 FL. OZ.) for systems with maximum capacity of 5 litres (1.32 GAL.).

Art.-Nr.	Description	☐	€/Each
TR1041.Q.P2	250 ml (8.5 FL. OZ.) Bottle	24 PCS	14,00
TR1041.M.P2	500 ml (17 FL. OZ.) Bottle	12 PCS	26,50
TR1041.K.P2	1 Litre (34 FL. OZ.) Bottle	12 PCS	50,50





Antiblock

Complete Treatment for the Flushing
and the Lubrication of Vehicle Cooling Systems

What is it?

This convenient package contains the necessary products for a full washing and lubrication treatment of vehicle cooling systems.

500 ml (17 FL.OZ.) bottle suitable for systems up to 8 Lt. (2.11 GAL.)

1 liter (34 FL.OZ.) bottle suitable for systems up to 16 Lt. (4.22 GAL.)

Art.-Nr.	Description	☐	€/Each
RK1371	Kit of two 500 ml (17 FL.OZ.) Bottles	01 PC	11,50
RK1373	Kit of two 1 Litre (34 FL.OZ.) Bottles	01 PC	22,00



Zeus

Flushing Fluid for Vehicle Cooling Systems

What is it?

ZEUS is a flushing fluid to clean vehicle cooling systems.

Removes residues of grease, rust, sludge and scale that formed over time inside cooling systems.

Thanks to its formulation and the presence of nanotechnologies, it removes accumulated deposits of dirt, dissolving them and keeping them in suspension until they are taken out of the cooling system.

The use of ZEUS is recommended during the routine vehicle coolant.

It is possible to use ZEUS with all flushing machines for the cleaning of cooling systems.

500 ml (17 FL.OZ.) bottle suitable for systems up to 8 Lt. (2.11 GAL.)

1 liter (34 FL.OZ.) bottle suitable for systems up to 16 Lt. (4.22 GAL.)

Art.-Nr.	Description	☐	€/Each
TR1147.M.P2	500 ml (17 FL.OZ.) Bottle	12 PCS	6,00
TR1147.K.P2	1 Litre (34 FL.OZ.) Bottle	06 PCS	11,50



Uran

Lubricant with Anticorrosion Protection for Water Pumps

What is it?

URAN is a permanent additive that can be introduced into vehicle cooling systems after their washing and after the introduction of the new coolant.

Its special formulation allows the improvement of the lubrication of the water pump, slowing the formation of rust and corrosion and limiting over time the formation of solid deposits that might cause clogs and decreased performance of the cooling system.

It does not damage the system components.

500 ml (17 FL.OZ.) bottle suitable for systems up to 8 Lt. (2.11 GAL.)

1 liter (34 FL.OZ.) bottle suitable for systems up to 16 Lt. (4.22 GAL.)

Art.-Nr.	Description	☐	€/Each
TR1153.M.P2	500 ml (17 FL.OZ.) Bottle	12 PCS	6,00
TR1153.K.P2	1 Litre (34 FL.OZ.) Bottle	06 PCS	11,50





Limitless

Machine for the washing and the replacement of the vehicle coolant

Applications:

- Cars.
- SUV.
- Motorhomes.
- Trucks.

Technical Features:

- 12 V electric pump (to be directly connected to the vehicle).
- 30 Liters (6.6 GAL.) tank for the recovery of the liquid to be replaced.
- 30 liters (6.6 GAL.) tank for the new coolant.
- Maximum washing pressure: 5/7 bar (85/100 psi).
- Ceramic Filter.
- Hoses and fittings kit for the connection to the vehicle system.



Art.-Nr.



€/Each

VP1036.01

01 PC

2.500,00



AT Flush

Automatic Transmission Flushing Fluid

What is it?

AT FLUSH is a product specifically designed for the cleaning of the automatic gearbox. Once added, it perfectly cleans the hydraulic central of the system, eliminating all the shifts caused by residues of the clutch and the flywheel. It dissolves all the oily sediments formed from the emulsion of the oil, without damaging substances held by magnets.

Benefits

- It can also be used in the ZF, CVT, DSG, MERCEDES and GM MULTITRONIC AISIM gearboxes.
- It is directly added to the oil of the gearbox.
- It can be used with automatic and manual flushing stations.



Art.-Nr.	Description		€/Each
TR1135.Q.01	250 ml (8.5 FL. OZ.) Bottle	12 PCS	8,40
TR1135.M.01	500 ml (17 FL. OZ.) Bottle	09 PCS	16,30
TR1135.K.01	1 Litre (34 FL. OZ.) Bottle	12 PCS	31,50
TR1135.P.01	5 Litres (1.32 GAL.) Tank	02 PCS	152,50



Notes

Notes

Proudly Made in Italy.



ERRECOM
AIR CONDITIONING & REFRIGERATION CHEMICAL SOLUTIONS

T (+39) 030 971 9096
F (+39) 030 977 0123

info@errecom.com
www.errecom.com

Via Industriale, 14
25030 Corzano (BS), Italy.