

**Digital Display** 

**Precision Manufactured Ratchet** Head Allowing Left or Right Hand Operation

Chrome Plated Finish



Adjustment Buttons

# ACCURACY =4%

# **DRAPER EXPERT QUALITY**

# professional high accuracy Electronic Torque Wrenches

• Functions both clockwise and anti-clockwise • Electronic display shows Nm; ft-lb; in-lb and kg-cm with visual torque applied lights together with overtorque buzzer • Nine pre-selectable torque levels for speed of operation • Soft grip handle for user comfort • Manufactured and calibrated to ISO6789-1992-12-01 Standard

# ETW6-30

### 1/4" Sq. Dr. Electronic Precision **Torque Wrench 6-30Nm**

#### Manufactured and calibrated to ISO6789-1992-12-01 Standard

Expert Quality, range 6-30Nm, accuracy ±4%. Overall length 380mm. Full instruction manual and calibration certificate included with each torque wrench. Uses 2 x AA batteries (supplied). Packed in blow mould case.

Stock No.	Description	Box Price Qty each
77991	Torque Wrench	- €202.90P
61834	Batteries (4 x AA)	- €4.38D

# PAUL SAYS

CALIBRATION OF TORQUE WRENCHES

Testing and recalibration of torque wrenches should be carried out on a regular basis to ensure accuracy. Ratchet mechanisms should be



QUALITY ASSURANCE

stripped, cleaned and lightly lubricated then reassembled. If any wear is apparent a repair kit should be used. (See catalogue entries for repair kits - if available). Under no circumstances use a torque wrench to undo fasteners. Always use a flexible handle. For further details on repair or service, contact Draper Tools on (023) 8049 4344 or +44 23 8049 4344 (from outside the U.K.)

### ETW27-135 3/8" Sq. Dr. Electronic Precision Torque Wrench 27-135Nm

Manufactured and calibrated to ISO6789-1992-12-01 Standard

Expert Quality, range 27-135Nm, accuracy ±4%. Overall length 415mm. Full instruction manual and calibration certificate included with each torque wrench. Uses 2 x AA batteries (supplied). Packed in blow mould case.

Stock No.	Description	Box Price Qty each
77992	Torque Wrench	- €216.80P
61834	Batteries (4 x AA)	- €4.38D

# 3 ETW40-200

### 1/2" Sq. Dr. Electronic Precision **Torque Wrench 40-200Nm**

#### Manufactured and calibrated to ISO6789-1992-12-01 Standard

*Expert Quality*, range 40-200Nm, accuracy ±4%. Overall length 525mm. Full instruction manual and calibration certificate included with each torque wrench. Uses 2 x AA batteries (supplied). Packed in blow mould case.

Stock No.	Description	Box Qty	Price each
77993	Torque Wrench	- €2	251.95P
61834	Batteries (4 x AA)	-	€4.38D



# 4 ETW68-340

# 1/2" Sq. Dr. Electronic Precision Torque Wrench 68-340Nm with RS232 and USB Interface

Manufactured and calibrated to ISO6789-1992-12-01 Standard Expert Quality, 250 data memory points with PC connectivity for data download - software included. Supplied with data connection cable with RS232 and USB connectors. Soft grip handle for user comfort.



Range 68-340Nm, accuracy ±4%. Overall length 650mm. Full instruction manual and calibration certificate included with each torque wrench. Uses 2 x AA batteries (supplied). Packed in blow mould case.



Stock No.	Description	Box Price Qty each
77990	Torque Wrench	- €319.65P
61834	Batteries (4 x AA)	- €4.38D
0.001	Datteries (17713)	0.1100

# **TORQUE WRENCHES**

section



# EPTW50-180 1/2" Sq. Dr. Precision Torque Wrench 50-180Nm

#### Manufactured and calibrated to ISO6789-1992-12-01 Standard

**Expert Quality**, with reversible ratchet head and locking preset action. Torque values are viewed via a window in the handle. Range 50-180Nm, accuracy  $\pm 4\%$ . Overall length 520mm. Full instruction manual and calibration

certificate included with each torque wrench. Supplied in blow mould case.

Stock No.	Description	Box Price Qty each
58139	Torque Wrench	– €198.75P
58540	Repair Kit	- €64.35P



#### Manufactured and calibrated to ISO6789-1992-12-01 Standard

**Expert Quality**, with reversible ratchet head and locking preset action. Torque values are viewed via a window in the handle. Range 70-230Nm, accuracy ±4%. Overall length 665mm. Full instruction manual and calibration certificate included with each torque wrench. Supplied in blow mould case.

Stock No.	Box Description Qty	
58140	Torque Wrench –	€219.35P
58540	Repair Kit –	€64.35P

# 3/4" 5 (DRAPER) Exp 5 EPTW120-400

## 3/4" Sq. Dr. Precision Torque Wrench 120-400Nm

#### Manufactured and calibrated to ISO6789-1992-12-01 Standard

**Expert Quality**, with reversible ratchet head and locking preset action. Torque values are viewed via a window in the handle. Range 120-400Nm, accuracy ±4%. Overall length 860mm. Full instruction manual and calibration certificate included with each torque wrench. Supplied in blow mould case.

Stock	Box Price
No.	Qty each
64673	– €393.58P

# **TORQUE WRENCHES**



### 3/8" Sq. Dr. 'Click Action' Digital Torque Wrench 20-100Nm Manufactured and calibrated to ISO6789-1992-12-01 Standard

**Expert Quality**, designed for use with standard clockwise threads. Digital display shows Nm; ft-lb; in-lb and kg-cm. Soft grip handle for user comfort. Range 20-100Nm, accuracy ±4%. Overall length 390mm. Full instruction manual and calibration certificate included with each torque wrench. When torque is reached, the wrench produces an audible 'click' and a slight release of tension. Packed in blow mould case.

Stock No.	Description	Box Price Qty each
12096	Torque Wrench	- €125.33P
12282	Spare CR2032 Battery	- €2.38D



# 2 DTW-12



# 1/2" Sq. Dr. 'Click Action' Digital Torque Wrench 40-200Nm

Manufactured and calibrated to ISO6789-1992-12-01 Standard Expert Quality, designed for use with standard clockwise threads. Digital display shows Nm; ft-lb; in-lb and kg-cm. Soft grip handle for user comfort. Range 40-200Nm, accuracy ±4%. Overall length 490mm. Full instruction manual and calibration certificate included with each torque wrench. When torque is reached, the wrench produces an audible 'click' and a slight release of tension. Packed in blow mould case.

Description	Box Pric Qty eac		Description	Box Price Qty each
orque Wrench	- €125.33	P 12097	Torque Wrench	- €133.75P
e CR2032 Battery	- €2.38	D 12282	Spare CR2032 Battery	- €2.38D



## 3004A

### 3/8" Sq. Dr. Torque Wrench 10-80Nm (display packed)

Reversible ratchet head. The Nm and Ib-in scales are engraved on the barrel of the wrench. The micrometer type sleeve allows accurate preset torque values to be set. When torque is reached the wrench produces an audible click and a slight release of tension. Range: 10-80Nm/88.5-708lb-in. Overall length 280mm. Calibration certificate included. Supplied in blow mould storage case. Display packed

Stock	Box	Price
No.	Qty	each
34570	-	€40.44P

# 4 3004AB

### 3/8" Sq. Dr. Torque Wrench 10-80Nm (sold loose)

Stock	Box	Price
No.	Qty	each
54627	-	€34.19P



case Stock No.

34964

4009

# 1/2" Sq. Dr. Torque Wrench 30-210Nm

Reversible ratchet head. The lb-ft and Nm scale is engraved on the barrel of the wrench. The micrometer type sleeve allows accurate preset torque values to be set. When torque is reached the wrench produces an audible click and a release of tension. Marked range: 30-210Nm/22.1-154.9lb-ft. Overall length 475mm. Supplied in blow mould storage case.

Stock No.	ck Description		Price each
30357	Torque Wrench	-	€40.94P
30752	Repair Kit	-	€22.85D



# 1-5Nm Torque Driver

For low torgue applications i.e. engine covers or motorcycles. Comprises handle with torque adju and 3/8" square drive blade with spring-loaded b bearing for secure socket holding. 1/4" sq. drive x 1/4" hex. bit holder for use with screwdriver insert bits. Torque range 1-5Nm. Torque is adjusted by screw action on handle. Supplied in blow mould storage case. Display packed

		Π
n	I ATG	1/2 sq.d
ustment ball	1/2" Sq. Dr. Angular Torque Ga	uge

(DRAPER) Experi

**Expert Quality**, designed to be used with any 1/2" sq. drive torque wrench. Rotating index line allows operator to accurately tighten fixing to manufacturer's exact angular specification. Supplied with fully adjustable reaction arm. Display packed. Stoc No.

3/4" Sq. Dr. Torque Wrench 65-450Nm

Reversible ratchet head. Nm and lb-ft engraved on the

allowing accurate preset torque values to be set. When

torque is reached the wrench produces an audible click

Box Qty

Price each

€131.06P

1/2

SO.DRIV

barrel of the wrench with a micrometer type sleeve,

certificate included. Supplied in blow mould storage

and a release of tension. Marked range: 65-450Nm/51.6-291 lb-ft. Overall length 670mm. Calibration

ck	Box Qty	Price each
99	-	€27.23D



## 7 3000

### 1/2" Sq. Dr. Powerset Torque Wrench

Dual scale for forward/reverse operations. Wrench uses the deflection of the main spring beam to measure torque applied. The scale is graduated M/kg and lb-ft in two directions. Overall length 460mm Display packed

Stock	Range	Box	Price
No.		Qty	each
34487	0-150lb-ft/0-21N	1/kg –	€19.48D

packeu.		
Stock No.	Blade Length	Box Price Qty each
43985	90mm	- €119.18D

BOX OUANTITY	FOR YOUR CONVENIENCE, WE RECOMMEND ORDERING IN BOX QUANTITY OR MULTIPLES OF BOX QUANTITY
NFORMATION	WHERE SHOWN. YOU CAN STILL ORDER IN ANY QUANTITY UNLESS SPECIFICALLY STATED OTHERWISE

