

ACCESSORIES FOR THE DRAPER EXPERT PROLASER® RANGE

A collection of accessories and replacement items for the Prolaser® Series listed on pages 328-329.



1 D886-48
Prolaser® Laser Level Tripod

Expert Quality; aluminium construction with 5/8" UNC screw thread. For use with Prolaser® line levels. Closed height 1117mm, open height 2300mm. Display packed.

Stock No.	Box Qty	Price each
22125	-	€182.28P



4 LWM
Prolaser® Laser Wall Mount

For mounting laser levels to wall. Hand wheel for fine adjustments within 150mm. 5/8" UNC screw thread. Display packed.


Stock No.	Box Qty	Price each
23617	-	€72.13P



7 D845
Prolaser® Laser Target

Magnetic with special reflective surface for extending length of laser beam when working outside. Graduations in metric and imperial. For use with Draper Stock Nos. 22212, 22219, 24322 and 24323. Display packed.

Stock No.	Box Qty	Price each
22127	-	€13.10P



5 LTMS5
Prolaser® 5M Telescopic Measuring Staff

Five sections, dual marked with abrasion-resistant scale in metric and imperial graduations. Sold loose.

Stock No.	Box Qty	Price each
23619	-	€72.13P



2 LEMP
Extendable Pole for Mounting Prolaser® Laser Levels

Five sections with maximum height of 3.3M. Spring-loaded pad on pole allows easy clamping between floor and ceiling door frames. Sliding platform has 1/4" and 5/8" UNC screw threads. 5/8" is a hollow screw for plumb down levels. Display packed.


Stock No.	Box Qty	Price each
23620	-	€72.13P



8 LL/TP
5/8" Laser Level Tripod

Aluminium construction for use with Prolaser® and Draper line levels. Open height 1118mm. Display packed.

Stock No.	Box Qty	Price each
65643	-	€32.13D



3 LAM
Prolaser® Laser Angle Mount

Accurately indicates angles and range in excess of 90°. Vial for levelling purposes. 5/8" UNC screw thread allows connection from above and below. Display packed.

Stock No.	Box Qty	Price each
23618	-	€163.93P



6 YTP1
Prolaser® 5/8" to 1/4" UNC Tripod Adaptor

Converts tripod threads from 5/8" to 1/4" UNC to allow usage with smaller laser levels. Sold loose.

Stock No.	Box Qty	Price each
80491	-	€6.53P



9 LLG
Laser Enhancement Glasses

For looking at Class 2 laser beams. Universal fitting. Display packed.

Stock No.	Box Qty	Price each
65644	-	€5.75D

DRAPER Laser



1 LLK3

3 piece Self-Levelling Laser Level Kit

Designed for use where a constant level or repeat level measurements are required. Applications include alignment of windows, dado rails, kitchen units, stairs, outdoor levelling etc. Class 2 laser projects a horizontal, vertical or cross beam lines on surfaces. Accuracy 0.5mm per 1M within the operating distance of 3-8M. Self-levelling range $\pm 6^\circ$. Supplied with heavy duty adjustable tripod (max. height 1.18M), rotating laser enhancement glasses and three AAA batteries. Comprehensive instruction manual included. Packed in blow mould carrying case with display sleeve.

Stock No.	Description	Box Qty	Price each
88640	Laser Level Kit	-	€72.98P
65643	Tripod	-	€32.13D
65644	Glasses	-	€5.75D
61833	Batteries (4 x AAA)	-	€4.38D

DRAPER Laser




2 LLK2

400mm Rotating Laser Level Kit

Designed for use where a constant level or repeat level measurements are required. Applications include alignment of windows, dado rails, kitchen units, stairs, outdoor levelling etc. One horizontal vial and revolving angle finder. Accuracy 0.5mm per 1M = 0.029° in standard position. Supplied with heavy duty adjustable tripod (max. height 1.18M), rotating base marked 360° for mounting level, laser enhancement glasses, two brass 90° line generating glass prisms and two AAA batteries. Supplied with manual. Packed in blow mould carrying case with display sleeve.

Stock No.	Description	Box Qty	Price each
69580	Laser Level Kit	-	€42.13P
65642	Rotary Base	-	€28.28D
65643	Tripod	-	€32.13D
65644	Glasses	-	€5.75D
61833	Batteries (4 x AAA)	-	€4.38D

**FLUID MUST BE
POURED INTO LOWER
SIDE OF HOSE**



SEE PRODUCT VIDEO
www.drapertools.com/drapertv



STOCKIST INFO
REVISED DEALER
CODE APPLIES TO
THIS ITEM

DRAPER Expert

KAPRO

3 D406-20WL

20M Water Level

Expert Quality, ideal for blind, room to room measurements and for checking gradients over long distances. Hose is filled with water and level is found when both graduations chosen are the same. Comprises 20M (approx.) length of PVC hose graded in 0.5 and single centimetre graduations, funnel, colouring crystals, water stop plugs and marker rings. Manufactured for Draper Tools by Kapro. Shrink wrapped with descriptive label.

Stock No.	Box Qty	Price each
69565	-	€29.79P



KAPRO

STOCKIST INFO
REVISED DEALER
CODE APPLIES TO
THIS ITEM



4 D340PL

Post Level

Unique tool to plumb pipes, posts, levelling RSJ's and other applications where vertical or horizontal is required. The hinged body opens to any angle and allows use on square, round and hexagonal posts, as well as girders (RSJ's). Dual fixing - elastic straps for non magnetic surfaces and magnets for steel fence posts, RSJ's, etc. Plastic construction with acrylic vials. Size 188 x 133mm. Accuracy 1.75mm per 1M = 0.1°. Manufactured for Draper Tools by Kapro. Display packed.

Stock No.	Box Qty	Price each
69555	-	€10.41P

**BOX QUANTITY
INFORMATION**

FOR YOUR CONVENIENCE, WE RECOMMEND ORDERING IN BOX QUANTITY OR MULTIPLES OF BOX QUANTITY WHERE SHOWN. YOU CAN STILL ORDER IN ANY QUANTITY UNLESS SPECIFICALLY STATED OTHERWISE



1 D985XL-41P

Plumb Site® Dual View™ Box Section Levels with Ergo Grip™ Handles


Manufactured to GS Specifications

Expert Quality, with front viewing Plumb Site® Dual View™ giving 33% improved magnified vial viewing. Aluminium box section extrusion with milled top and base (except 1800mm), electrostatically powder coated and baked with polyester acrylic paint with Ergo Grip™ nonslip soft grip handles, tough bi-material end caps, one horizontal (1800mm has two) and two magnified vertical vials. Accuracy 0.5mm per 1M = 0.029° in standard position. Manufactured for Draper Tools by Kapro. Sold loose with display hanger.

SEE PRODUCT VIDEOS
www.drapertools.com/drapertv



Stock No.	Length	Box Qty	Price each
24318	600mm	-	€33.63P
24319	900mm	-	€39.98P
24320	1200mm	-	€46.23P
24321	1800mm	-	€72.45P



SEE PRODUCT VIDEOS
www.drapertools.com/drapertv

Opti-Vision™ Red Horizontal Vial - creates highly visible red bubble definition for exact placement between the reading lines and optimal vision in bright and low light. Around eight times higher contrast ratio than conventional vials



2 D905-40P

Opti-Vision™ Plumb Site® Dual View™ Box Section Levels with Ergo Grip™ Handles

Expert Quality, with highly visible red Opti-vision™ tilted vial which allows single bubble view over 90° and front viewing Plumb Site® Dual View™ RedEffect™ vial. Aluminium box section extrusion with milled base (not 1800mm), curved top, electrostatically powder coated and baked with polyester acrylic paint Ergo Grip™ nonslip soft grip handles, tough bi-material end caps, anti-slip wall pads and vertical vials. Accuracy 0.5mm per 1M = 0.029° in standard position. Manufactured for Draper Tools by Kapro. Sold loose with display hanger.

DRAPER Expert

KAPRO

Stock No.	Length	Box Qty	Price each
02320	600mm	-	€34.00P
02321	900mm	-	€40.45P
02322	1200mm	-	€46.88P
06996	1800mm	-	€71.78P



NEW

3 D995XL-41P

Plumb Site® Dual View™ Box Levels with Ergo Grip™ Ends

Expert Quality, with front viewing Plumb Site® Dual View™ vials, horizontal vial and two vertical vials. Aluminium box section extrusion with milled top and base (except 1800mm), electrostatically powder coated and baked with polyester acrylic paint. Two nonslip soft grip handles (one on 600mm), anti-slip wall pads and cushioned end caps. Accuracy 0.5mm per 1M = 0.029° in standard position. Manufactured for Draper Tools by Kapro. Sold loose with display hanger.



Stock No.	Length	Box Qty	Price each
51101	600mm	-	€24.98P
51102	900mm	-	€31.23P
51103	1200mm	-	€37.48P
51104	1800mm	-	€55.00P

STOCKIST INFO
REVISED DEALER
CODES APPLY TO
ALL ITEMS ON
THIS PAGE

SEE PRODUCT VIDEOS
www.drapertools.com/drapertv



LEVELS/MEASURING



DRAPER Expert



QUALITY MAKES THE DIFFERENCE

DAVE SAYS

The 'Plumb Site® Dual View™' vial allows the user to stand opposite the surface to ensure it is level, through a one-to-one reflection of the vial. That means there is a complete field of vision for a true plumb reading (no parallax error). This can save time and money and also reduces neck strain from awkward viewing angles.




1 D170

Plumb Site® Dual View™ 'I' Beam Girder Section Levels

Expert Quality, with front viewing Plumb Site® Dual View™ vial and 'I' beam vial. Manufactured from hardened aluminium electrostatically powder coated and baked with polyester acrylic paint, milled top and base and rubber end caps. One horizontal and two vertical vials, one of which has a front viewing Plumb Site® Dual View™ vial. Accuracy 1mm per 1M = 0.001° in standard position. Manufactured for Draper Tools by Kapro. Sold loose with display hanger.

Stock No.	Length	Box Qty	Price each
41213	600mm	-	€23.06P
41214	900mm	-	€29.85P
41215	1200mm	-	€36.00P



DRAPER Expert




2 D781-40/41P

Plumb Site® Dual View™ Box Section Levels

Expert Quality, with front viewing Plumb Site® Dual View™ vial. Aluminium box section extrusion electrostatically powder coated and baked with polyester acrylic paint. All have a milled base (except 1800mm). The 300mm and 600mm sizes have one horizontal vial and one Plumb Site® Dual View™ vial; the 900mm and 1200mm sizes have one horizontal, one plumb and one Plumb Site® Dual View™ vial and the 1800mm has two horizontal, one plumb and one Plumb Site® Dual View™ vial. Accuracy 0.5mm per 1M = 0.029° (1800mm 1mm per 1M = 0.057°) in standard position. Manufactured for Draper Tools by Kapro. Sold loose with display hanger.

Stock No.	Length	Box Qty	Price each
69540	300mm	-	€18.44P
69541	600mm	-	€21.08P
69542	900mm	-	€26.85P
69543	1200mm	-	€31.23P
69544	1800mm	-	€48.69P



3 D150-81C

Plumb Site® Dual View™ 'I' Beam Levels

Levels with front viewing Plumb Site® Dual View™ vials. Manufactured from hardened aluminium electrostatically powder coated and baked with polyester acrylic paint. One horizontal and two vertical vials, one of which has a front viewing Plumb Site® Dual View™ vial. Accuracy 1.75mm per 1M = 0.1° in standard position. Manufactured for Draper Tools by Kapro. Sold loose with display hanger.

Stock No.	Length	Box Qty	Price each
41393	600mm	-	€16.65P
41394	900mm	-	€20.40P
41395	1200mm	-	€24.40P



BOX QUANTITY INFORMATION

FOR YOUR CONVENIENCE, WE RECOMMEND ORDERING IN BOX QUANTITY OR MULTIPLES OF BOX QUANTITY WHERE SHOWN. YOU CAN STILL ORDER IN ANY QUANTITY UNLESS SPECIFICALLY STATED OTHERWISE


STOCKIST INFO
REVISED DEALER
CODES APPLY TO
ALL ITEMS ON
THIS PAGE




1 D920-10

'Shark' Plumb Site® Dual View™ Aluminium Cast Level

Expert Quality, with front viewing Plumb Site® Dual View™ vial. Heavy cast aluminium trapezoid-shaped level specially manufactured to withstand the impact of tapping with a hammer. Base milled to give accuracy of 0.5mm per 1M = 0.029° in standard position. Fixed all-round impact resistant horizontal and front viewing Plumb Site® Dual View™ vials. Manufactured for Draper Tools by Kapro. Display packed.



Stock No.	Length	Box Qty	Price each
69552	600mm	-	€27.88P




2 D779-40/41

Box Section Levels

Aluminium powder coated box level with precision milled base. One horizontal and two vertical vials (except 300mm long which only has one vial of each orientation) and anti-rust wall pads. Average accuracy 0.5mm per 1M = 0.029° in standard position. Hanging tabs for user convenience. Manufactured for Draper Tools by Kapro. Display packed.

Stock No.	Length	Box Qty	Price each
79575	300mm	-	€14.65P
79576	600mm	-	€15.53P
79577	900mm	-	€18.38P
79578	1200mm	-	€22.35P



3 D987-41

Box Section Levels with Ergo Grip™ Handles

Extruded aluminium electrostatic coated box section level with precision milled base and Ergo Grip™ nonslip soft grip handles. One horizontal and two vertical vials. Average accuracy 0.5mm per 1M = 0.029° in standard position. Hanging tabs for user convenience. Manufactured for Draper Tools by Kapro. Display packed.

Stock No.	Length	Box Qty	Price each
13408	600mm	-	€15.96P
13413	900mm	-	€21.90P
13414	1200mm	-	€25.29P



4 D786-40/41

Box Section Levels

Extruded aluminium electrostatic coated box section level with precision milled base. One horizontal and two vertical vials, except 300mm long which has one of each. Average accuracy 0.5mm per 1M = 0.029° in standard position. Hanging tabs for users convenience. Manufactured for Draper Tools by Kapro. Display packed.

Stock No.	Length	Box Qty	Price each
13382	300mm	-	€7.40P
13384	600mm	-	€9.83P
13397	900mm	-	€12.15P
13400	1200mm	-	€14.76P

STOCKIST INFO
REVISED DEALER
CODES APPLY TO
ALL ITEMS ON
THIS PAGE



SEE PRODUCT VIDEO
www.drapertools.com/drapertv

DRAPER Expert

1 D992

KAPRO

250mm Digital Angle Finder

Expert Quality, for angle finding in various applications. Anodized finish with lockable adjustable blade. LCD with LED backlight display with various functions including level, pitch, presets with buzzer. LCD readout reads 'right way' when turned through 180°. Accuracy 0.1°. Manufactured for Draper Tools by Kapro. Display packed.

Stock No.	Box Qty	Price each
03077	-	€84.74P

SEE PRODUCT VIDEO
www.drapertools.com/drapertv



DRAPER Expert

2 D923-25

KAPRO

250mm Plumb Site® Dual View™ Boat Spirit Level with Magnetic Base

Expert Quality, with front viewing Plumb Site® Dual View™ vial. Cast aluminium with one horizontal, one 45° and a Plumb Site® Dual View™ vial. Special milled base with two rare earth magnets. Accuracy: 0.5mm per 1M = 0.029° in standard position. Manufactured for Draper Tools by Kapro. Display packed.

Stock No.	Box Qty	Price each
69550	-	€26.49P

SEE PRODUCT VIDEO
www.drapertools.com/drapertv



DRAPER Expert

3 D929

KAPRO

250mm Plumb Site® Dual View™ Torpedo Level with Magnetic Base

Expert Quality, magnetic 'V' groove level with front viewing Plumb Site® Dual View™ vial. The 'V' groove is especially useful in levelling pipework. Three vials: horizontal, 45° and vertical with Plumb Site® Dual View™ window. Accuracy 1.75mm per 1M = 0.1° in standard position. Manufactured for Draper Tools by Kapro. Display packed.

Stock No.	Box Qty	Price each
69554	10	€10.54P



KAPRO

SEE PRODUCT VIDEO
www.drapertools.com/drapertv

4 D241

225mm Plumb Site® Dual View™ Level with Magnetic Base and Detachable Mini Level

A multi-purpose magnetic level incorporating a detachable mini level (size: 53 x 27mm). The level has one horizontal and front viewing Plumb Site® Dual View™ vials plus a magnetic strip in the base. The mini level has a horizontal vial, magnetic base, line suspension facility and is held securely in the main level by a locking switch. Accuracy 1.75mm per 1M = 0.1° in standard position. Manufactured for Draper Tools by Kapro. Display packed.

Stock No.	Box Qty	Price each
69608	-	€11.89P



7 D229-32

KAPRO

230mm Boat Level with Magnetic Base

Moulded from polystyrene with a magnetic strip in the base. Unbreakable all-round reading horizontal, vertical and 45° vials. Incorporates a V groove in the top and a hang hole. Accuracy 1.75mm per 1M = 0.1° in standard position. Manufactured for Draper Tools by Kapro. Display packed.

Stock No.	Box Qty	Price each
69563	-	€4.89P



SEE PRODUCT VIDEO
www.drapertools.com/drapertv



5 D227

KAPRO

230mm Torpedo Level with Magnetic Base

ABS with a magnetic strip in the base. Unbreakable all-round reading horizontal, vertical and 45° vials. Incorporates a V groove in the top, rubber end caps and a hang hole. Accuracy 1.75mm per 1M = 0.57° in standard position. Manufactured for Draper Tools by Kapro. Display packed.

Stock No.	Box Qty	Price each
79579	-	€4.61P



SEE PRODUCT VIDEO
www.drapertools.com/drapertv



8 D245MLR

KAPRO

100mm Mini Level

ABS moulded level with two vials and 0-90° angle finder in body. Accuracy 1.75mm per 1M = 0.1° in standard position. Manufactured for Draper Tools by Kapro. Display packed.

Stock No.	Box Qty	Price each
44444	-	€2.95P

NEW

KAPRO



6 DBTL

250mm Cast Boat Levels

Horizontal and vertical vials, with precision milled base. Accuracy 1.0mm per 1M = 0.057° in standard position. Multiples of 12 levels only, supplied in countertop display. **Minimum order 12 or multiples thereof**

Stock No.	Box Qty	Price each
45868	12	€6.23P



SEE PRODUCT VIDEO
www.drapertools.com/drapertv

9 D440LL

KAPRO


78mm Line Level

Manufactured from impact resistant plastic, incorporating a pocket clip, line suspension hooks and V grooved ends. Can be used to check any surfaces including pipework. Accuracy 1.75mm per 1M = 0.1° in standard position. Manufactured for Draper Tools by Kapro. Display packed.

Stock No.	Box Qty	Price each
69562	-	€2.86P

BOX QUANTITY INFORMATION

FOR YOUR CONVENIENCE, WE RECOMMEND ORDERING IN BOX QUANTITY OR MULTIPLES OF BOX QUANTITY WHERE SHOWN. YOU CAN STILL ORDER IN ANY QUANTITY UNLESS SPECIFICALLY STATED OTHERWISE



1 ESGMT
Heavy Duty Soft Grip Measuring Tapes

Expert Plus Quality, in tough impact resistant satin chrome plated ABS case with soft grip, blade locking button and belt clip. Power return 25mm wide nylon coated blade has clear black and red graduations, metres into cm/mm and feet into inches, 1/8" and 1/16". Yellow wear resistant coating. Stud centre markings every 16". Self-aligning end hook for very accurate internal/external measurements. Display packed.

DAVE SAYS

These are extra high quality tapes with clearly marked metric and imperial graduations. The wide blades - 25mm for all lengths - which is unusual makes these tapes ideal for tradesmen who want a clear tape blade that is easy to see. Ruggedly built, these tapes will last many years in building and industrial environments.

QUALITY MAKES THE DIFFERENCE



DRAPER Expertplus


SEE PRODUCT VIDEO
www.drapertools.com/drapertv

Stock No.	Tape Length	Box Qty	Price each
32035	5M/16ft	6	€30.50D
32036	7.5M/25ft	6	€37.05D
32037	12M/40ft	6	€48.10D

2 EMTSS
Professional Measuring Tapes

Expert Quality, in stainless steel case with soft grip. Large positive blade locking button and belt clip. Power return nylon coated blade has clear black and red graduations, metres into cm/mm and feet into inches, 1/8" and 1/16". Yellow wear resistant coating. Stud centre markings every 16". Self-aligning double plated end hook for very accurate internal/external measurements. Display packed.

DRAPER Expert



Stock No.	Blade Length	Blade Width	Box Qty	Price each
36014	3M/10ft	19mm	6	€8.28D
36015	5M/16ft	19mm	6	€11.60D
36016	8M/26ft	25mm	6	€20.10D

3 EMTSGM
5M Metric Soft Grip Measuring Tape

Manufactured to EC Class II Accuracy

Expert Quality, in tough impact resistant satin chrome plated ABS case with soft grip, blade locking button and belt clip. Power return nylon coated blade has clear metric graduations. Self-aligning end hook for very accurate internal/external measurements. Display packed.

DRAPER Expert



Stock No.	Tape Width	Box Qty	Price each
69592	19mm	4	€12.20D

4 RT
Soft Grip Heavy Duty Trade Measuring Tapes

Metric scale manufactured to EC Class II accuracy

Expert Quality, tough impact resistant ABS case with rubber soft grip, blade locking button and belt clip. Power return nylon coated blade has clear black and red graduations, metres into cm/mm and feet into inches, 1/8" and 1/16". Yellow wear resistant coating. Stud centre markings every 16". Self-aligning end hook for very accurate internal/external measurements. Display packed.

DRAPER Expert



Stock No.	Tape Length	Tape Width	Box Qty	Price each
35946	5M/16ft	19mm	6	€10.58D
36001	8M/26ft	25mm	6	€18.65D
36002	10M/33ft	32mm	6	€24.28D

5 RTD/B
Soft Grip Heavy Duty Trade Measuring Tapes

Metric scale manufactured to EC Class II accuracy

Expert Quality, tough impact resistant ABS case with rubber soft grip, blade locking button and belt clip. Power return nylon coated blade has clear black and red graduations, metres into cm/mm and feet into inches, 1/8" and 1/16". Yellow wear resistant coating. Stud centre markings every 16". Self-aligning end hook for very accurate internal/external measurements. Display packed.

DRAPER Expert



Stock No.	Tape Length	Tape Width	Box Qty	Price each
33918	5M	19mm	-	€9.98D
33920	8M	25mm	-	€18.73D

PERSONALISED TAPE MEASURES

MAKE YOUR COMPANY STAND OUT FROM THE CROWD

Choose from two tape lengths and two designs. Item No. 3: 5M/16ft or 7.5M/25ft and item No. 5: 5M/16ft or 7.5M/25ft

Personalised Tape Measures are also available using 5M/16ft or 7.5M/25ft Draper DIY Series Soft Grip Measuring Tapes. See page 773 for tape details.

NOTE: Tapes can only be ordered via a special order form obtainable from the Draper Tools Sales Desk: Tel +44 (0) 23 8049 4333.

Delivery time usually six weeks from ordering date. Minimum order quantities apply.



'TRY ME' PACK



1 ALMT

Soft Grip Auto Lock Measuring Tapes

Tough impact resistant ABS case with soft grip, blade locking button and belt clip. Blade remains out when extended without use of locking button. Power return nylon coated blade has clear black and red graduations, metres into cm/mm and feet into inches, 1/8" and 1/16". Yellow wear resistant coating. Stud centre markings every 16". Self-aligning end hook for very accurate internal/external measurements. Display packed with 'Try Me' feature on pack.

Stock No.	Tape Length	Tape Width	Box Qty	Price each
30863	3M/10ft	13mm	6	€6.98D
30937	5M/16ft	19mm	6	€9.30D
30941	8M/28ft	25mm	6	€18.68D



3 EMTG

Soft Grip Measuring Tapes

Tough impact resistant ABS case with soft grip, blade locking button and belt clip. Hold and measure button allows user to lock tape for accurate measurements with button on base to control speed of return blade into tape. Power return nylon coated blade has clear black and red graduations, metres into cm/mm and feet into inches, 1/8" and 1/16". Yellow wear resistant coating. Stud centre markings every 16". Self-aligning end hook for very accurate internal/external measurements. Display packed.

Stock No.	Tape Length	Tape Width	Box Qty	Price each
75298	3M/10ft	16mm	6	€7.70D
75299	5M/16ft	19mm	6	€11.03D
75300	7.5M/25ft	25mm	4	€14.50D
75301	10M/33ft	32mm	4	€18.39D



5 EMTC

Easy Find Measuring Tapes

Brightly coloured plastic tape case with locking button and belt clip. Power return blade has clear graduations, metres into cm/mm and feet into inches, 1/8", 1/16" and 1/32". Yellow wear resistant coating. Stud centre markings every 16". Self-aligning end hook for accurate internal/external measurements. Random colours only. Sold loose.

Stock No.	Tape Length	Tape Width	Box Qty	Price each
75880	3M/10ft	13mm	12	€5.95D
75881	5M/16ft	19mm	12	€10.13D
75882	7.5M/25ft	25mm	12	€12.98D



2 EMTGM

10M/33ft Soft Grip Magnetic Measuring Tape

Tough impact resistant ABS case with soft grip, blade locking button and belt clip. Magnetic tip/hold and measure button allows user to lock tape for accurate measurements with button on base to control speed of return blade into tape. Power return nylon coated blade has clear black and red graduations, metres into cm/mm and feet into inches, 1/8" and 1/16". Yellow wear resistant coating. Stud centre markings every 16". Self-aligning end hook for very accurate internal/external measurements. Display packed.

Stock No.	Tape Width	Box Qty	Price each
79107	32mm	8	€19.08D



4 EMTGD

Soft Grip Measuring Tapes

Tough impact resistant ABS cases with soft grip, blade locking button and belt clip. Hold and measure button allows user to lock tape for accurate measurements with button on base to control speed of return blade into tape. Power return nylon coated blade has clear black and red graduations, metres into cm/mm and feet into inches, 1/8" and 1/16". Yellow wear resistant coating. Stud centre markings every 16". Self-aligning end hook for very accurate internal/external measurements. Multiples of 30 or 24 tapes only, supplied in countertop displays.

Minimum order 24 or 30 tapes or multiples thereof

Stock No.	Qty. per Disp.	Tape Length	Tape Width	Box Qty	Price each
75373	30	5M/16ft	19mm	30	€11.03D
75374	24	7.5M/25ft	25mm	24	€14.50D



6 EMTC/DB

Easy Find Measuring Tapes


Brightly coloured plastic tape cases with locking button and belt clip. Power return blade has clear graduations, metres into cm/mm and feet into inches, 1/8", 1/16" and 1/32". Yellow wear resistant coating. Stud centre markings every 16". Self-aligning end hook for accurate internal/external measurements. Packed 1/3 of each colour - orange, green and yellow per dispenser. Multiples of 30 tapes (3M/10ft and 5M/16ft) or 24 (7.5M/25ft) only, supplied in countertop displays.

Minimum order 24 or 30 or multiples thereof

Stock No.	Qty. per Disp.	Tape Length	Tape Width	Box Qty	Price each
75883	30	3M/10ft	16mm	30	€5.95D
75884	30	5M/16ft	19mm	30	€10.13D
75886	24	7.5M/25ft	25mm	24	€12.98D

BOX QUANTITY INFORMATION

FOR YOUR CONVENIENCE, WE RECOMMEND ORDERING IN BOX QUANTITY OR MULTIPLES OF BOX QUANTITY WHERE SHOWN. YOU CAN STILL ORDER IN ANY QUANTITY UNLESS SPECIFICALLY STATED OTHERWISE



DRAPER Expert 1 **150, 300, 600 & 1000mm**



1
Stainless Steel Rules
Expert Quality, precision rules manufactured from hardened stainless steel matt chrome plated. The clear black graduations of 0.5mm, mm, 0.5cm, cm and 1/64", 1/50", 1/32", 1/20", 1/16", 1/10", 1/2", and inches on the reverse are permanently etched for long service life. Packed into vinyl wallets. Display packed.


Stock Part No.	Marked Length	Box Qty	Price each
22670 SSR6B	150mm & 6"	-	€6.40D
22671 SSR12B	300mm & 12"	-	€15.95D
22672 SSR24B	600mm & 24"	-	€31.85D
22673 SSR36B	1000mm & 36"	-	€61.38D

2 D19
Aluminium Rules
 Extruded from 30mm wide anodized aluminium. Clearly graduated both sides mm/cm, inches, 1/8" and metric/imperial equivalents of length, area, volume and weight. Manufactured for Draper Tools by Kapro. Display packed.

Stock No.	Marked Length	Box Qty	Price each
52396	150mm & 6"	-	€5.13D
52191	300mm & 12"	-	€8.03D
52190	600mm & 24"	-	€11.05D
12749	1000mm & 39"	-	€16.38D

3 D26SS
600mm/24" Folding Steel Rule
 Double sided, single fold rule with permanently etched graduations of cm/mm and inches, 1/8", 1/16", 1/32" and 1/64". Display packed.


Stock No.	Rule Width	Box Qty	Price each
16142	18mm	-	€13.38D



150, 300mm

4
Steel Rules
 Double sided with hang hole. Permanently etched graduations of cm/mm and inches, 1/8", 1/16", 1/32" and 1/64". Display packed.

Stock No.	Part No.	Marked Length	Rule Width	Box Qty	Price each
59633	D17	150mm/6"	19mm	-	€3.93D
59641	D18	300mm/12"	30mm	-	€6.08D




IDEAL FOR SCALE DRAWING INTERPRETATIONS



PROFILE

5 TR300
300mm Aluminium Triangle Scale Rule
 Ideal for scale drawings interpretations. Scale graduations in 1:20, 1:25, 1:50, 1:75, 1:100 and 1:125. Packed into plastic sleeve.

Stock No.	Box Qty	Price each
26336	-	€5.75D




6 706
Plastic Folding Rule
 Manufactured from tough, impact resistant ABS plastic with clear graduations of cm/mm one side and 1/16"/inches on the other. Display packed.

Stock No.	Marked Length	Rule Width	Box Qty	Price each
12392	1000mm/39"	17mm	4	€12.63D




7 705M
Hardwood Rule
 Clear black graduations with solid brass hinges and tips. Graduated cm/mm one side, with 1/16", 1/8"/inches on reverse. Display packed.

Stock No.	Marked Length	Rule Width	Box Qty	Price each
36522	1M & 39"	15mm	-	€16.35D



8 CFCG6
Digital Caliper Gauge
 General purpose gauge with carbon fibre components fitted with metric/imperial digital LCD display. Can be used for internal and external measurements. Display packed.

Stock No.	Range	Box Qty	Price each
24816	150mm & 6"	10	€26.50D



9 4817P
Caliper Gauge
 General purpose with plastic body and metal spine. Can be used for internal, external and depth measurements. Metric/imperial graduations, cm/mm and 1/16"/inches. Display packed.

Stock No.	Range	Box Qty	Price each
18066	150mm & 6"	6	€4.75D









10
Caliper Gauges
 General purpose calipers with thumb wheel fine adjustment. Can be used for internal, external and depth measurements. Metric/imperial graduations, cm/mm and 1/16"/inches. Display packed.

Stock Part No.	Range	Box Qty	Price each
39493 4816	115mm & 4.1/2"	6	€12.25D
39500 4817	150mm & 6"	6	€14.75D

DIGITAL MULTIMETER QUICK REFERENCE TABLE

Item Nos. 1, 2 & 3 on this page and 1, 2 & 3 on page 367 show our quality range of digital multimeters.

Stock No. Part No.	52320 DMM7	60792 DMM1A	78993 DMM2B	78997 DMM6B	78998 DMM10B	78999 DMM11B
						
DC Voltage	•	•	•	•	•	•
AC Voltage	•	•	•	•	•	•
DC Current	•	•	•	•	•	•
AC Current				•	•	•
Resistance	•	•	•	•	•	•
Continuity				•	•	•
Buzzer	•	•	•	•	•	•
Diode Check	•	•	•	•	•	•
Positions: Rotary Function & Range Selector	16	20	20	13 manual/ autoranging	30	12 manual/ autoranging
Recessed input terminals	•	•	•	•	•	•
Stand		•	•	•	•	•
IEC 61010-1 Specification	•	•	•	•	•	•
Rubber bump cover	•	•	•	•		
Storage case/wallet						
Probe Set	•	•	•	•	•	•
Crocodile Clips	optional	optional	optional	optional	optional	optional
Additional Functions	9V Battery Test	Data hold. Transistor HFE test facility. Illuminated display.	Data hold. Battery test facility 1.5/9V. Illuminated display.	Data hold. Relative hold. Temperature. Frequency. Duty Cycle. Illuminated display. Auto power off.	Data hold. Temperature. Frequency. Illuminated display. Auto. power off.	Data hold. Relative hold. Temperature. Frequency. Duty Cycle. Test. Illuminated display. Auto. power off.
Battery	Supplied	Supplied	Supplied	Supplied	Supplied	Supplied
Range and Accuracy						
DC Voltage	200mV, 2000mV, 20V, 200V, 500V (acc: ± 0.5%)	200mV, 2000mV, 20V, 200V, 600V (acc: ± 0.8% @600V)	200mV, 2000mV, 20V, 200V, 600V (acc: ± 1% @600V)	400mV, 4V, 40V, 400V, 1000V (acc: ± 1.5% @1000V)	200mV, 2V, 20V, 200V, 1000V (acc: ± 0.8% @1000V)	400mV, 4V, 40V, 400V, 1000V (acc: ± 1.5% @1000V)
AC Voltage	200V, 500V, (acc: ± 2%)	200V, 600V (acc: ± 1.2%)	200V, 600V (acc: ± 1.2%)	400mV, 4V, 40V, 400V, 750V (acc: ± 2% @750V)	2V, 20V, 200V, 700V (acc: ± 2.5% @700V)	4V, 40V, 400V, 700V (acc: ± 2% @700V)
DC Current	2000 A, 20mA, 200mA (acc: ± 2%)	2000 A, 20mA, 200mA, 10A (acc: ± 3% @ 10A)	2000 A, 20mA, 200mA, 10A (acc: ± 3% @ 10A)	400 A, 4000 A, 40mA, 400mA, 10A (acc: ± 2.5% @10A)	2mA, 20mA, 200mA, 20A (acc: ± 2.5% @20A)	400 A, 4000 A, 40mA, 400mA, 4A, 20A (acc: ± 2.5% @20A)
AC Current				400 A, 4000 A, 40mA, 400mA, 10A (acc: ± 3% @10A)	2mA, 20mA, 200mA, 20A (acc: ± 3% @20A)	400 A, 4000 A, 40mA, 400mA, 4A, 20A (acc: ± 3% @20A)
Resistance	200Ω, 2000Ω, 20kΩ, 200kΩ, 2000kΩ (acc: ± 1.5%)	200Ω, 2000Ω, 20kΩ, 200kΩ, 2000kΩ (acc: ± 1% @2000kΩ)	200Ω, 2000Ω, 20kΩ, 200kΩ, 2000kΩ (acc: ± 1.2% @2000kΩ)	400Ω, 4kΩ, 40kΩ, 400kΩ, 4MΩ, 40MΩ (acc: ± 2% @40MΩ)	200Ω, 2kΩ, 20kΩ, 200kΩ, 2MΩ, 20MΩ (acc: ± 2% @20MΩ)	400Ω, 4kΩ, 40kΩ, 400kΩ, 4MΩ, 40MΩ (acc: ± 2% @40MΩ)
Capacitance				4nF, 40nF, 400nF, 4 F, 40 F, 200 F (acc: ± 5% @200 F)	2nF, 20nF, 200nF, 2 F, 200 F (acc: ± 4% @200 F)	40nF, 400nF, 4 F, 40 F, 100 F (acc: ± 5% @100 - F)
Size-mm (W - H - D)	55 x 112 x 40	68 x 140 x 45	75 x 155 x 46	75 x 155 x 45	92 x 195 x 38	92 x 195 x 38
Weight	70g	220g	442g	200g	380g	400g
Battery Type	1 x 12V (23A)	1 x 9V (PP3)	1 x 9V (PP3)	1 x 9V (PP3)	1 x 9V (PP3)	1 x 9V (PP3)



1 DMM7

Digital Multimeter

Specification shown in 'Digital Multimeters' Table or the meter's instruction manual. Display packed.

Stock No.	Description	Box Qty	Price each
52320	Multimeter	-	€27.10D
53549	Crocodile Clips	-	€5.75D
53548	Probe Set	-	€5.65D



2 DMM1A

Digital Multimeter

Specification shown in 'Digital Multimeters' Table or the meter's instruction manual. Display packed.

Stock No.	Description	Box Qty	Price each
60792	Multimeter	-	€32.93D
51348	Crocodile Clips	-	€6.30D
53551	Probe Set	-	€7.53D
61837	Battery (PP3)	12	€7.38D



3 DMM2B

Digital Multimeter

Specification shown in 'Digital Multimeters' Table or the meter's instruction manual. Display carton.

Stock No.	Description	Box Qty	Price each
78993	Multimeter	-	€53.05D
51348	Crocodile Clips	-	€6.30D
53551	Probe Set	-	€7.53D
61837	Battery (PP3)	12	€7.38D



1 DMM8B

Autoranging Digital Multimeter

Specification shown in 'Digital Multimeters' Table or the meter's instruction manual. Display carton.

Stock No.	Description	Box Qty	Price each
78997	Multimeter	-	€87.60D
51348	Crocodile Clips	-	€6.30D
53551	Probe Set	-	€7.53D
53552	Temperature Probe	-	€12.85D
61837	Battery (PP3)	12	€7.38D



2 DMM10B

Digital Multimeter

Expert Quality. Specification shown in 'Digital Multimeters' Table or the meter's instruction manual. Battery supplied - PP3 type. Display carton.

Stock No.	Description	Box Qty	Price each
78998	Multimeter	-	€106.43D
88813	Crocodile Clips	-	€4.63D
53551	Probe Set	-	€7.53D
53552	Temperature Probe	-	€12.85D
61837	Battery (PP3)	12	€7.38D



3 DMM11B

Autoranging Digital Multimeter

Expert Quality. specification shown in 'Digital Multimeters' Table or the meter's instruction manual. Display carton.

Stock No.	Description	Box Qty	Price each
78999	Multimeter	-	€114.98D
88813	Crocodile Clips	-	€4.63D
53551	Probe Set	-	€7.53D
53552	Temperature Probe	-	€12.85D
61837	Battery (PP3)	12	€7.38D

DIGITAL CLAMP METER QUICK REFERENCE TABLE

Item Nos. 4, 5, 6 & 7 on this page show our range of clamp meters.

Stock No. Part No.	79000 DMM8B	79002 DMM9B	34280 DCM2	04698 DCM1B
DC Voltage	•	•	•	•
AC Voltage	•	•	•	•
DC Current	•	•	•	•
AC Current	•	•	•	•
Resistance	•	•	•	•
Continuity	•	•	•	•
Buzzer	•	•	•	•
Diode Check	•	•	•	•
Positions: Rotary Function & Range Selector	8 manual/autoranging	8 manual/autoranging	6 manual/autoranging	17 manual/autoranging
Recessed input terminals	•	•	•	•
Stand	•	•	•	•
IEC 61010-1 Specification	•	•	•	•
Rubber bump cover	•	•	•	•
Storage case	•	•	•	•
Probe Set	•	•	•	•
Crocodile Clips	optional	optional	optional	optional
Additional Functions	Data hold. Max. hold. Auto. power off. Max. cable 29mmØ Illuminated display.	Data hold. Duty Cycle. Temperature. Frequency. Max. cable 35mmØ. Illuminated display.	Data hold. Duty Cycle. Temperature. Frequency. Insulation Tester. Max. cable 60mmØ.	Data hold. Duty Cycle. Temperature. Frequency. Insulation Tester. Max. cable 60mmØ.
Battery	Supplied	Supplied	Supplied	Supplied
Range and Accuracy				
DC Voltage	200mV, 2V, 20V, 200V, 600V (acc: ± 1.5% @ 600V)	400mV, 4V, 40V, 400V, 600V (acc: ± 2% @ 600V)	400mV, 4V, 40V, 400V, 600V (acc: ± 2% @ 600V)	200mV, 2V, 20V, 200V, 1000V (acc: ± 1.5% @ 1000V)
AC Voltage	200mV, 2V, 20V, 200V, 600V (acc: ± 2% @ 600V)	400mV, 4V, 40V, 400V, 600V (acc: ± 2.5% @ 600V)	400mV, 4V, 40V, 400V, 600V (acc: ± 2.5% @ 600V)	200V, 750V (acc: ± 2.0% @ 750V)
DC Current			6A, 60A, 600A (acc: ± 3% @ 600A)	
AC Current	2A, 20A, 200A, 400A (acc: ± 3% @ 400A)	40A, 400A, 1000A (acc: ± 3% @ 1000A)	6A, 60A, 600A (acc: ± 3% @ 600A)	20A, 200A, 1000A (acc: ± 2.5% @ 800A)
Resistance	200Ω, 2kΩ, 20kΩ, 200kΩ, 2MΩ, 20MΩ (acc: ± 3% @ 20MΩ)	400Ω, 4kΩ, 40kΩ, 400kΩ, 4MΩ, 40MΩ (acc: ± 3.5% @ 40MΩ)	400Ω, 4kΩ, 40kΩ, 400kΩ, 4MΩ, 40MΩ (acc: ± 3.5% @ 40MΩ)	200Ω, 20kΩ, 2MΩ (acc: ± 1.5% @ 2MΩ)
Capacitance		40nF, 400nF, 4 F, 40 F, 100 F (acc: ± 5% @ 100 F)		
Size-mm (W - H - D)	50 x 200 x 35	80 x 229 x 49	80 x 229 x 49	100 x 237 x 45
Weight	200g	303g	280g	310g
Battery Type	2 x 1.5V (AAA)	1 x 9V (PP3)	1 x 9V (PP3)	1 x 9V (PP3)



4 DMM8B

Autoranging Digital Clamp Meter

Expert Quality. for specification see table (left). Display carton.

Stock No.	Description	Box Qty	Price each
79000	Clamp Meter	-	€87.58D
51348	Crocodile Clips	-	€6.30D
53551	Probe Set	-	€7.53D
61833	Batteries (4 x AAA)	-	€4.38D



5 DMM9B

Autoranging Digital Clamp Meter

Expert Quality. for specification see table (left). Display carton.

Stock No.	Description	Box Qty	Price each
79002	Clamp Meter	-	€137.98D
51348	Crocodile Clips	-	€6.30D
53551	Probe Set	-	€7.53D
53552	Temperature Probe	-	€12.85D
61837	Battery (PP3)	12	€7.38D



6 DCM2

Autoranging Digital Clamp Meter

Expert Quality. for specification see table (left). Display carton.

Stock No.	Description	Box Qty	Price each
34280	Clamp Meter	-	€169.98D
61837	Battery (PP3)	12	€7.38D



7 DCM1B

Autoranging Digital Clamp Meter

For specification see table (left). Display carton.

Stock No.	Description	Box Qty	Price each
04698	Clamp Meter	-	€35.20D
61837	Battery (PP3)	12	€7.38D



1 AMM1

Pocket Analogue Multimeter

IEC61010 Specifications

Handy pocket analogue multimeter for use in electrical and automotive applications. A crocodile clip probe set is available - see entry below. Display packed.

Features: • Measures AC and DC Voltage • Measures DC current • Measures resistance • 16 position rotary function and range selector • Recessed input terminals • Test probes and lead included • Battery check facility

Specification:

DC voltage	... 2.5, 10, 50, 250, 500V (acc. ±5% of full scale)
AC voltage	... 10, 50, 250, 500V (acc. ±5% of full scale)
DC current	... 500µA, 10mA, 250mA (acc. ±5% of full scale)
Resistance - ohms	... x10, x1K (acc. ±5%)
Size	... 64 x 100 x 35mm
Battery	... 1 x AA (not supplied)

Stock No.	Description	Box Qty	Price each
37317	Multimeter	2	€18.73D
51346	Crocodile Clips	-	€5.60D
37470	Probe Set	-	€4.45D
61834	Batteries (4 x AA)	-	€4.38D

BATTERY, BULB, FUSE & CONTINUITY TESTER



4 BBFC1

Battery, Bulb, Fuse and Continuity Tester

Multi-purpose tester for dry cell 1.5V batteries (AAA, AA, C, D and button-type), 9V batteries (PP3 /6LR61), household and automotive fuses, bulbs (with bayonet fitting and push/screw type torch light bulbs). Readings show up on clear scale. There is also an audible continuity tester via test probes supplied. Size 70 x 145mm. Runs off 1 x 9V PP3/6LR61 battery (supplied). Display packed.

Stock No.	Description	Box Qty	Price each
57574	Tester	4	€22.00D
61837	Battery (PP3)	12	€7.38D



NEW

2 VT2

AC/DC Voltage Tester

Twin LED indicators identify voltage between 12-600V. Suitable for testing a host of wiring around the home or workplace, vehicle circuitry and electronic equipment etc. Probes fitted to 825mm of VDE approved cable. Display packed.

Stock No.	Box Qty	Price each
51957	-	€21.23D



3 BT1

Battery Tester

Handy battery tester suitable for AAA, AA, C, D, PP3 and 3R12 size batteries. Size 52 x 55 x 22mm. Display packed.

Stock No.	Box Qty	Price each
72090	-	€6.15D



5 ST-1

DRAPER Expert

13A Socket Tester

Expert Quality, for testing 13A sockets and RCD's rated less than 30mA. Detects the following electrical faults on sockets: true earth error (through LCD); no earth; L and N reverse; L and E reverse; E live; E open; N open and L open. Display packed.

Stock No.	Box Qty	Price each
22278	-	€27.28D

NEW



6 ST-2

13A Socket Tester

For testing 13A sockets for the following faults: no Earth; L and N reverse; L and E reverse; Neutral fault and Live fault. Display packed.

Stock No.	Box Qty	Price each
34279	-	€18.73D

NEW



7 LT-1

LAN Tester

Automatically runs tests for continuity, open, shorted and crossed wire pairs on Local Area Networks (LAN). Supplied with master and remote units enabling cable testing in situ and from distance with LED indicators showing malfunctions. Can be used on RJ11 and RJ45 cables. Uses PP3 battery (sold separately). Display packed.

Stock No.	Description	Box Qty	Price each
31907	Tester	10	€13.73D
61837	Battery (PP3)	12	€7.38D

DAVE SAYS



QUALITY MAKES THE DIFFERENCE

DAVE SAYS

Screwdriver type testers contain an indicator in the handle which lights up when the point is touched on voltages between 220-250V and a finger or thumb is placed on the end of the tester to create a circuit. Non-contact voltage detectors work by sensing the fluctuations in the electric field which surround AC charged objects. This means no contact with the circuit is ever needed giving the user extra safety.



DRAPER Expert

1

VDE Approved Euro Mains Testers

Tested and approved to GS and VDE Specifications **Expert Quality**, fully insulated one piece moulding manufactured to the latest European Specifications for complete safety including anti-slip guard and pocket clip. Neon indicator will show current present in the range 125 - 250V. Supplied with 13A safety gate tool which allows testing without removing socket from wall. Display packed.

Stock No.	Part No.	Overall Length	Blade Tip	Box Qty	Price each
57659	EMT1	150mm	3.5mm	6	€3.53D
57660	EMT2	190mm	3.5mm	6	€4.30D



4 PDT

Punch Down Tool

For telephone and computer network installation and maintenance. Terminates wire and cuts off excess. Suitable for all CW1308 telecom cable. Cable locking, insertion blades and cable shears included. Display packed.

Stock No.	Box Qty	Price each
40417	10	€11.28D




7 MT2

Digital Multi-Function Tester

Multi-functional tester with plain slot blade that allows the checking of wiring without dismantling or having any contact with live parts. Applications include 'break point' in wiring, continuity testing, bulb and fuse testing, microwave leakage, socket testing and testing for static. Fully insulated. Full instructional leaflet supplied. Supplied with 2 x 1.5V alkaline batteries. Display packed.

Stock No.	Overall Length	Blade Tip	Box Qty	Price each
66201	182mm	3.5mm	12	€10.98D



2 4171

105mm Mains Tester

Tested and approved to GS Specifications Quality tester with plain slot blade, one piece moulded insulated blade sheath and transparent plastic handle for maximum safety. Without pocket clip. Testing range 220-250V. Supplied with 13A safety gate tool which allows testing without removing socket from wall. Display packed.

Stock No.	Blade Tip	Box Qty	Price each
30493	4mm	6	€3.93D




5 VS2

Non Contact Voltage Sensor

Useful tool for detecting live circuits, location of breaks in cabling, fault finding and low voltage. Adjustable sensitivity. Voltage range 5-1000V. Audio/visual signal indicates voltages present. Powered by 4 x LR44 batteries (supplied). Full instructional leaflet included. Display packed.

Stock No.	Box Qty	Price each
71389	-	€20.50D

NEW




8 VS4

DRAPER Expert

Cat III 1000V Non Contact Voltage Tester

Expert Quality, non contact voltage tester with integrated inspection lamp. Suitable for identifying live wires, broken wires and fault finding. Sensitive voltage detection between the range of 100-600V. Fitted with inspection light on one end and audible/visual indicators. Powered by 2 x AAA batteries (supplied). Display packed.

Stock No.	Box Qty	Price each
34278	-	€18.73D




3 3022

63mm Mains Tester

Tested and approved to GS Specifications Quality tester with plain slot blade, one piece moulded insulated blade sheath and transparent plastic handle for maximum safety. With pocket clip. Testing range 220-250V. Supplied with 13A safety gate tool which allows testing without removing socket from wall. Display packed.

Stock No.	Blade Length	Blade Tip	Box Qty	Price each
11895	63mm	3mm	6	€2.40D



6 MT1

Multi-Tester

Multi-functional tester with plain slot blade that allows the checking of wiring without dismantling or having any contact with live parts. Applications include 'break point' in wiring, continuity testing, bulb and fuse testing, microwave leakage, socket testing and testing for static. Fully insulated. Full instructional leaflet supplied. Display packed.

Stock No.	Blade Length	Blade Tip	Box Qty	Price each
54850	45mm	4mm	12	€7.48D

NEW



9 VS3

Cat III 600V Non Contact Voltage Tester

Non contact voltage tester. Suitable for identifying live wires, broken wires and fault finding. Voltage detection between the range of 200-600V. Powered by 2 x AAA batteries (sold separately). Display packed.

Stock No.	Box Qty	Price each
34277	10	€8.73D

BOX QUANTITY INFORMATION

FOR YOUR CONVENIENCE, WE RECOMMEND ORDERING IN BOX QUANTITY OR MULTIPLES OF BOX QUANTITY WHERE SHOWN. YOU CAN STILL ORDER IN ANY QUANTITY UNLESS SPECIFICALLY STATED OTHERWISE

VERNIER AND DIAL CALIPERS

DAVE SAYS

All our Draper Expert vernier calipers are fully tested by the manufacturer to ensure high levels of accuracy and quality of materials used.

If you specify a Draper vernier caliper you know it's the best!

DAVE SAYS

QUALITY MAKES THE DIFFERENCE



DRAPER Expert

1 PDVC150M

Dual Reading Digital Vernier Caliper

Expert Quality, metal-bodied manufactured from brushed stainless steel. Extra large display reading 0.01mm and 0.005". Range 0-150mm/6". Supplied with SR44 battery. Display packed in plastic storage case.

Stock No.	Description	Box Qty	Price each
46610	Vernier Caliper	-	€58.08D
55361	Spare SR44 Battery	-	€4.38D




DRAPER Expert

2 PVC150D

Dual Reading Digital Vernier Caliper

Expert Quality, manufactured from hardened stainless steel. Extra large display reading 0.01mm and 0.005". Range 0-150mm/6". Supplied with SR44 battery. Display packed in plastic storage case.

Stock No.	Description	Box Qty	Price each
52427	Vernier Caliper	-	€129.60D
55361	Spare SR44 Battery	-	€4.38D




DRAPER Expert

3 PDV150

Metric Dial Caliper

Expert Quality, manufactured from hardened stainless steel. Slider displacements are amplified by a rack and pinion mechanism and indicated on the dial. Four way measurement: internal, external, depth and step. Reading 0.02mm. Slider has lockscrew function. Display packed in plastic storage case.

Stock No.	Range	Box Qty	Price each
52417	0-150mm	-	€77.70D




DRAPER Expert

4 PVC150

Vernier Caliper

Expert Quality, manufactured from hardened stainless steel. Reading 0.02mm and 1/1000". Four way measurement: internal, external, depth and step. Satin chrome plated beam with raised edges and thumblock. Display packed in plastic storage case.

Stock No.	Range	Box Qty	Price each
50590	0 -150mm/6"	-	€59.20D



DRAPER Expert

5

Vernier Calipers

Expert Quality, manufactured from hardened stainless steel. Reading 0.02mm/1/1000". Four way measurement: internal, external, depth and step. Satin scales with fine adjustment. Fine screw adjustment. Display packed in plastic storage case.

Stock No.	Part No.	Range	Box Qty	Price each
50605	PVC140F	0-140mm/5.1/2"	-	€51.58D
52379	PVC200F	0-200mm/8"	-	€62.25D



DRAPER Expert

6 PTGS

6 piece Telescopic Gauge Set

Expert Quality, for measuring of bore diameter and groove width. The spring-loaded plunger expands within the hole. Knurled locking screw allows plunger contacts to be held in position, removed and measured with a micrometer. Satin chrome finish. Supplied in PVC storage wallet with ranges marked.

Contents:

- Gauge range: 8-13mm (5/16 - 1/2") Length: 115mm
- Gauge range: 13-19mm (1/2 - 3/4") Length: 115mm
- Gauge range: 19-31mm (3/4 - 1.1/4") Length: 115mm
- Gauge range: 31-54mm (1.1/4 - 2.1/8") Length: 145mm
- Gauge range: 54-89mm (2.1/8 - 3.1/2") Length: 145mm
- Gauge range: 89-150mm (3.1/2 - 6") Length: 145mm

Stock No.	Box Qty	Price per set
52416	-	€53.65D

MEASURING & GAUGE SETS



7 BG50/160

50-160mm Bore Gauge Set

Expert Quality, accurately measures bores, detect tapers or ovality. 0.01mm accuracy. Display packed in storage case. Contents:

- 3mm travel dial test indicator • 55mm extension bar
- 4 spacer rings size: 0.5, 1.0, 2.0 and 3.0mm
- 12 measuring rods size: 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100 and 105mm

Stock No.	Box Qty	Price per set
02753	-	€156.78D

DRAPER Expert



1 DEM

DRAPER Expert

Dual Reading Digital External Micrometers

Expert Quality, with enamelled frame, heat plates, satin chrome thimble and sleeve. Carbide tipped measuring anvils, lock and ratchet stop. Graduations 0.001mm and 0.0005". Ball end cap for measuring curved surfaces. Supplied with SR44 battery. Display packed in plastic storage case.

Stock No.	Description	Box Qty	Price each
46599	M/meter 0-25mm-0-1"	-	€179.95D
46600	M/meter 25-50mm-1-2"	-	€187.48D
55361	Spare SR44 Battery	-	€4.38D



2 PEM

DRAPER Expert

Metric External Micrometers

Expert Quality, with enamelled frame, heat plates, satin chrome thimble and sleeve. Graduations 0.01mm. Carbide tipped anvils, lock and ratchet stop. Supplied in plastic storage case and display packed.

Stock No.	Range	Box Qty	Price each
46603	0-25mm	-	€36.93D
46604	25-50mm	-	€38.55D
46605	50-75mm	-	€42.75D
46606	75-100mm	-	€46.85D



3 PEM/4

4 piece Metric External Micrometer Set

Expert Quality, with enamelled frames, heat plates, satin chrome thimble and sleeve. Graduations 0.01mm. Carbide tipped anvils, lock and ratchet stop. Supplied in plastic storage case and display packed.

Contents:
one each of range; 0-25; 25-50; 50-75 and 75-100mm

Stock No.	Box Qty	Price per set
46607	-	€162.48D

DRAPER Expert



4 PDDG

DRAPER Expert

Dual Reading Digital Dial Test Indicator

Expert Quality, dial diameter 55mm with mounting lug. 0-25mm/0-1" travel. Uses CR2032 battery (supplied). Display packed in plastic storage case.

Stock No.	Graduations	Box Qty	Price each
46608	0.01mm/0.005"	-	€107.08D
12282	Spare CR2032 Battery	-	€2.38D



5 PDG

DRAPER Expert

Dial Test Indicators

Expert Quality, reading 0-50. Dial diameter 55mm. Display carton.

Stock No.	Scale	Graduations	Range	Box Qty	Price each
51830	Metric	0.01mm	0-10mm	-	€51.60D
51831	Imperial	0.005"	0-0.1"	-	€59.43D



6 PDG05M

DRAPER Expert

Metric Dial Test Indicator

Expert Quality, reading 0-100 in metric graduations. Range 0-5mm. Dial diameter 41mm. Display carton.

Stock No.	Graduations	Box Qty	Price each
51855	0.01mm	-	€59.38D

7 MS-6

6 piece Measuring Set

Useful set of precision measuring instruments. Display carton.

Contents:

- spring divider
- outside caliper
- inside spring caliper
- depth gauge
- slide rule
- sliding caliper

Stock No.	Box Qty	Price per set
59110	-	€39.63D





DRAPER Expert

1 PDGS

Metric Dial Test Indicator Kit

Expert Quality, ideal all-round kit for engineers and apprentices. Dial test indicators accuracy 0.01mm. Packed in blow mould case with display sleeve.

Contents: • Metric dial test indicator (0-25mm) with plunger • Metric dial test indicator (0-1.5mm) with stylus • Magnetic stand with fine adjustment • 22 interchangeable tips for dial test indicator with plunger • 6mm and 8mm stylus' for dial test indicator clamp

Stock No.	Box Qty	Price per kit
46609	-	€166.03D



2 MB-LDB

Magnetic Stand

For use with dial gauges, etc. Powerful magnetic base with on/off switch. Precision ground surface. Display carton.

Stock No.	Box Qty	Price each
45276	-	€57.30D




3 MB-LDFAB

Magnetic Stand with Fine Adjustment

For use with dial gauges etc. Powerful magnetic base with on/off switch. Fine adjustment screw for quick and accurate settings. Precision ground surface. Display carton.

Stock No.	Box Qty	Price each
45277	-	€59.55D



4 D62

150mm Spring Dividers

Fine ground with adjustment by knurled wheel. Display packed.

Stock No.	Box Qty	Price each
34196	-	€11.95D



5 D61

150mm Outside Spring Calipers

Fine ground with adjustment by knurled wheel. Display packed.

Stock No.	Box Qty	Price each
34237	-	€11.95D



6 D60

150mm Inside Spring Calipers

Fine ground with adjustment by knurled wheel. Display packed.

Stock No.	Box Qty	Price each
39451	-	€11.95D




7 401B

20 Blade Metric Screwpitch Gauge Set

Folding leaves, individually stamped with accurately formed thread profiles. 20 blades ranging from 0.4, 0.45, 0.5, 0.6, 0.7, 0.75, 0.8, 1.0, 1.25, 1.5, 1.75, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0mm. Sold loose.

Stock No.	Box Qty	Price per set
51070	-	€8.13D



8 407B

28 Blade UNC-UNF Screwpitch Gauge Set

Folding leaves, individually stamped with accurately formed thread profiles. American National Thread UNC-UNF, in the range 4-62TPI. Sold loose.

Stock No.	Box Qty	Price per set
51071	-	€9.68D



9 553B

52 Blade BSW/Metric Screwpitch Gauge Set

Folding leaves, individually stamped with accurately formed thread profiles. Ranges 4-62BSW and 0.25-6.0mm. Sold loose.

Stock No.	Box Qty	Price per set
51072	-	€13.28D

PAUL SAYS

PRECISION ENGINEERS SQUARES (Stock Nos. 34049 & 34065) - Two of the few Engineers Squares that conform to BS939, workshop grade B for squareness. This guarantees the solid steel stock will never be more or less than $\pm 0.016\text{mm}$ from square. To all intents and purposes... that's square!



QUALITY ASSURANCE MAKES THE DIFFERENCE




1

Engineers Precision Squares

Manufactured to BS 939 Workshop Grade B for squareness tolerance only

Solid steel stocks with hardened, tempered and finely polished blades. The squareness of the blade edges and the stock working face falls within $\pm 0.016\text{mm}/0.0064''$ tolerance. Display packed.

Stock No.	Size	Box Qty	Price each
34049	100mm	-	€24.23D
34065	150mm	-	€34.00D




2

7324

200mm Engineers Scriber

Double ended hardened scriber with straight and 90° hardened points. Display packed.

Stock No.	Box Qty	Price each
34099	-	€8.15D



3

7325

125mm Engineers Pocket Scriber

Reversible scriber point. Body fitted with pocket clip. Display packed.

Stock No.	Box Qty	Price each
34104	5	€8.48D



4

PCS

150mm Carbide Tip Pocket Scriber

Plated steel body with carbide tip and pocket clip. For marking on hard and soft materials including steel and ceramics. Display packed.

Stock No.	Box Qty	Price each
37349	5	€7.20D

DRAPER Expert

5 PBPS



Universal Bevel Protractor Set

Expert Quality, for accurate angle measurement of machines, moulds and jigs. Can also be used for assembling and machining. Fully calibrated to 360° with magnifying glass. Supplied with 300mm plain rule and acute angle attachment. Display packed in hinged plastic case.

Stock No.	Box Qty	Price per set
52430	-	€89.38D



6 PDG



Protractor with Depth Gauge

Graduated 0-180° with depth gauge 0-150mm. Display packed.

Stock No.	Box Qty	Price each
37342	2	€28.70D

7

DRAPER Expert

Stainless Steel Rules

Expert Quality, precision rules manufactured from hardened stainless steel matt chrome plated. The clear black graduations of 0.5mm, mm, 0.5cm, cm and 1/64", 1/50", 1/32", 1/20", 1/16", 1/10", 1/2", and inches on the reverse are permanently etched for long service life. Packed into vinyl wallets.

Stock No.	Part No.	Marked Length	Box Qty	Price each
22670	SSR6B	150mm & 6"	-	€6.40D
22671	SSR12B	300mm & 12"	-	€15.95D
22672	SSR24B	600mm & 24"	-	€31.85D
22673	SSR36B	1000mm & 36"	-	€61.38D

8

Steel Rules

Double sided with hang hole. Permanently etched graduations of cm/mm and inches, 1/8", 1/16", 1/32" and 1/64". Display packed.

Stock No.	Part No.	Marked Length	Rule Width	Box Qty	Price each
59633	D17	150mm/6"	19mm	-	€3.93D
59641	D18	300mm/12"	30mm	-	€6.08D

BOX QUANTITY INFORMATION

FOR YOUR CONVENIENCE, WE RECOMMEND ORDERING IN BOX QUANTITY OR MULTIPLES OF BOX QUANTITY WHERE SHOWN. YOU CAN STILL ORDER IN ANY QUANTITY UNLESS SPECIFICALLY STATED OTHERWISE