




INNOVATION FROM DENMARK


2015




Pricelist

LINE LIGHT - INSPECTION HAND LAMPS				Main light / Spotlight				
				LED	Lux@0.5m	Lumen	Beam angle	Operating time
	LINE LIGHT R Rechargeable inspection hand lamp in base. With top light incl. clip holder with hook and magnet	03.5237	5708997352373	36 X SMD LED / 1 X CREE XP-G2	600/800 lux	220/80 lumen	75° /50°	4h/6h
	LINE LIGHT C+R Inspection hand lamp with DUAL SYSTEM and top light. Incl. clip holder with hook and magnet	03.5238	5708997352380	36 X SMD LED / 1 X CREE XP-G2	600/800 lux	220/80 lumen	75° /50°	4h/6h




LINE LIGHT - BONNET LIGHT				LED	Lux@0.5m	Lumen	Beam angle	Operating time
	LINE LIGHT Bonnet light C+R Bonnet light with DUAL SYSTEM incl. telescopic holder and cable	03.5206	5708997352069	120 X SMD LED	900 lux	700 lumen	75°	1h



CCT Kelvin	CRI	IK	Battery	Charging time	Operating voltage	IP	Temperature	Measurements	Weight	€	DKK	
6000K	Ra > 80	IK07	7.4V 1400 mAh Li-ion	4h	Charger input: 100-240V AC 50/60Hz Output 10VDC/ 0,5A	IP54	-10° to +40°C	ø25x488mm	270 g	99,90	699,90	1
6000K	Ra > 80	IK07	7,4V 1400mAh Li-ion	4 h	5 m cable (2X 1mm² H05RN-F) Charger input: 100-240V AC 50/60Hz Output: 8,4V DC/ 750mA	IP54	-10° to +40°C	ø25x488mm	270 g	99,90	699,90	1



CCT Kelvin	CRI	IK	Battery	Charging time	Operating voltage	IP	Temperature	Measurements	Weight	€	DKK	
6000K	Ra > 80	IK07	7,4V 1400mAh Li-ion	4 h	5 m cable (2X 1mm² H05RN-F) Charger input: 100-240V AC 50/60Hz Output: 8,4V DC/ 1400mA	IP54	-10° to +40°C	ø25x1042 mm	490 g	149,90	899,90	1



LINE LIGHT

For automotive lifts and / or universal application



8 708869 268




LED



Lux@0.5m

Lumen

A+


LINE LIGHT 1

 Complete lighting unit
incl. 20W power supply
unit and suspensions

03.5203

5708997352038

 216
SMD LED
•
14W

1000 lux

1100 lumen

A+


LINE LIGHT 2

 Complete lighting units
incl. 20W power supply
unit and suspensions


03.5202

5708997352021

 2 x 156
SMD LED
•
2 x 10W

2 x 1000 lux

 2 x 800
lumen

A+


LINE LIGHT 2-POST

 Lighting solution for
2-post lifts and mobile
column lifts, with 20W
power supply and 8m
cable. Incl magnetic
flexible suspensions.

03.5225

5708997352250

 2 x 96
SMD LED
•
2 x 6W

2 x 800lux

 2 x 490
lumen

A+


LINE LIGHT 4

 Complete lighting units
incl. 60W power supply
unit, 8m cable and
suspensions

03.5201

5708997352014

 4 x 216
SMD LED
•
4 x 14W

4 x 1000 lux

 4 x 1100
lumen

A+


LINE LIGHT 6

 Complete lighting units
incl. 2 pcs
60W power supply units,
8m cable
and suspensions

03.5200

5708997352007

 6 x 216
SMD LED
•
6 x 14W

6 x 1000 lux

 6 x 1100
lumen

 CCT Kelvin	 CRI	 IK	 Beam angle	 Operating voltage	 IP	 Temperature	 Measurements	 Weight		 DKK	
6000K	Ra > 80	IK07	75°	24V DC	IP67	-10 to +40°C	ø25x1630mm	1.5 kg	239.90	1399,90	1
6000K	Ra > 80	IK07	75°	24V DC	IP67	-10 to +40°C	2 x ø25x1234mm	2.2 kg	389.90	2299,90	1
6000K	Ra > 80	IK07	75°	24V DC	IP67	-10 to +40°C	ø25x770mm	3.4 kg	359.90	2499,90	1
6000K	Ra > 80	IK07	75°	24V DC	IP67	-10 to +40°C	4 x ø25x1630mm	4.65 kg	899.90	4999,90	1
6000K	Ra > 80	IK07	75°	24V DC	IP67	-10 to +40°C	6 x ø25x1630mm	8 kg	1399.90	7999,90	1

LINE LIGHT - DESIGN YOURSELF

Combine LIGHTING UNITS with POWER SUPPLY/CABLE and SUSPENSIONS



8 708869 268 1



LED



Lux@0.5m



Lumen



CCT Kelvin


LIGHTING UNITS

	A⁺	LINE LIGHT 75	03.5221	5708997352212	96 SMD LED • 6W	800 lux	490 lumen	6000K
	A⁺	LINE LIGHT 120	03.5222	5708997352229	156 SMD LED • 10W	1000 lux	800 lumen	6000K
	A⁺	LINE LIGHT 160	03.5223	5708997352236	216 SMD LED • 14W	1000 lux	1100 lumen	6000K
	A⁺	LINE LIGHT 200	03.5224	5708997352243	276 SMD LED • 18W	1000 lux	1400 lumen	6000K

POWER SUPPLY/CABLE

2m cable  5m cable 	20W power supply unit	03.5211	5708997352113				
2m cable  5m cable 	60W power supply unit	03.5210	5708997352106				
 5m cable	20W PLUG IN power supply	03.5212	5708997352120				
	POWER CABLE - 8m	03.5215	5708997352151				

SUSPENSIONS





	CLIP - 1 pc. - incl. fittings for suspension	03.5214	5708997352144				
	MAGNET - 1 neodymium magnet for clip - ø60mm. Ex. fittings and clip	03.5216	5708997352168				
	CLIP WITH HOOK AND MAGNET - Adjustable hook for flexible position	03.5217	5708997352175				
	FLEXIBLE ARM WITH SUCTION CUP - 20 cm flexible arm with clip holder and suction cup	03.5219	5708997352199				
	FLEXIBLE ARM WITH MAGNET - 20 cm flexible arm with clip holder and neodymium magnet - ø60mm	03.5218	5708997352182				
	FLEXIBLE MAGNET SUSPENSION - Ball socket joint with strong magnet for suspension for LINE LIGHT 2 - POST	03.5257	5708997352571				
	MAGNET With small clip - ø30mm	03.5246	5708997352465				
	CLIP Small metal clip	03.5213	5708997352137				

											
CRI	IK	Beam angle	Operating voltage	Outlet	IP	Temperature	Measurements	Weight			

Ra > 80	IK07	75°	24V DC		IP67	-10 to +40°C	ø25x 838mm	500 g	109.90	649,90	1
Ra > 80	IK07	75°	24V DC		IP67	-10 to +40°C	ø25x 1234mm	600 g	189.90	1099,90	1
Ra > 80	IK07	75°	24V DC		IP67	-10 to +40°C	ø25x 1630mm	700 g	219.90	1199,90	1
Ra > 80	IK07	75°	24V DC		IP67	-10 to +40°C	ø25x 2027mm	800 g	259.90	1449,90	1

			230V AC/50Hz 2m (2x1 mm²H05RN-F) with standard European plug	24V DC/20W 5m H03VV-F, 2x0,5mm²)	IP67	-10 to +40°C	180x28x 20mm	700 g	29.90	199,90	1
			230V AC/50Hz 2m (2x1 mm²H05RN-F) with standard European plug	24V DC/60W 5m (H03VV-F, 2x0,5mm²)	IP67	-10 to +40°C	175x68x 43mm	1.3 kg	49.90	299,90	1
			100-240V AC 50/60Hz	24V DC/ 800mA 5m (2x1m² H05RN-F)	IP44	-10 to +40°C	10x70x 44mm	80 g	25.90	154,90	1
							8m	400 g	7.90	44,90	1

							35x107x 28mm	100 g	6.25	35,90	1
							ø60 x 7mm	100 g	21.90	124,90	1
							45x45x 135mm	42 g	7.90	39,90	1
							ø65x 270mm	87 g	24.90	179,90	1
							ø60x 281mm	167 g	29.90	199,90	1
							ø60x 100mm	135 g	39.90	249,90	1
							ø30x 38mm	24 g	14.90	82,90	1
							10x25x 33mm	10 g	3.90	21,90	1


				Main light / Spotlight						
Item										
	UNIFORM Sturdy rechargeable COB LED work light	03.5070	5708997350706	COB LED	250/450 lux step 1/step 2	100/200 lumen step 1/step 2	6h/3h step 1/ step 2	6000K	Ra > 70	
	MIDIFORM Rechargeable COB LED work light with top flashlight	03.5421	5708997354216	COB LED/ High power	100/340 lux	150/75 lumen	3h/3h	6000K	Ra > 80	
	MINIFORM Ultra slim pocket sized rechargeable COB LED work light	03.5060	5708997350607	COB LED	130/260 lux step 1/step 2	55/110 lumen step 1/step 2	5h/2.5h step 1/ step 2	6000K	Ra > 70	
	UNIPEN Rechargeable pencil work light with COB LED and top flashlight	03.5420	5708997354209	COB LED/ High power	100/340 lux	80/50 lumen	2.5h/2.5h	6000K	Ra > 80	
	FLASH PEN LED pencil flashlight with focus	03.5110	5708997351109	CREE XP-G	300-4000 lux	100 lumen	6h	6000K	Ra > 70	1m
	FLASH 100 LED flashlight with focus and belt pouch	03.5105	5708997351055	CREE XP-G	800-12000 lux	130 lumen	7h	6000K	Ra > 70	1m
	FLASH 200 LED flashlight with focus and belt pouch	03.5106	5708997351062	CREE XP-G	800-22000 lux	200 lumen	3h	6000K	Ra > 70	1m
	FLASH 300 LED flashlight with focus and belt pouch	03.5107	5708997351079	CREE XP-G	1200-35000 lux	300 lumen	9h	6000K	Ra > 70	1m
	FLASH R Rechargeable LED flashlight with focus	03.5114	5708997351147	CREE XP-G2	900-15000/ 1800-30000 lux step 1/ step 2	150 /300 lumen step 1/ step 2	4h/ 2h step 1/ step 2	6000K	Ra > 70	1m

 Beam angle	 Battery	 Charging time	 Operating voltage	 IP	 Temperature	 Measurements	 Weight			
	3.7 V/ 2200 mAh Li-ion	4 h	Charger input: 100-240V AC 50/60Hz Output: 5V DC 1 A	IP65	-10°to +40°C	38x190x 63 mm	280 g	79.90	499,90	24 • 12 pcs in display
	3.7V/ 1600mAh Li-ion	3 h	Charger input: 100- 240V AC 50/60Hz Output: 5V DC 1A	IP20	-10°to +40°C	31x157x 59mm	160 g	59.90	399,90	24 • 12 pcs in display
	3.7 V/ 1000 mAh Li-ion	2.5 h	Charger input: 100-240V AC 50/60Hz Output: 5V DC 1 A	IP20	-10°to +40°C	25x120 59mm	112 g	49.90	299,90	24 • 12 pcs in display
	3.7V / 700mAh Li-ion	3 h	Charger input: 100- 240V AC 50/60Hz Output: 5V DC 1A	IP20	-10°to +40°C	25x155x 32mm	100 g	39..90	249,00	24 • 12 pcs in display
10° - 70°	2xAAA/1.5V Alkaline			IP54	-10°to +40°C	ø16x148 mm	56 g	25.90	149,90	50
10° - 70°	3xAAA/1.5V Alkaline			IP54	-10°to +40°C	ø32x111 mm	130 g	29.90	169,90	50
10° - 70°	2xC/1.5 Alkaline			IP54	-10°to +40°C	ø40x165 mm	335 g	49.90	269,90	40
10° - 70°	3xC/1.5 Alkaline			IP54	-10°to +40°C	ø42x216 mm	446 g	59.90	369,90	20
10° - 70°	7.4V/ 1400 mAh Li-ion	4 h	Charger input: 100- 240V AC 50/60Hz Output: 10V DC 0.5A	IP54	-10°to +40°C	300x100x 100 mm	210 g	79.90	599,90	20

				Main light / Spotlight				
Item				 LED	 Lux@0.5m	 Lumen	 Operating time	 Battery
	STARLINE Inspection work light	03.5059	5708997350591	9 X SMD LG LED	400 lux	300 lumen		6000K
	MAG PEN Rechargeable pencil LED work lamp	03.5104	5708997351048	7xSMD/ 1x0.5W LED	100/500 lux	60/ 15 lumen	4h/5h	3.7V/ 750 mAh Li-ion
	FLEX Rechargeable LED work light	03.5000	5708997350003	18/5	1200/500 lux	60/ 18 lumen	3h/5h	3.6V/ 1000mAh Li-ion
	FLEX 2 Rechargeable LED work light	03.5010	5708997350102	7 X SMD LED / High Power LED	200/600 lux	125/50 lumen	4h/10h	3.7V/ 1300mAh Li-ion
	MAG Rechargeable multipurpose LED work light	03.5004	5708997350041	21/5	1000/350 lux	60/ 18 lumen	4h/15h	3.7V/ 1200mAh Li-ion
	MAG 2 Rechargeable multipurpose LED work light	03.5009	5708997350096	2 x 1W/5	1500/350 lux	80/18 lumen	5h/24h	3.7V/ 2100mAh Li-ion
	MAG 3 Rechargeable multipurpose SMD LED work light	03.5044	5708997350447	6 x 0.5W SMD LED/ 1X1W LED	400/800 lux	240/60 lumen	3h/8h	3.7V/ 2100 mAh Li-ion
	SUN Extremely sturdy and rechargeable LED work light	03.5062	5708997350027	6 x 0.5W SMD LED 1X1W LED	350/1500 lux	220 /40 lumen	3h/8h	3.7V/ 2000 mAh Li-ion

 CCT Kelvin	 CRI	 IK	 Charging time	 Operating voltage	 IP	 Temperature	 Measurements	 Weight			
Ra >80	IK08			5m cable (2x1mm ² H02N-F) std. European plug 230V/50Hz	IP20	-10° to +40°C	26x40x 340 mm	650 g	39.90	249,90	20
6000K	Ra >70		3 h	Charger input: 100-240V AC 50/60Hz Output: 4.2V DC/0.3A	IP20	-10° to +40°C	ø23x168 mm	55 g	34.90	199,90	20 • 10 pcs in display
15000K	Ra >80		3,5 h	Charger input: 100-240V AC 50/60Hz Output: 4.3V DC/1A	IP30	-10° to +40°C	ø50x220 mm	270 g	39.90	249,90	20
6000K	Ra >80		3,5 h	Charger input: 100-240V AC 50/60Hz Output: 5V DC/1A	IP20	-10° to +40°C	40x50x212 mm	210 g	45.90	299,90	24 • 12 pcs in display
8000K	Ra >70		4 h	Charger input: 100-240V AC 50/60Hz Output: 5V DC/0.3A	IP20	-10° to +40°C	56x250x 45 mm	350 g	49.90	299,90	12 • 12 pcs in display
8000K	Ra >70		4 h	Charger input: 100-240V AC 50/60Hz Output: 5V DC/0.6A	IP20	-10° to +40°C	56x250x 45 mm	380 g	59.90	339,90	20
6000K	Ra >70		4 h	Charger input: 100-240V AC 50/60Hz Output: 4.2V DC/1A	IP20	-10° to +40°C	56x250x 45 mm	290 g	69.90	399,90	12 • 12 pcs in display
6000K	Ra >70		3-4 h	Induction charger 230V AC/50Hz	IP68	-10° to +40°C	ø55x280 mm	680 g	89.90	499,90	10

SCANGRIP LIGHTING - only daylight is better

				Main light / Spotlight					
Item			 8 708869 268	 LED	 Lux @0.5m Lumen	 Operating time	 CCT Kelvin	 CRI	
NEW 	UV-FORM Rechargeable COB LED work light with powerful UV top light	03.5408	5708997354087	COB LED/ High power UV LED	100 lux/ UVLED	150 lumen/ UV LED	3h/3h	6000K	Ra > 80
NEW 	I-VIEW Powerful COB LED headlamp with touchless sensor switch on/off technology	03.5026	5708997350263	2W COB LED	300 /500 lux step 1/ step 2	80/160 lumen step 1/step 2	6h/3h step 1/ step 2	6000K	Ra >80
	SENSOR LED headlamp with focus and touchless sensor switch on/off technology	03.5025	5708997350256	1x1W CREE XP-E	500-3000 lux	90 lumen	8h	6000K	Ra >70
	FLASH MINI Small LED flash-light in display	03.5102	5708997351024	1 x 0,5W	1000 lux	25 lumen	10h	8000K	Ra >70
NOVA WORKLIGHTS									
	A+ NOVA 30 Strong 30W COB LED work light	03.5042	5708997350423	30W HIGH CRI COB LED	5000 lux	3300 lumen		6000K	Ra >80
	A+ NOVA 50 Strong 50W COB LED work light	03.5055	5708997350553	50W HIGH CRI COB LED	8000 lux	5000 lumen		6000K	Ra >80
	A+ NOVA 20 C+R Strong 20W COB LED work light with DUAL SYSTEM	03.5056	5708997350560	20W HIGH CRI COB LED	1700/3000 lux step 1/ step 2	800/ 1500 lumen step 1/ step 2	6h/3h step 1/ step 2	6000K	Ra >80
	A+ NOVA 20 C Strong 20W COB LED work light	03.5057	5708997350577	20W HIGH CRI COB LED	4000 lux	2000 lumen		6000K	Ra >80

 IK	 Battery	 Charging time	 Operating voltage	 IP	 Temperature	 Measurements	 Weight			
	3.7 V/ 2200 mAh Li-ion	3h	Charger input: 100- 240V AC 50/60Hz Output: 5V DC 1 A	IP20	-10°to +40°C	31x157x 59mm	160 g	69.90	429,90	24
IK07	1600 mAh li-polymer	4 h	Charger input: 100-240V 50/60Hz Output: 5V DC 1 A	IP65	-10° to +40°C	101x49x35 mm	120 g	64.90	399,90	40
	3xAAA/1.5 V Alkaline			IP54	-10°to +40°C	60x50x45 mm	120 g	29.90	229,90	50
	3xAAA/1.5V Alkaline			IP54	-10°to +40°C	Ø28x93,5 mm	71 g	7.90	69,90	144 • 12 pcs in display
IK07			5m cable (3x1.0mm²H05RN-F) std. European plug 230V/50Hz	IP67	-10° to +40°C	261x274x 76,5 mm	2.8 kg	169.90	1199,90	4
IK07			5m cable (3x1.0mm²H05RN-F) std. European plug 230V/50Hz	IP67	-10° to +40°C	261x274x 76,5 mm	2.8 kg	229.90	1499,90	4
IK07	11.1V/ 4400mAh Li-ion	3 h	5m cable (2x0.75mm²H05RN-F) std. European plug 230V/50Hz Charger, Input voltage: 100- 240V AC Output: 12.6V/1800mA	IP67	-10° to +40°C	220x235 75mm	2.14 kg	199.90	1299,90	4
IK07			5m cable (3x1.0mm²H05RN-F) std. European plug 230V/50Hz	IP67	-10° to +40°C	220x235 75mm	1.9 kg	129.90	799,90	4

Accessories for SCANGRIP LIGHTING			 8 708869 268	FOR	€	DKK
	03.5018	STRONG MAGNETIC CLIP HOLDER	5708997350188	All MAGs, SUN, FLEX and STARLIGHT	15.75	83,90
	03.5028	STRONG MAGNETIC HOLDER	5708997350287	All MAGs, SUN, FLEX and STARLIGHT	16.75	88,90

CHARGERS

	03.5300	UNIVERSAL CHARGER 100-240V AC incl 1.m cable USB/MINI DC	5708997353004	UNIFORM, MINIFORM, UNIPEN, MIDIFORM, UV-FORM, FLEX2 and I-VIEW	12.90	89,90
	03.5303	1.8m cable with USB/MINI DC	5708997353035	UNIFORM, MINIFORM, UNIPEN, MIDIFORM, UV-FORM, FLEX2 and I-VIEW	2.25	12,50
	03.5301	12-24V DC USB CAR ADAPTER	5708997353011	UNIFORM, MINIFORM, UNIPEN, MIDIFORM, UV-FORM, FLEX2 and I-VIEW	9.00	59,90
	03.5019	12V DC CAR ADAPTER	5708997350195	FLEX	8.50	49,90
	03.5003	24V DC CAR ADAPTER	5708997350034	FLEX	8.50	49,90
	03.5053	12-24V DC CAR ADAPTER	5708997350539	MAG PEN	8.50	49,90
	03.5013	12-24V DC CAR ADAPTER	5708997350133	MAG, MAG2, and MAG 3	8.50	49,90
	03.5034	CHARGER 230V AC/12-24V DC	5708997350348	SUN	39.90	199,90

Complete list of replacements parts, chargers, batteries and accessories:
- or find it on www.scangrip.com.



scan QR code

All prices are gross prices, ex works, VAT exclusive and effective from 1st January 2015. Prices are subject to change without notice. Nor is responsibility assumed for printing errors. Our GENERAL TERMS AND CONDITIONS apply for all business transacted with SCANGRIP. Valid terms and conditions are available for download from our website www.scangrip.com – go directly with the QR code.

Alle Preise sind unverbindliche Preisempfehlungen gültig ab 1. Januar 2015 und verstehen sich ab Werk ohne MwSt. Änderungen und Irrtümer vorbehalten. Bezüglich der Einzelheiten hinsichtlich Zahlung und Lieferung verweisen wir auf unsere AGBs, die von unserer Website www.scangrip.com heruntergeladen werden können. Oder QR-Code aufrufen.



Alle priser er vejledende salgspriser ekskl. moms og ab fabrik og er gældende fra 1. januar 2015. Der tages forbehold for trykfejl og prisændringer. Vi henviser til vores GENERELLE SALGS- OG LEVERINGSBETINGELSER, der gælder for samtlige handelsaftaler indgået med SCANGRIP. Betingelserne er tilgængelige til download fra vores website www.scangrip.com – gå direkte med QR koden.

SCANGRIP LIGHTING tripod stand

For NOVA WORK LIGHTS

- **HIGH STABILITY TRIPOD STAND EXCLUDING BRACKET**
- **ADJUSTABLE IN HEIGHT FROM 1 M TO 2.40 M**
- **EASY TO USE AND EASY TO ADJUST IN HEIGHT AND POSITION**
- **DIMENSIONS DURING TRANSPORTATION: Ø180MM X 1100MM**

The stand can be used for the following products:

For one work light:

NOVA 20 C or NOVA 20 C+R: order bracket no. 03.5081

NOVA 30 or NOVA 50: order bracket no. 03.5074

For two work lights:

NOVA 20 C or NOVA 20 C+R: order 2 pcs of bracket no. 03.5081 and 1 pc of bracket no 03.5076

NOVA 30 or NOVA 50: order 2 pcs of bracket no. 03.5074 and 1 pc of bracket no 03.5076



Item			 8 708869 268 1	 Measurements	 Weight		
	Telescopic tripod, 1-2,4 m excl. bracket	03.5023	5708997350232		4.2 kg	77.90	399,90
	Bracket for 1 NOVA 30 or 50 (Tripod and wall mount)	03.5074	5708997350744	65x25x 244,50mm	375 gr	29.90	169,90
	Bracket for 1 NOVA 20 C or NOVA 20 C+R (Tripod and wall mount)	03.5081	5708997350812	65x25x 225mm	360 gr	29.90	169,90
	Dual bracket	03.5076	5708997350768	50x87 x2630mm	1.4 kg	39.90	229,90

Since 1906, SCANGRIP has been manufacturing hand tools of very high quality for the industrial and automotive sectors. The product range comprises a series of innovative products, which are known all over the world for design, innovation and considerably user-friendliness. Due to simplification and innovation we create unique tools which make work easier and safer for our customers.

It is SCANGRIP's goal to deliver at any point the best and most innovative range of special tools. Furthermore, SCANGRIP pays attention to developing the design and functionality of the products giving the user the best conditions to perform his daily work fast, safe and efficient.

SCANGRIP is the largest manufacturer of high quality coil spring compressors in Europe, and, recently, we have established ourself as a leading supplier of work lights under the SCANGRIP LIGHTING brand.

SCANGRIP holds a strong position in the Danish market and has a 90% export share. Financially, SCANGRIP is in a very stable and strong position and is triple A rated (AAA = Credit risk zero).

SCANGRIP's products are distributed through a worldwide network of professional tool importers, distributors and wholesale dealers.



INNOVATION FROM DENMARK