

# HAZET – Screwdrivers

## Perfect tools for perfect results

- ✓ **HEXAnamic** Screwdrivers
- ✓ **trinamic**® Screwdrivers
- ✓ **Screwdriver with Impact Cap**
- ✓ **Screwdrivers for Electricians (VDE)**
- ✓ **Electronic Screwdrivers**
- ✓ **Offset Screwdrivers and many more ...**
- ✓ **Blades made of high-quality special steel**
- ✓ **Ergonomically shaped handles avoiding bruises on hands**
- ✓ **Always the correct profile:**
- ✓ **Blades with hex-bolster for higher torque values**

## HEXAnamic Screwdrivers

Ergonomically shaped screwdrivers according to the latest developments in research

**HEXAnamic**

**Component no. 2 (hard):** More stability against impacts

**Component no. 3 (soft):** Slide-off protection for axial pressure

**Component no. 1 (hard):** Blade firmly fixed to the handle

**With offset hexagon at the front of the handle:**  
 – Slide-off protection  
 – Anti-roll protection

**Well-sized spinning area**

**6 deepened gripping areas for high power transmission**

**Non-slipping even with greasy hands**



**Stress to the hand**  
 Applied torque  
 Conventional Screwdrivers  
 HEXAnamic® Screwdrivers

**Grey-coated tips for perfect fitting in the screw profile**

**HEXAnamic®-handle = low pressure**  
**Conventional handle = high pressure**

**product design award 2009**

## Our classics






## Hand Tools – Screwdrivers/Bits


**HAZET**  
Ingenious Tools

### HEXAnamic® Screwdriver



- 3-component handle cover, designed according to **latest know-how in cooperation with leading German work scientists**:
  - component 1 (hard): optimal blade fixation
  - component 2 (hard): stability against impacts
  - component 3 (soft): protection against slipping-off at axial contact pressure
- Anatomically shaped for perfect coupling between hand and screwdriver
- Recessed hexagon at the front of the handle:
  - **optimized protection against slipping-off**
  - prevents the screwdriver from unintended sliding-off
- Non-slipping even with greasy hands
- Well-sized spinning area
- Resistant against petrol, acid, Skydrol, brake fluid, etc.
- With grey tips for optimal protection against corrosion and perfect hold of the blade in the screw head
- For **slotted screws**  
From size 55 on blade with hex bolster for use with a wrench, allows application of high torque values
- Surface: chrome-plated
- ISO 2380-1:2004, ISO 2380-2:2004


HAZET No.	mm	mm	l <sub>1</sub> mm	l <sub>2</sub> mm	EAN-No. 4000896+
802-30	3.5	0.6	80	179	144785
802-40	4	0.8	100	199	144808
802-55	5.5	1	125	239	144815
802-65	6.5	1.2	150	264	144822
802-80	8	1.2	150	279	144839
802-100	10	1.6	175	304	144846
802-120	12	2	200	329	144853



- For **Phillips-Recess screws PH**
- Size PH 3: blade with hex bolster
- ISO 8764-1:2004, ISO 8764-2:2004

HAZET No.	mm	mm	l <sub>1</sub> mm	l <sub>2</sub> mm	EAN-No. 4000896+
802-PH 0	–	60	159	144860	
802-PH 1	–	80	194	144884	
802-PH 2	–	100	214	144907	
802-PH 3	13	150	279	144921	


### HEXAnamic® Screwdriver



- For **Pozidriv screws PZ**
- Size PZ 3: blade with hex bolster
- ISO 8764-1:2004, ISO 8764-2:2004

HAZET No.	mm	l <sub>1</sub> mm	l <sub>2</sub> mm	EAN-No. 4000896+
802-PZ 0	–	60	159	145058
802-PZ 1	–	80	194	145065
802-PZ 2	–	100	214	145072
802-PZ 3	13	150	279	145089


### HEXAnamic® TORX® Screwdriver



- For **tamper resistant TORX® screws** (inside TORX® screws with pin)
- With front hole

HAZET No.	mm	l <sub>1</sub> mm	l <sub>2</sub> mm	EAN-No. 4000896+
802-T 8 H	2.31	60	159	145102
802-T 9 H	2.50	60	159	145119
802-T 10 H	2.74	80	179	145126
802-T 15 H	3.27	80	179	145133
802-T 20 H	3.86	100	179	145140
802-T 25 H	4.43	100	214	145164
802-T 27 H	4.99	115	214	145171
802-T 30 H	5.52	115	229	145188
802-T 40 H	6.65	130	229	145195
802-T 45 H	7.82	130	259	145201


### TRInamicULTRA Screwdriver



- For **slotted screws**
- Short style
- 2-component handle
- **Made in Germany**

HAZET No.	mm	mm	l <sub>1</sub> mm	l <sub>2</sub> mm	EAN-No. 4000896+
801 K-35	3.5	0.6	25	89	079964
801 K-55	5.5	1	25	89	079971
801 K-80	8	1.2	25	89	079988


### TRInamicULTRA Screwdriver



- For **Phillips-Recess screws PH**
- Short style
- 2-component handle
- **Made in Germany**

HAZET No.	l <sub>1</sub> mm	l <sub>2</sub> mm	EAN-No. 4000896+
801 K-PH 1	25	89	080038
801 K-PH 2	25	89	080045

### HEXAnamic® Screwdriver Set



\* = in HAZET plastic drawer insert


HAZET No.	EAN-No. 4000896+
-----------	------------------

**6 pieces**, in plastic drawer insert (1/3)  
 Contents:  
 802-40 55 65 80  
 802-PH 1 PH 2  
 802/6 \* 145560

**5 pieces**, in plastic drawer insert (1/3)  
 Contents:  
 802-30 40 55 65 80 100  
 802-PH 1 PH 2  
 801 K-55 801 K-PH 2  
 802/10 145577


**10 pieces**  
 Contents:  
 802-T 10 H T 15 H T 20 H T 25 H T 30 H  
 802 T H/5 \* 145591

**7 pieces**  
 Contents:  
 802-T 8 H T 9 H T 10 H T 15 H T 20 H  
 T 25 H T 30 H  
 802 T H/7 145607




HAZET No.	EAN-No. 4000896+
-----------	------------------

**6 pieces** in soft foam insert Safety-Insert-System (for SmartCase L 1/3)  
 Contents:  
 802-40 55 65 80  
 PH 1 PH 2  
 163-184/6 161461



Screwdrivers / Bits

**HEXAnamic® TORX®  
Screwdriver Set**



**HAZET**  
No. EAN-No.  
4000896+

5 pieces in soft foam insert Safety-Insert-System (for SmartCase L 1/3)  
Contents:  
802-T 10 H T 15 H T 20 H T 25 H T 30 H  
**163-185/5** 161478

**Screwdriver Set**



**With hex bolster (for use with a wrench)**

- With impact cap for more power
- Ergonomically shaped 3-component handle allows high power transmission
- Colour/ handle: black/ blue
- Surface: blade matt chrome-plated, tip burnished

5 pieces, contents  
 • s 4.5 5.5 7 mm  
 • PH 1 PH 2

**HAZET**  
No. EAN-No.  
4000896+

**810 U-1/5** 179572




5 pieces in soft foam insert Safety-Insert-System (for SmartCase L 1/3)  
Contents:  
810 U-1/5

**HAZET**  
No. EAN-No.  
4000896+

**163-264/5** 180592

**trinamic® Screwdriver**




- For **slotted screws**
- With trinamic handle
- Ergonomic design and high capacity
- High power transmission
- Surface: chrome-plated, tips burnished
- ISO 2380-2

\* = Blade with **hex bolster** for use with a wrench – allows application of high torque values  
 + = Length  $l_1$  not according to ISO 2380-2

**trinamic® Screwdriver**


HAZET No.	mm	mm	$l_1$ mm	$l_2$ mm	EAN-No. 4000896+	
803- 20	+	2	0.4	63	143	077434
803- 25		2.5	0.4	75	155	077441
803- 30	+	3	0.5	80	160	077458
803- 35		3.5	0.6	100	193	077465
803- 40		4	0.8	100	193	077472
803- 55		5.5	1	125	218	077489
803 S-55	*	5.5	1	125	235	089109
803- 65		6.5	1.2	150	260	077496
803- 80	*	8	1.2	150	272	077502
803-100	*	10	1.6	175	309	077519
803-120	*	12	2	200	334	077526
803-140	*	14	2.5	250	384	077533

**trinamic® Screwdriver**




- For **Phillips-Recess screws PH**
- From size PH 3 on, blade with hex bolster
- DIN ISO 8764-2, ISO 8764-2

HAZET No.	mm	$l_1$ mm	$l_2$ mm	EAN-No. 4000896+
803-PH 0	-	60	138	077557
803-PH 1	-	80	168	077564
803-PH 2	-	100	200	077571
803-PH 3	13	150	265.5	077588
803-PH 4	16	200	325	077595




- For **Pozidriv screws PZ**
- Marking ring blue

HAZET No.	$l_1$ mm	$l_2$ mm	EAN-No. 4000896+
803-PZ 1	74.5	173	077632
803-PZ 2	94	210	077649



- For **deeply located slotted screws**
- Extra long


HAZET No.	mm	mm	$l_1$ mm	$l_2$ mm	EAN-No. 4000896+
803 Lg-55	5.5	1	410	520.5	077540



- For **deeply located Phillips-Recess screws PH**
- Extra long

HAZET No.	$l_1$ mm	$l_2$ mm	EAN-No. 4000896+
803 Lg-PH 1	250	340	077601
803 Lg-PH 2	250	351	077618

**TORX® trinamic® Screwdriver**




- For **inside TORX® screws**

**Made in Germany**

**TORX® trinamic® Screwdriver**


HAZET No.	mm	$l_1$ mm	$l_2$ mm	EAN-No. 4000896+
803-T 6	1.67	48	112	077670
803-T 7	1.99	48	112	077687
803-T 8	2.31	55	127	077694
803-T 9	2.50	55	127	077700
803-T 10	2.74	70	150	077717
803-T 15	3.27	70	150	077724
803-T 20	3.86	84	175	077731
803-T 25	4.43	84	175	077748
803-T 27	4.99	99	200	077755
803-T 30	5.52	99	200	077762
803-T 40	6.65	99	217	086214



- For **inside TORX® screws**
- Long, slim style
- Application e.g. at the dashboard, car body, engine compartment as well as in industry

HAZET No.	mm	$l_1$ mm	$l_2$ mm	EAN-No. 4000896+
803 Lg-T 15	3.27	250	330	087785
803 Lg-T 20	3.86	250	343	087792
803 Lg-T 25	4.43	250	345	087808
803 Lg-T 30	5.52	250	360	087815

**Screwdriver for Electricians**



see chapter VDE-/Tools for Electricians page 147

**Screwdriver Set**



- In plastic drawer insert (except for 803/5, 803 T/7, 803 Lg-T/4)

**HAZET**  
No. EAN-No.  
4000896+

**13 pieces,**  
in plastic drawer insert (2/3)  
Contents:  
803-40 55 65 803-PH 1 PH 2  
**803/5** 082209

**6 pieces,**  
in plastic drawer insert (1/3)  
Contents:  
803-40 55 65 80 803-PH 1 PH 2  
**803/6** 080373

**10 pieces,**  
in plastic drawer insert (1/3)  
Contents:  
803-25 30 35 40 65 80  
803-PH 1 PH 2 801 K-55 801 K-PH 2  
**803/10** 080236



## Hand Tools – Screwdrivers/Bits

**HAZET**  
Ingenuous Tools

### Screwdriver Set

**HAZET** No. EAN-No.  
4000896+

#### 5 pieces

Contents:

801 K-55 801 K-PH 2  
803-25 30 35 40 65 80  
803-PZ 1 PZ 2 803-PH 1 PH 2 PH 3  
803/13 098514

#### 7 pieces

Contents:

803-T 8 T 9 T 10 T 15 T 20 T 25 T 30  
803 T/7 087334

- Long style, for **inside TORX® screws**

#### • 4 pieces

Contents:

803 Lg-T 15 T 20 T 25 T 30  
803 Lg-T/4 098798



**HAZET** No. EAN-No.  
4000896+

6 pieces in soft foam insert Safety-Insert-System (for SmartCase L 1/3)

Contents:

803-40 55 65 80  
803-PH 1 PH 2

163-93/6 145645




**HAZET** No. EAN-No.  
4000896+

10 pieces in soft foam insert Safety-Insert-System (for SmartCase L 1/3)

Contents:

803-25 30 35 40 65 80  
803-PH 1 PH 2  
801 K-55 801 K-PH 2

163-94/10 145652



**HAZET** No. EAN-No.  
4000896+

13 pieces in soft foam insert Safety-Insert-System


(2/3)

Contents:

801 K-55 801 K-PH 2  
803-25 30 35 40 65 80  
803-PZ 1 PZ 2  
803-PH 1 PH 2 PH 3

163-100/13 145713


### Screwdriver



- With wooden handle
- With blade passing through the handle
- For **slotted screws**
- Blade with hex bolster

**Made in Germany**

HAZET No.	mm	mm	mm	l <sub>1</sub> mm	l <sub>2</sub> mm	EAN-No. 4000896+
815-1	10	5.5	0.8	100	200	033096
815-2	10	6.5	1	125	235	033102
815-3	13	8	1.2	150	270	033119
815-4	13	10	1.6	175	300	033126
815-5	16	12	2	200	330	033133
815-6	16	14	2.5	250	380	033140



- For **Phillips-Recess screws PH**
- From size PH 3 on, blade with hex bolster

**Made in Germany**

HAZET No.	mm	l <sub>1</sub> mm	l <sub>2</sub> mm	EAN-No. 4000896+
815-PH 1	-	80	180	077885
815-PH 2	-	100	210	077892
815-PH 3	13	150	270	077908

### Screwdriver Set

#### 5 pieces


**Made in Germany**

Contents:

815-1 2 3  
815-PH 1 PH 2

HAZET No.	EAN-No. 4000896+
815/5	033157

### Clip Screwdriver




- The versatile screwdriver for everyday-use – always ready to hand
- With fibre reinforced scraper for damage-free removing of stickers etc.
- Clip holds screwdriver tight in every pocket, e.g. breast or sleeve pocket
- Rotating clip improves handling
- For **slotted screws**
- Surface: blade chrome-plated

**Made in Germany**

HAZET No.	mm	mm	l <sub>1</sub> mm	l <sub>2</sub> mm	EAN-No. 4000896+
805 C-25	2.5	0.4	30	130	089123

### Electronic Screwdriver



- New handles – new design
- For smallest screws
- With revolving-head
- Best grip due to recessed handle
- For **slotted screws**
- Marking ring grey
- Surface: tips burnished

HAZET No.	mm	mm	l <sub>1</sub> mm	l <sub>2</sub> mm	EAN-No. 4000896+
805-02	2	0.4	60	153	032594
805-025	2.5	0.4	75	168	032600
805-03	3	0.5	75	168	032617

### Electronic Screwdriver Set



- **7 pieces, in plastic box**

**HAZET** No. EAN-No.  
4000896+

- For **slotted and for Phillips-Recess screws (PH)**

Contents:

805-015 02 025 03  
805-PH 00 PH 0 PH 1

805/7 032655

- For **inside TORX® screws**

Contents:

808-T 5 T 6 T 7 T 8 T 9 T 10 T 15

808/7 055050

### Voltmeter



- 220–250 V according to standard VDE 0680
- Slotted blade, concave ground
- Extra long handle, 92 mm
- With clip
- Defective glow tube not replaceable according to VDE

**Made in Germany**


HAZET No.	mm	l <sub>1</sub> mm	l <sub>2</sub> mm	EAN-No. 4000896+
839-1	2.8	58	150	035670



Screwdrivers / Bits



**Flexible Hex Nut-Driver**



- E.g. for the hose clamps on radiator hoses
- Flexible blade
- Ergonomically shaped handle

**Made in Germany**

HAZET No.	l <sub>1</sub> mm	l <sub>2</sub> mm	EAN-No. 4000896+
426- 5	190	300	019243
426- 6	190	300	019250
426- 7	190	300	019267
426- 8	190	300	019274
426-10	190	300	019236

**Flexible Spin Type Speeder**




- drive 6.3 = 1/4"
- Flexible shaft enables operation of screw connections with troublesome borders and fast working even in areas with restricted access
- Esp. for worm-drive hose clips in fuel lines and coolant hoses, etc.

**Made in Germany**

HAZET No.	l mm	EAN-No. 4000896+
870-2	130	050536


**Hex Nut-Driver**



- With ergonomically shaped 2-component T-handle
- Short style
- Surface: chrome-plated


HAZET No.	Ø mm	l <sub>1</sub> mm	l <sub>2</sub> mm	EAN-No. 4000896+
428- 6	9	230	256	019397
428- 7	11	230	256	019410
428- 8	12	230	264	019427
428-10	14	230	264	019281
428-11	16	230	264	019304
428-12	17	230	264	019328
428-13	18	230	264	019335

**Hex Nut Driver Set**



HAZET No. EAN-No. 4000896+  
3 pieces in soft foam insert Safety-Insert-System (for SmartCase L 1/3)  
Contents:  
428-8 10 13  
**163-122/3** 153534


**Hex Nut-Driver**



- With ergonomically shaped 2-component T-handle
- Long style
- Surface: chrome-plated

HAZET No.	Ø mm	l <sub>1</sub> mm	l <sub>2</sub> mm	EAN-No. 4000896+
428 Lg- 8	12	350	384	019601
428 Lg-10	14	350	384	019526
428 Lg-13	18	350	384	019557


**Screwdriver**



- For inside hexagon screws
- With ergonomically shaped 2-component T-handle
- Surface: chrome-plated, tips burnished

HAZET No.	S mm	l <sub>1</sub> mm	l <sub>2</sub> mm	EAN-No. 4000896+
828- 2	2	100	118	034123
828- 2.5	2.5	110	118	034130
828- 3	3	150	168	034161
828- 4	4	150	176	034192
828- 5	5	200	226	034222
828- 6	6	200	234	034246
828- 8	8	200	234	034260
828-10	10	200	234	034109

**TORX® Screwdriver**



**TORX® Screwdriver**

- For inside TORX® screws
- With ergonomically shaped 2-component T-handle
- Surface: chrome-plated, tips burnished


HAZET No.	Ø mm	l <sub>1</sub> mm	l <sub>2</sub> mm	EAN-No. 4000896+
828-T 6	1.67	80	98	034451
828-T 7	1.99	80	98	034468
828-T 8	2.31	80	98	034475
828-T 9	2.50	80	98	034482
828-T 10	2.74	100	126	034291
828-T 15	3.27	100	126	034307
828-T 20	3.86	100	126	034321
828-T 25	4.43	110	136	034345
828-T 27	4.99	120	146	034376
828-T 30	5.52	130	156	034383
828-T 40	6.65	130	164	034413
828-T 45	7.82	130	164	034420
828-T 50	8.83	130	164	034437

**T-Handle TORX® Screwdriver Set**



HAZET No. EAN-No. 4000896+  
9 pieces in soft foam insert Safety-Insert-System (for SmartCase L 1/3)  
Contents:  
828-T 6 T 7 T 8 T 9 T 10  
T 15 T 20 T 25 T 30  
**163-182/9** 162352

**TORX® Screwdriver**



- For inside TORX® screws
- Extra long style
- With ergonomically shaped 2-component T-handle
- Surface: chrome-plated, tips burnished

HAZET No.	Ø mm	l <sub>1</sub> mm	l <sub>2</sub> mm	EAN-No. 4000896+
828 Lg-T 20	3.86	200	226	139941
828 Lg-T 30	5.52	290	316	116638

For installing and removing the **door handle on MERCEDES-BENZ** type 168, type 169 (A-class), type 245 (B-class) and type 203 (C-class)  
Adjustment of the **headlights on MERCEDES-BENZ** Actros



## Hand Tools – Screwdrivers/Bits


### Screwdriver



- For inside hexagon screws
- With ergonomically shaped 2-component T-handle with lateral blade
- The design of the screwdrivers ensures an efficient and flexible application under different accessibility conditions
- Surface: chrome-plated, tips burnished

HAZET No.	S mm	l <sub>1</sub> mm	l <sub>2</sub> mm	EAN-No. 4000896+
829-2	2	100	118	133796
829-2.5	2.5	100	118	133819
829-3	3	150	168	133826
829-4	4	150	176	133833
829-5	5	200	176	133840
829-6	6	200	234	133857

### T-Handle Screwdriver Set



HAZET No. 103-189/6 EAN-No. 4000896+

6 pieces in soft foam insert Safety-Insert-System (for SmartCase L 1/3)

Contents:

829-2 2.5 3 4 5 6

163-189/6

162260

### TORX® Screwdriver



- For inside TORX® screws
- With ergonomically shaped 2-component T-handle with lateral blade
- The design of the screwdrivers ensures an efficient and flexible application under different accessibility conditions
- Surface: chrome-plated, tips burnished

HAZET No.	S mm	l <sub>1</sub> mm	l <sub>2</sub> mm	EAN-No. 4000896+
829-T 15	3.27	100	126	133727
829-T 20	3.86	100	126	133734

### TORX® Screwdriver

HAZET No.	S mm	l <sub>1</sub> mm	l <sub>2</sub> mm	EAN-No. 4000896+
829-T 25	4.43	110	136	133741
829-T 27	4.99	120	146	133758
829-T 30	5.52	130	156	133765
829-T 40	6.65	130	164	133772

### Offset Screwdriver



- For Phillips-Recess screws PH
- DIN 5208

Made in Germany

HAZET No.	l <sub>1</sub> mm	l <sub>2</sub> mm	EAN-No. 4000896+
819-PH 1 + PH 2	125	20	033201



- Metric sizes
- For inside hexagon screws
- Surface: nickel-plated
- DIN ISO 2936

Made in Germany

\* = not according to DIN

HAZET No.	S mm	l <sub>1</sub> mm	l <sub>2</sub> mm	EAN-No. 4000896+
2100-015	1.5	46.5	15.5	011261
2100-02	2	52	18	011278
2100-025	2.5	58.5	20.5	011285
2100-03	3	66	23	011308
2100-035*	3.5	68.5	25.5	011315
2100-04	4	74	29	011322
2100-045*	4.5	77.5	30.5	011339
2100-05	5	85	33	011346
2100-06	6	96	38	011353
2100-07	7	102	41	011360
2100-08	8	108	44	011377
2100-09*	9	119	47	011391
2100-10	10	122	50	011407
2100-11*	11	130	53	011414
2100-12	12	137	57	011421
2100-13*	13	146	63	011438
2100-14	14	154	70	011445
2100-17	17	177	80	011452
2100-19	19	199	89	011469
2100-22	22	222	102	011476
2100-24	24	248	114	011483
2100-27	27	277	127	011490

- American sizes
- For inside hexagon screws
- Surface: nickel-plated

Made in Germany

HAZET No.	S"	l <sub>1</sub> mm	l <sub>2</sub> mm	EAN-No. 4000896+
2100 A-5/64	5/64	52	18	011698
2100 A-3/32	3/32	58.5	20.5	011643
2100 A-1/8	1/8	66	23	011629
2100 A-5/32	5/32	74	29	011681
2100 A-3/16	3/16	84.5	32.5	011636
2100 A-7/32	7/32	90.5	35.5	011728
2100 A-1/4	1/4	96.5	38.5	011612
2100 A-5/16	5/16	108	44	011674
2100 A-3/8	3/8	121.5	49.5	011667
2100 A-1/2	1/2	144.5	62.5	011605
2100 A-9/16	9/16	154.5	69.5	011735
2100 A-5/8	5/8	176	76	011704
2100 A-3/4	3/4	199	89	011650

### Offset Screwdriver Set



- In plastic clip
- 6 pieces, metric sizes

Made in Germany

Contents:

2100-03 04 05 06 08 10

HAZET No.	EAN-No. 4000896+
2100/6 H	011551



- With ring
- Made in Germany

HAZET No.	EAN-No. 4000896+
-----------	------------------

7 pieces, metric sizes

Contents:

2100-02 025 03 04  
05 06 08

2100/7 R	011599
----------	--------

7 pieces, American sizes

Contents:

2100 A- 3/32 1/8 5/32 3/16  
7/32 1/4 5/16

2100 A/7 R	011773
------------	--------



- In plastic roll
- Made in Germany

HAZET No.	EAN-No. 4000896+
-----------	------------------

10 pieces, metric sizes

Contents:

2100-02 03 04 05 06  
07 08 09 10 12

2100/10 P	011506
-----------	--------

14 pieces, metric sizes

Contents:

2100-02 03 04 05 06  
07 08 09 10 12  
14 17 19 22

2100/14 P	011537
-----------	--------

13 pieces, American sizes

Contents:

2100 A- 5/64 3/32 1/8 5/32 3/16 7/32  
1/4 5/16 3/8 1/2 9/16 5/8 3/4

2100 A/13 P	011766
-------------	--------



Screwdrivers / Bits

**Offset Screwdriver Set**



- For inside hexagon screws
- Metric sizes
- In hinged tool holder
- 6 pieces  
s 2.5 3 4 5 6 8
- Made in Germany


HAZET No.	EAN-No. 4000896+
2100/6 KH	072590

**Offset Screwdriver**



- Extra long pattern
- For inside hexagon screws
- Metric sizes
- Surface: nickel-plated
- DIN ISO 2936 L
- Made in Germany

HAZET No.	S mm	l <sub>1</sub> mm	l <sub>2</sub> mm	EAN-No. 4000896+
2100 Lg-02	2	102	18	011797
2100 Lg-025	2.5	114.5	20.5	011803
2100 Lg-03	3	129	23	011810
2100 Lg-04	4	144	29	011827
2100 Lg-05	5	165	33	011834
2100 Lg-06	6	186	38	011841
2100 Lg-08	8	208	44	011858
2100 Lg-10	10	234	50	011865
2100 Lg-12	12	262	57	011872
2100 Lg-14	14	294	70	011889



- With ball head, ball head = angular movement 20°
- Extra long pattern
- For inside hexagon screws
- Metric sizes
- Surface: nickel-plated
- Made in Germany

HAZET No.	S mm	l <sub>1</sub> mm	l <sub>2</sub> mm	EAN-No. 4000896+
2105 Lg-015	1.5	91.5	15.5	011896
2105 Lg-02	2	102	18	011902
2105 Lg-025	2.5	114.5	20.5	011919
2105 Lg-03	3	129	23	011926
2105 Lg-04	4	144	29	011933
2105 Lg-05	5	165	33	011940
2105 Lg-06	6	186	38	011957
2105 Lg-07	7	207	43	011964
2105 Lg-08	8	208	48	011971
2105 Lg-10	10	234	55	011988
2105 Lg-12	12	262	68	011995

**Offset Screwdriver Set**



- In plastic clip
- With ball head
- Extra long pattern
- Made in Germany

HAZET No.	EAN-No. 4000896+
<b>9 pieces, metric sizes</b>	
Contents:	
2105 Lg-015 02 025 03 04 05 06 08 10	
2105 Lg/9 H	012015
<b>10 pieces, American sizes</b>	
Contents:	
2105 A Lg-0.05 1/16 5/64 3/32 1/8 5/32 3/16 7/32 1/4 5/16	
2105 A Lg/10 H	083749

**TORX® Offset Screwdriver**



- For inside TORX® screws
- Made in Germany

HAZET No.	mm	l <sub>1</sub> mm	l <sub>2</sub> mm	EAN-No. 4000896+
2115-T 6	1.67	44.5	18.5	012220
2115-T 7	1.99	50.5	18.5	012244
2115-T 8	2.31	51	19	012251
2115-T 9	2.50	51	19	012268
2115-T 10	2.74	54	20	012121
2115-T 15	3.27	57.5	21.5	012138
2115-T 20	3.86	61	23	012145
2115-T 25	4.43	64.5	24.5	012152
2115-T 27	4.99	69.5	26.5	012169
2115-T 30	5.52	76	30	012176
2115-T 40	6.65	83	33	012183
2115-T 45	7.82	91	37	012190
2115-T 50	8.83	104	41	012206
2115-T 55	11.22	120	47	012213
2115-T 60	13.25	134	52	012237

**TORX® Offset Screwdriver Set**



- For inside TORX® screws
- With ring
- 7 pieces
- Made in Germany

HAZET No.	EAN-No. 4000896+
Contents:	
2115-T 8 T 10 T 15 T 20 T 25 T 30 T 40	
2115-T/7 R	012114

**TORX® Offset Screwdriver Set**



- For inside TORX® screws
- In plastic roll
- 13 pieces
- Made in Germany

HAZET No.	EAN-No. 4000896+
Contents:	
2115-T 7 T 8 T 9 T 10 T 15 T 25 T 27 T 30 T 40 T 45 T 50 T 55 T 60	
2115-T/13 P	012107



- For inside TORX® screws
- In hinged tool holder
- 8 pieces  
T 9 T 10 T 15 T 20 T 25 T 27 T 30 T 40
- Made in Germany

HAZET No.	EAN-No. 4000896+
2115/8 KH	072583



- For inside TORX® screws
- With ball head
- In plastic clip
- 8 pieces
- Made in Germany

HAZET No.	EAN-No. 4000896+
Contents:	
2116 Lg-T 9 T 10 T 15 T 20 T 25 T 27 T 30 T 40	
2116 Lg/8 H	051519



**Partner of Industry!**



# HAZET Screwdriver Bits and Accessories

✓ **Special steel for excessive use**

✓ **High-precision, close-tolerance fabrication of tips and edges**

✓ **Always the correct profile:**



✓ **For electric and pneumatic screw driving tools as well as for manual operation**

## Screwdriver Bit



- For excessive use
- For **electric and pneumatic screwdrivers** as well as for manual operation
- For **inside hexagon screws**
- Hexagon drive ISO 1173-C 6.3 = 1/4", ISO 2351-3-C 6.3

**Made in Germany**

\* = not according to ISO 2351-3

HAZET No.	S mm	l mm	EAN-No. 4000896+
2204-2	2	25	014149
2204-2.5	2.5	25	014156
2204-3	3	25	014163
2204-4	4	25	014170
2204-5	5	25	014187
2204-6	6	25	014200
2204-7 *	7	25	151332
2204-8 *	8	25	014217



- For **slotted screws**
- Hexagon drive ISO 1173-C 6.3 = 1/4", ISO 2351-1-C 6.3

**Made in Germany**

HAZET No.	mm	mm	l mm	EAN-No. 4000896+
2208-4	4	0.5	25	014361
2208-6	4.5	0.6	25	014385
2208-8	5.5	0.8	25	014408
2208-9	6	1	25	014415
2208-10	6.5	1.2	25	014323
2208-11	8	1.2	25	014347



- For **screws with internal serration XZN**
- 6.3 = 1/4"
- DIN 65254

**Made in Germany**

HAZET No.	l mm	M	EAN-No. 4000896+
2211-4	25	4	056392
2211-5	25	5	056408

## Screwdriver Bit



- For **TRI-WING® screws**
- 6.3 = 1/4"

**Made in Germany**

HAZET No.	l mm	EAN-No. 4000896+
2213-1	25	078738
2213-2	25	078745
2213-3	25	078752
2213-4	25	078769



- For **Phillips-Recess screws PH**
- Tough-hard for threaded screws
- Hexagon drive ISO 1173-C 6.3 = 1/4", ISO 2351-2-C 6.3

**Made in Germany**

+ = reinforced design

\* = not according to ISO 2351-2

HAZET No.	l mm	EAN-No. 4000896+
2215-PH 1	25	014491
2215-PH 2	25	014521
2215-PH 3	25	014569
2215-PH 4 + *	32	014583



- For **Phillips-Recess screws PH**
- **Long style**
- Tough-hard for threaded screws
- Hexagon drive ISO 1173-C 6.3 = 1/4"

**Made in Germany**

HAZET No.	l mm	EAN-No. 4000896+
2215 Lg-PH 2	50	014590

## Screwdriver Bit



- For **Pozidriv screws PZ**
- Hexagon drive similar to ISO 1173-C 6.3 (1/4")

**Made in Germany**

HAZET No.	l mm	EAN-No. 4000896+
2216-PZ 1	25	014606
2216-PZ 2	25	014613
2216-PZ 3	25	014620



- For **Pozidriv screws PZ**
- **Long style**
- Hexagon drive similar to ISO 1173-C 6.3 (1/4")

**Made in Germany**

HAZET No.	l mm	EAN-No. 4000896+
2216 Lg-PZ 2	50	014644



- For **TORQ-SET® screws**
- Hexagon drive ISO 1173-C 6.3 = 1/4"

**Made in Germany**

HAZET No.	l mm	EAN-No. 4000896+
2221- 1	25	078813
2221- 2	25	078820
2221- 3	25	078837
2221- 4	25	078844
2221- 5	25	078851
2221- 6	25	078868
2221- 8	25	078875
2221-10	25	078882





Screwdrivers / Bits

**TORX® Screwdriver Bit**



- For inside TORX® screws
- Hexagon drive ISO 1173-C 6.3 = 1/4"
- **Made in Germany**

HAZET No.	mm	l mm	EAN-No. 4000896+
2223-T 6	1.67	25	015023
2223-T 7	1.99	25	015030
2223-T 8	2.31	25	015047
2223-T 9	2.50	25	015054
2223-T 10	2.74	25	014866
2223-T 15	3.27	25	014880
2223-T 20	3.86	25	014903
2223-T 25	4.43	25	014934
2223-T 27	4.99	25	014958
2223-T 30	5.52	25	014972
2223-T 40	6.65	25	014996



- For inside TORX® screws
- Long style
- Hexagon drive similar to ISO 1173-C 6.3 (1/4")
- **Made in Germany**

HAZET No.	mm	l mm	EAN-No. 4000896+
Esp. suitable for fuse box installation and removal on MERCEDES-BENZ C-class (type 204)			
2223 Lg-T 20	3.86	38	149780
For screws at the seat frame cover plate and for adjusting the steel sliding roof on BMW 3- and 5-series			
2223 Lg-T 25	4.43	65	015061
For removal and installation of the airbag unit e.g. MERCEDES-BENZ, VW, AUDI, OPEL, PORSCHE			
2223 Lg-T 30	5.52	70	015092



- For tamper resistant TORX® screws (inside TORX® screws with pin)
- With front hole
- T 30 H for sensor screw airbag BMW
- Hexagon drive ISO 1173-C 6.3 = 1/4"
- **Made in Germany**

HAZET No.	mm	l mm	EAN-No. 4000896+
2223-T 7 H	1.99	25	058082
2223-T 8 H	2.31	25	058099
2223-T 9 H	2.50	25	058105
2223-T 10 H	2.74	25	014873
2223-T 15 H	3.27	25	014897
2223-T 20 H	3.86	25	014910
2223-T 25 H	4.43	25	014941
2223-T 27 H	4.99	25	014965
2223-T 30 H	5.52	25	014989
2223-T 40 H	6.65	25	015009

**5-Star Screwdriver Bit**



**5-Star Screwdriver Bit**

- For the operation of inside 5-star screws with pin
- 6.3 = 1/4"
- **Made in Germany**

HAZET No.	l mm	EAN-No. 4000896+
<b>Components</b>		
2225-10 H	25	097043
2225-15 H	25	097050
20 H for the operation of the screwed connection of the plug-in pump on MERCEDES-BENZ Atego and Actros		
MAZDA 3 1.4 and 1.6 l		
2225-20 H	25	097067
25 H for the screwed connections at the control unit and the air flow sensor on VW		
2225-25 H	25	097074
2225-27 H	25	097081
2225-30 H	25	097098
2225-40 H	25	097104

- Assortment with holder
- Bit holder with magnetic bit retention
- Practical and space-saving bit storage in the handle
- 7 pieces

Contents:

2225-10 H	15 H	20 H	25 H	27 H	30 H
2262					
2225/7 H	25				097333

**Screwdriver Bit**



- For inside hexagon screws
- Hexagon drive ISO 1173-C 8 = 5/16", ISO 2351-3-C 8
- **Made in Germany**

HAZET No.	S mm	l mm	EAN-No. 4000896+
2206- 5	5	30	014262
2206- 6	6	30	014279
2206- 7	7	30	151349
2206- 8	8	30	014286
2206-10 *	10	30	014255



- For slotted screws
- Hexagon drive ISO 1173-C 8 = 5/16", ISO 2351-1-C 8
- **Made in Germany**

HAZET No.	mm	mm	l mm	EAN-No. 4000896+
2210- 8	5.5	0.8	41	014477
2210- 9	5.5	1	41	014484
2210-10	6.5	1.2	41	014422
2210-12	8	1.6	41	014446
2210-13	10	1.6	41	014453
2210-14	12	2	41	014460



- For screws with internal serration XZN
- 8 = 5/16"
- DIN 65254
- **Made in Germany**

HAZET No.	l mm	M	EAN-No. 4000896+
2212- 6	32	6	056415
2212- 8	32	8	056422
2212-10	32	10	056439

**Screwdriver Bit**



- For Phillips-Recess screws PH
- Hexagon drive ISO 1173-C 8 = 5/16", ISO 2351-2-C 8
- **Made in Germany**

HAZET No.	l mm	EAN-No. 4000896+
2217-PH 1	32	014651
2217-PH 2	32	014668
2217-PH 3	32	014682
2217-PH 4 +	38	014699



- For Pozidriv screws PZ
- Hexagon drive similar to ISO 1173-C 8 (5/16")
- **Made in Germany**

HAZET No.	l mm	EAN-No. 4000896+
2218-PZ 1	32	014705
2218-PZ 2	32	014712
2218-PZ 3	32	014729
2218-PZ 4 +	38	014736

**TORX® Screwdriver Bit**




- For inside TORX® screws
- Hexagon drive ISO 1173-C 8 = 5/16"
- **Made in Germany**

HAZET No.	mm	l mm	EAN-No. 4000896+
2224-T 25	4.43	35	015115
2224-T 27	4.99	35	015122
2224-T 30	5.52	35	015139
2224-T 40	6.65	35	015160
2224-T 45	7.82	35	015177
2224-T 50	8.83	35	015184
2224-T 55	11.22	35	015191



- For tamper resistant TORX® screws (inside TORX® screws with pin)
- With front hole
- Hexagon drive ISO 1173-C 8 = 5/16"
- **Made in Germany**

HAZET No.	mm	l mm	EAN-No. 4000896+
2224-T 30 H	5.52	35	049950
2224-T 40 H	6.65	35	049967
2224-T 45 H	7.82	35	049974
2224-T 50 H	8.83	35	049981



- For inside TORX® screws
- Long style
- Hexagon drive ISO 1173-C 8 = 5/16"
- **Made in Germany**

HAZET No.	mm	l mm	EAN-No. 4000896+
2224 S Lg-T 30	5.52	100	015245
2224 S Lg-T 40	6.65	100	015252
2224 S Lg-T 45	7.82	100	015269
2224 S Lg-T 50	8.83	100	015283